Lanberg SC01-6502-12B modular server chassis Rack (2U) 0 GB

Gamintojas: **LANBERG** · Modelis: **SC01-6502-12B** · EAN: **5901969441727** · Prekės kodas: **1000524**



139,90 €

Kaina su PVM

Be PVM: **115,62 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt














Aprašymas

RACK 19" 2U server cases from Lanberg

Our 19" RACK server chassis is an excellent choice for both professional data centers and advanced individual users. This 2U enclosure is designed to meet the most demanding needs in server construction and operation, while having a real impact on the performance of the entire system.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Thanks to its well-thought-out design, it will excel in business and industrial environments where reliability, flexibility and efficient airflow are important.

The new series are advanced server enclosures with a variety of fan configurations and mounting space, allowing you to expand your hardware capabilities even more easily. These enclosures are distinguished by their robust construction, space for numerous storage media, and rich I/O panels for quick connection of devices via USB 3.0 ports. Importantly, our models support a variety of motherboard standards, and practical accessories are included for easy installation. As a result, each server can be configured optimally for server operation and flexibly adapted to changing needs.

ATX, E-ATX, ITX, Micro-ATX and SSI CEB motherboards supported

The SC01-6502-12B server case is compatible with E-ATX, ATX, ITX, Micro-ATX and SSI CEB motherboards. This standard is ideal for high-performance servers and workstations based on Intel Xeon and AMD Epyc processors (X399/C600 chipsets). It provides a wide range of possibilities for component selection and scaling of computing power, allowing the creation of diverse configurations: from basic servers to advanced systems in data centers, large networks and industrial applications.

Advanced cooling: 7 PWM 80 mm fans

Good cooling and free airflow are key features for the proper operation of components. To ensure optimal operating temperatures for high-performance components, the SC01-6502-12B server chassis is equipped with up to 7 high-performance 80 mm PWM fans with adjustable speed (900-2600 RPM). At maximum speed, they maintain a service life of up to 50,000 hours and generate a noise level of 26.1 dB. Thanks to the perforated front with a replaceable dust filter, air flows freely through the interior, ensuring optimal operating conditions in a server room or RACK cabinet.

Easy expansion with space for multiple hard drives and SSDs

The design provides, when properly configured, space for 4 2.5" drives and as many as 6 3.5" drives to create a large storage space. This configuration allows you to easily store and segregate large volumes of data, which will be appreciated especially by companies growing at a rapid pace.

Solidly constructed server enclosures: durability and resistance to damage

Each Lanberg server case is made of galvanized steel as thick as 1.2 mm, which definitely increases its resistance to mechanical damage. Compared to traditional solutions, such as home tower server enclosures or the less well-made some ATX server enclosures, our RACK enclosure models stand out for their additional structural rigidity. This translates into years of reliability in the operation of any server. As a result, you can rest assured that your investment will bring you long-lasting benefits and remain stable even under heavy loads.

Connect multiple components to a rich I/O panel

A server and a server case are a duo that requires quick access to the most important ports. That's why you'll find 2 USB 3.0 Type-A ports on the front panel of our RACK models, as well as Power and Reset buttons. This makes server management convenient and intuitive, whether you're working in a professional server room or as part of an extended setup in a small or medium-sized business.

Dedicated accessories for suitable power supply and mounting in 19" RACK cabinets

Lanberg server cases in this series offer a rich set of accessories: interchangeable adapters for Flex ATX, ATX, SFX power supplies, 2x PWM splitters and a key lock. With these, you can easily mount the server in a 19" RACK rack and customize the power supply. The complete accessory package means that even less experienced users can quickly get their server up and running.

Techninė specifikacija

Design

Chassis type	Rack (2U)
Product colour	Black
Number of fans	7 fan(s)
Storage	
Storage drives installed	No
Installed storage drive type	No
Number of storage drives installed	0
Storage drive capacity	0 GB
Total installed storage capacity	0 GB
Number of storage drives supported	10
Ports & interfaces	
Ethernet LAN (RJ-45) ports	0
USB 2.0 ports quantity	0
Expansion slots	
PCI Express slots quantity	7
Weight & dimensions	
Width	430 mm
Depth	650 mm
Height	89 mm
Weight	9.4 kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Lanberg

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.