Viewsonic LS711W data projector Short throw projector 4200 ANSI lumens WXGA (1280x800) White

Gamintojas: **VIEWSONIC** · Modelis: **LS711W** · EAN: **766907022773** · Prekės kodas: **1000533**



1 421,90 €

Kaina su PVM

Be PVM: **1 175,12 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 3rd generation laser phosphor technology with up to a 30,000-hour lifespan
- ✓ 4,200 ANSI Lumens offering bright images in any environment
- ✓ High native contrast ratio achieved through Texas Instruments 0.65" DMD chip
- ✓ 0.52 short throw for seamless edge-blending without shadows
- ✓ Compact size and light weight reducing cost of transportation and installation
- ✓ Installation flexibility: H/V keystone correction, 360° projection, and portrait mode











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903






Aprašymas

The LS711W belongs to ViewSonic’s Luminous Superior series, a lamp-free high-brightness projector lineup designed for commercial and educational spaces. With its adoption of the 3rd generation laser phosphor technology, it delivers 4,200 ANSI Lumens for up to 30,000 hours, ensuring bright and vivid images without lamp replacement. The lamp-free design offers an eco-friendly and cost-effective solution, while the projector’s lightweight and compact design reduces transportation costs. With a 0.52 short throw ratio, the projector can deliver a seamless image on a 100” screen from just 1.1 m away without shadows, which enables effortless edge blending to create an immersive experience. This projector features a H/V keystone correction with 4 corner adjustment, 360° projection, and a portrait mode for easy setup and versatile applications.

Bright, Compact, Durable

The LS711W incorporates advanced 3rd-gen laser phosphor technology, enhancing brightness by 20% and achieving better luminous efficiency, all while being 32% more compact and more accessible than the previous generation. Its lamp-free light source offers instant power on/off and a lifespan of up to 30,000 hours without maintenance, ensuring consistent image quality even during extended periods of use.

Bright Images for Large Venues

Delivering 4,200 ANSI Lumens, the LS711W provides vibrant and sharp projection in all lighting conditions for gallery, restaurant, gym, and other expansive spaces.

Unmatched Contrasts, Enhanced Visibility

The projector's high native contrast ratio, achieved through its Texas Instruments 0.65" DMD chip, enables deeper blacks and brighter whites. As a result, it delivers more visual depth, clearer images, and enhanced legibility.

No Shadows, No Blinding Lights

The 0.52 short throw offers a 100” visuals from only 1.1 m away. When projecting onto a wall, there are no distracting shadows, providing seamless edge-blending for immersive viewing experience.

Ultra-large Screen with Lower Cost-per-inch

This easy-to-install projector allows for an image size of up to 300”, offering a lower cost-per-inch compared to other types of commercial displays.

Easy and Cost-effective Installation

The LS711W is 35% lighter in weight and 35% smaller in size compared to its predecessor and even most competing projectors in the market, greatly reducing the cost of transportation and increasing the ease of installation.

Save on Costs and Energy

With its advanced lamp-free light source, the LS711W offers a highly energy-efficient and cost-saving display solution by consuming up to 40% less power than competing projectors.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Get Perfectly-shaped Images Effortlessly

Horizontal and vertical keystone correction along with 4 corner adjustment features eliminate crooked or distorted images for a perfectly proportioned picture every time.

Versatile Creative Applications

The projector can rotate vertically at any angle, enabling projection onto ceilings, walls, or floors, and its portrait mode further expands its capabilities for projection mapping, staging, and creative advertising applications.

Present the Best with Vibrant Colors

Impress any audience with ViewSonic’s exclusive color technology, elevating your presentation with a vivid color experience.

Non-stop 24/7 Operation

The projector's advanced cooling design enables 24/7 operation without any degradation in image quality or performance. This makes it the go-to solution for applications that require continuous projection in retail stores, malls, museums, airports, and other public spaces.

A Simpler Way to Update Projector Software

Skip trips to the service center by keeping software up to date easily via USB cable connection with your own laptop.

Directly Power Wireless HDMI Dongle

The built-in 5V/1.5A USB-A output conveniently delivers power to a wireless HDMI dongle, eliminating the need for separate power adapters when streaming multimedia content.

Enhanced Dust Resistance, Easier Maintenance

The advanced sealed engine design with IP6X rating prevents dust from entering and affecting internal components. This ensures a longer product lifespan and consistent image quality, even in environments with poor air quality, resulting in savings on maintenance costs and efforts.

Techninė specifikacija

Projector	
Projector brightness	4200 ANSI lumens
Projector native resolution	WXGA (1280x800)
Contrast ratio (typical)	3000000:1
Smart projector	No
Screen size compatibility	889 - 7620 mm (35 - 300")
Projection distance	0.39 - 3.37 m
Number of colours	1.07 billion colours
Horizontal scan range	15 - 102 kHz
Vertical scan range	24 - 120 Hz
Keystone correction, horizontal	-15 - 15°

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Keystone correction, vertical	-15 - 15°
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Fixed focal length	7.51 mm
F-number (relative aperture)	2.8
Zoom capability	Yes
Zoom type	Fixed
Zoom ratio	0.8 - 2.0:1
Digital zoom	2x
Throw ratio	0.521
Offset	125%
Video	
3D	No
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Ports & interfaces	
VGA (D-Sub) ports quantity	0
HDMI ports quantity	2
Composite video in	0
Component video (YPbPr/YCbCr) in	0
DVI port	No
Audio (L/R) in	0
Serial interface type	RS-232
HDMI connector type	Full-size
HDMI version	1.4
Service port type	USB Type-A
USB 2.0 ports quantity	1
USB 2.0 Type-A ports quantity	1
Audio (L/R) out	0
PC Audio out	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

AC (power) in	Yes
Network	
Smart TV	No
Ethernet LAN	No
Wi-Fi	No
Storage	
Card reader integrated	No
Features	
Noise level	30 dB
Interactive	No
Noise level (economic mode)	24 dB
HDCP	Yes
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Number of OSD languages	23
HDCP version	1.4
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	15 W
Design	
Product type	Short throw projector
Market positioning	Business
Product colour	White
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	210 W
Power consumption (standby)	0.5 W
AC input voltage	100 - 240 V
AC adapter output voltage	19.5 V
Operational conditions	
Operating temperature (T-T)	0 - 40 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Weight & dimensions	
Weight	3 kg
Width	286 mm
Depth	216 mm
Height	129 mm
Package width	400 mm
Package depth	155 mm
Package height	280 mm
Package weight	4.7 kg
Packaging content	
Remote control included	Yes
Cables included	AC
Quick start guide	Yes
Warranty card	Yes
Packaging content	Lens Cover
Logistics data	
Quantity per pack	1 pc(s)
Pallet gross length	102 cm
Pallet gross width	122 cm
Pallet gross height	181 cm
Products per master (outer) case	1 pc(s)
Harmonized System (HS) code	8528620000
Technical details	
Image lag time	49.5 ms

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Vaizdo įrašas youtube.com/watch?v=RyHJ68VcRPg

Gamintojo ir saugos informacija

GAMINTOJAS

Viewsonic

ATSAKINGAS ASMUO ES

ViewSonic Technology GMBH
Fürst-Leopold-Platz 1, 46284 Dorsten, DE
viewsonic.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.