StarTech.com Universal Laptop Docking Station, Hybrid USB-C & USB-A Dock, Dual 4K DP & HDMI, 60W PD, Mac / Windows / Chrome OS, 4x USB 5Gbps Hub, GbE

Gamintojas: **STARTECH.COM** · Modelis: **DK30C2DPPDUE** · EAN: **065030879965** · Prekės kodas: **1002128**



333,90 €

Kaina su PVM

Be PVM: **275,95 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HYBRID DOCK: Universal docking station works with USB Type-C, Thunderbolt 3 / 4 & USB Type-A laptop computers, using a 2-in-1 USB-C / USB-A cable; Ideal for hoteling or shared workspace setup
- ✓ DUAL DISPLAY ON MACBOOK AIR: Enable two external displays on Apple MacBook Air/Pro (base M-Series) laptops that natively only support one; DisplayPort or HDMI ports supporting up to Dual 4K 60Hz; Driver installation required on Windows and macOS
- ✓ WORKS WITH ANY LAPTOP: Simplify your deployment with a USB-IF, VESA & DisplayLink certified docking station that offers optimal performance and universal compatibility with any laptop (Windows, macOS and Ubuntu) or Chromebook (ChromeOS)
- ✓ FULL-FEATURED DOCK: 4-Port USB 5Gbps Hub (2x Fast Charge) with 1x USB-C and 3x USB-A, Gigabit Ethernet & 1x 3.5mm audio/headset, K-slot for security lock & holes for optional mounting bracket; Includes DisplayLink Update Utility; 60W power delivery
- ✓ IT-PRO ADVANTAGES: Included connectivity tools for IT Pros and IT help-desk support teams with Network MAC Address Pass-Through for network security, WiFi Auto Switching for improved network performance, USB Event Monitoring, and Windows Layout






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903








Aprašymas

Dual 4K60 | DisplayPort and/or HDMI | USB-IF Certified | 3x USB-A | 1x USB-C | Mac, Windows® & Chrome OS™ | Lock Slot

Create a dual-4K 60Hz workstation with this certified universal laptop docking station for USB-C and USB-A laptops. The USB-C dock features 60W Power Delivery 3.0, dual HDMI and/or DisplayPort monitors, fast-charge, and both USB-C and USB-A peripheral ports.

The Uniquely Universal Host Cable

The USB-C dock comes with a universal host cable that is designed with an attached USB-C to USB-A adapter to accommodate USB-A laptops. The cable also features an extended length of 1 meter (3.3 ft.) to support a wide variety of workstation setups. Replacement host cables or extra host cables can be purchased separately here.

Flexible Monitor Connections

This is a dual 4K60Hz video docking station with support for both Ultra HD DisplayPort and/or HDMI monitors that lets you configure your video connections to best suit your needs.

•

Dual 4K DisplayPort | Up to 4096 x 2160p @ 60Hz

•

Dual 4K HDMI | Up to 4096 x 2160p @ 60Hz

•

Single 4K DisplayPort + Single 4K HDMI | Up to 4096 x 2160p @ 60Hz

•

Single 5K DisplayPort * | Up to 5120 × 2880

*Requires monitor support for 5K using two DP ports

Certified for Universal Compatibility & Reliability

This docking station is fully certified to meet top industry standards for USB-IF (USB 3.1 Gen 1, USB Type-C and Power Delivery), VESA DisplayPort and DisplayLink (video connections) certification to guarantee the highest quality, reliability, and compatibility.

60W Power Delivery

Using a single cable, the dock powers and charges your laptop as you work with 60W PD for faster charging, using the 135W power adapter.

Easy and Convenient Setup

For fast setup right out of the box, the combo cable (USB-C with attached USB-A adapter) lets you connect any laptop. The dock has mounting holes for workstation mounting (bracket not included).

The Connections You Need

Connect your devices with four USB 3.1 ports: 1x USB-C and 3x USB-A. Fast-charge your USB-C or USB-A smartphone. The dock provides a GbE port (PXE Boot support & Wake-on-LAN) and 3.5 mm 4-position headset audio jack. It also includes a security lock slot (K-slot) to protect against theft.

For more installation flexibility, you can use StarTech.com mounting brackets (SSPMSUDWM& SSPMSVESA) that are specifically designed for our docks and hubs, to mount your dock to a desk, wall, or other surfaces to give you the customized setup you need.

Enhance Productivity and Device Management with the StarTech.com Connectivity Tools Application

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software suite includes:

-

Advanced Windows Layout Utility : To setup and save custom windows layouts.

-

Mac Address Pass-Through Utility : To improve network security.

-

USB Event Monitoring Utility : To track and log connected USB devices

-

Wi-Fi Auto Switch Utility : Enabling users to quickly access faster network speeds via wired LAN.

For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/Connectivity-Tools
The IT Pro's Choice Since 1985

StarTech.com conducts thorough compatibility and performance testing on all our products to ensure we are meeting or exceeding industry standards and providing high-quality products to IT Professionals. Our local StarTech.com Technical Advisors have broad product expertise and work directly with our StarTech.com Engineers to provide support for our customers both pre and post-sales.

DK30C2DPPDUE is backed by a StarTech.com 3-year warranty and free lifetime technical support.

The StarTech.com Advantage

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	2
Headphone outputs	1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	60 W
DisplayPorts quantity	2
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
DC-in jack	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Full duplex	Yes
10G support	No
Performance	
Product colour	Black, Grey
Card reader integrated	No
Data transfer rate	5 Gbit/s
Maximum digital resolution	5120 x 2880 pixels
Cable lock slot	Yes
Cable lock slot type	Kensington
UASP support	Yes
Housing material	Plastic
Certification	CE, FCC, REACH
Power	
AC input voltage	100 - 240 V
Input current	2.5 A
Output voltage	20 V
Output current	6.75 A
Power consumption (typical)	135 W
Power plug type	Type N
Compatible power plug types	EU, UK
Software	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 95
Mac compatibility	Yes
Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 13.0 Ventura
Other operating systems supported	ChromeOS
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	0 - 95%
Weight & dimensions	
Width	80 mm
Depth	220 mm
Height	30 mm
Weight	280 g
Packaging data	
Package width	160 mm
Package depth	270 mm
Package height	105 mm
Package weight	1.3 kg
Packaging content	
Cables included	USB Type-A to USB Type-C
AC adapter included	Yes
Quick start guide	Yes
Technical details	
Compliance certificates	RoHS
Logistics data	
Products per master (outer) case	6 pc(s)
Master (outer) case width	295 mm
Master (outer) case length	500 mm

Master (outer) case height	250 mm
Harmonized System (HS) code	84733020
Other features	
Chipset	DisplayLink - DL6950, Genesys Logic - GL3523, Fresco Logic - FL7102, Fresco Logic - FL7201, VIA Labs - VL160, RealTek - RTL8153, Texas Instruments - TS3A225E
Matmenys ir svoris	
Svoris	1,46kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Vaizdo įrašas 1 youtube.com/watch?v=dP32D0R6H8A
- Vaizdo įrašas 2 youtube.com/watch?v=V1e8gfpHE8s
- Vaizdo įrašas 3 youtube.com/watch?v=0OUcYYrHpqs
- Vaizdo įrašas 4 youtube.com/watch?v=pzZ6ygna0tk

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt