InLine 17215O DisplayPort cable 15 m Mini DisplayPort / DisplayPort Black

Gamintojas: **INLINE** · Modelis: **17215O** · EAN: **4043718336234** · Prekės kodas: **1002180**



160,91 €

Kaina su PVM

Be PVM: **132,98 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 15 m
- ✓ Mini DisplayPort / DisplayPort Straight Male
- ✓ Mini DisplayPort / DisplayPort Straight Male
- ✓ DisplayPort version: 1.4
- ✓ 7680 x 4320 pixels 144 Hz 32.8 Gbit/s
- ✓ HDCP 3D
- ✓ Black





Aprašymas

Hybrid cable made of copper and fiber optics for high range and interference immunity
Detachable connectors for easy installation in tight environments
Mini DisplayPort adapter included for flexible device compatibility
High data rate up to 32.8 Gb/s for 8K/4K resolution with 3D, HDR10 and much more.
Rugged workmanship with gold-plated contacts and PVC sheathing

The InLine® DisplayPort 1.4 AOC cable combines innovative hybrid technology with professional flexibility. The combination of fiber optic and copper wires enables the highest signal quality even with cable lengths of up to 50 m. Thanks to detachable connectors and Mini DisplayPort adapters, it is particularly installation-friendly and versatile - ideal for system houses, AV professionals and IT infrastructures.Gold-plated contacts, a robust PVC

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

jacket and support for current standards such as HDR10, HDCP 2.2 and 8K at 60Hz make this cable a reliable choice for demanding environments. The compact design also allows it to be used in tight installation situations.

Hybrid construction: 4 fiber optic and 8 copper cores
Directional: Source to display
Metal connector, detachable DP to mini-DP adapter
Cable diameter: 4.8 mm, PVC jacket
Supported resolutions: 7680×4320 @60Hz, 3840×2160 @144Hz (DSC)
Max. Data rate: 32.8 Gb/s
Standards: 3D, HDCP2.2, DPCP1.0, EDID, HDR10

Techninė specifikacija

Features	
Cable length	15 m
Connector 1	Mini DisplayPort / DisplayPort
Connector 2	Mini DisplayPort / DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
DisplayPort version	1.4
Supported graphics resolutions	3840 x 2160, 7680 x 4320
Maximum refresh rate	144 Hz
HDCP	Yes
HDCP version	2.2
DisplayPort Content Protection (DPCP)	Yes
3D	Yes
Jacket material	Polyvinyl chloride (PVC)
Data transfer rate	32.8 Gbit/s
Colour sampling	4:4:4
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 70 °C
Certificates	
Compliance certificates	RoHS, TÜV mark

Weight & dimensions	
Cable diameter	4.8 mm
Weight	548 g
Packaging data	
Package width	240 mm
Package depth	230 mm
Package height	40 mm
Package weight	643 g
Package type	Box
Package volume	2200 cm³
Logistics data	
Country of origin	Taiwan
Other features	
Depth	15000 mm
Height	11 mm
Width	20 mm

Gamintojo ir saugos informacija

GAMINTOJAS

InLine

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.