
AG Neovo ME-3201 computer monitor 80 cm (31.5") 1920 x 1080 pixels Full HD White

Gamintojas: **AG NEOVO TECHNOLOGY** · Modelis: **ME3210B1E0000** · EAN: **4710739598247** · Prekės kodas: **1002761**



665,90 €

Kaina su PVM

Be PVM: **550,33 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Full HD 1920 x 1080 resolution
- ✓ Medical adaptor certified to IEC/EN 60601-1 medical standards
- ✓ HDMI and DisplayPort inputs with integrated dual speakers
- ✓ VESA mounting suitable for flexible installation in healthcare settings






Aprašymas

32" Clinical Review Monitor

32'' Clinical Review Monitor for Modern Medical Workstations

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Introducing the ME-3201, a 32” clinical review monitor designed to transform document scrutiny in clinics. Every meticulous detail is accentuated, enhancing patient record evaluations. Beyond its crisp display, the monitor champions safety with its IEC/EN 60601 certified power adaptor. Its VESA mounting compatibility promises versatility – from a traditional desk setup to the hustle and bustle of medical trolleys.

Crisp Image Quality

Tailored for medical precision, the ME-3201 features 2MP (1920 x 1080) resolution, offering unmatched clarity, facilitating accurate diagnostics and integration.

Safety First

Our monitor features an IEC/EN60601 certified power adaptor, ensuring safe, consistent operations.

Versatile Mounting

Adaptability at its finest. With a 100 x 100mm VESA specification, mount the ME-3201 with ease, be it on dynamic medical trolleys or sleek wall setups.

Broad Connectivity

Integration has never been smoother. With HDMI and DisplayPort interfaces, ME-3201 caters to the diverse connectivity needs of modern medical systems.

Eye-Care Technology

Prioritising your well-being. Crafted for extended usage, our monitor minimises eye strain through its flicker-free performance and protective blue light filter.

Techninė specifikacija

Display	
Display diagonal	80 cm (31.5")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Touchscreen	No
HD type	Full HD
Panel type	VA
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	20000000:1
Display number of colours	16.7 million colours
Display brightness (typical)	300 cd/m²
Anti-glare screen	Yes
Viewing angle, horizontal	178°
Viewing angle, vertical	178°

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Pixel pitch	0.364 x 0.364 mm
Digital horizontal frequency	30 - 81 kHz
Digital vertical frequency	56 - 75 Hz
Haze rate	25%
Surface hardness	3H
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	6 W
Design	
Market positioning	Medical
Product colour	White
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
HDMI ports quantity	1
DisplayPorts quantity	1
Audio output	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	-5 - 15°
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	26.2 kWh
Power consumption (typical)	26 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

AC adapter output voltage	12 V
Power supply type	External
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 85%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width (with stand)	728.8 mm
Depth (with stand)	236.7 mm
Height (with stand)	540.3 mm
Weight (with stand)	8.7 kg
Width (without stand)	728.8 mm
Depth (without stand)	57.4 mm
Height (without stand)	433.1 mm
Weight (without stand)	5.5 kg
Packaging data	
Package width	801 mm
Package depth	207 mm
Package height	521 mm
Package weight	10.2 kg
Packaging content	
Stand included	Yes
Cables included	AC, HDMI
Power adapter included	Yes
Quick start guide	Yes
Other features	
Compliance certificates	EAC, Low Voltage Directive (LVD), REACH, RoHS, WEEE
Matmenys ir svoris	
Matmenys (I × P × A)	80,00cm × 52,00cm × 21,00cm
Svoris	10,64kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **E** A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Atitikties deklaracija
- Vaizdo įrašas 1 objects.icecat.biz/objects/120252468_77340733.mp4
- Vaizdo įrašas 2 youtube.com/watch?v=jqviXl1f6VY

Gamintojo ir saugos informacija

GAMINTOJAS

AG Neovo Technology B.V.
Molenbaan 9, 2908 Capelle aan den IJssel, NL
agneovo.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Atitikties deklaracija