StarTech.com DisplayPort KVM Extender over Fiber Optic, 4K 60Hz, Console Extender Kit, Up to 984ft/300m (Multi-mode) with Pre-installed SFP+ Modules, 3x USB HID - TAA

Gamintojas: **STARTECH.COM** · Modelis: **FD121-KVM-EXTENDER** · EAN: **065030901123** · Prekės kodas: **1003044**



955,90 €

Kaina su PVM

Be PVM: **790,00 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ FIBER OPTIC KVM EXTENDER: Control a KVM switch, console, or PC at a distance of up to 984ft (300m) away over multi-mode cabling using pre-installed SFP+ modules; Supports single-mode SFP+ modules (sold separately) to extend the range up to 1,640ft (500m)
- ✓ 4K 60HZ DISPLAYPORT VIDEO: Transmitter and receiver extension kit supports UHD resolutions up to 3840x2160 60Hz (4:4:4); EDID pass-through ensures optimal signal quality and compatibility by providing real-time display information; DP 1.2 compliant
- ✓ UNIVERSAL COMPATIBILITY: No drivers or software required and works with any operating system including Windows, macOS, and Linux; Point-to-point fiber connection means no network settings to configure or manage; SFP+ slots support MSA-compliant modules
- ✓ USB PERIPHERAL PORTS: USB HID ports allow users to connect a variety of peripherals, including mice, keyboards, or other input devices; Ideal for remote device control, flexible workstation setups, and collaborative multimedia environments
- ✓ DURABLE DESIGN: Durable steel housing and fiber extension method help prevent Electro-Magnetic Interference (EMI), enhancing the stability and reliability of the extender; Sturdy construction makes it ideal for installation in a variety of environments






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903





Aprašymas

Control a DisplayPort-equipped computer or KVM switch up to 300m (985ft) away over fiber-optic cable

The Fiber Optic KVM Extender allows for control of a KVM switch, console, or PC from a distance of up to 984ft (300m).

4K 60Hz DisplayPort Video

The transmitter/receiver kit extends 4K 60Hz DisplayPort video, supporting UHD resolutions up to 3840x2160 at 60Hz (4:4:4). It is DP 1.2 compliant and includes EDID pass-through for real-time display information, ensuring optimal signal quality and compatibility.

Universal Compatibility

The KVM Console Extender does not require any drivers or software for installation. The point-to-point fiber connection eliminates the need for configuring or managing network settings. The extender is compatible with all operating systems, including Windows, macOS, and Linux. The SFP+ slots support both single and multi-mode MSA-compliant modules.

Built-In USB Hub

Three USB ports allow users to connect peripherals such as a mouse and keyboard, ideal for remote control of source devices, flexible workstation setups, and collaborative multimedia environments.

Durable Design

The extender has a sturdy steel chassis and uses fiber-optic extension to reduce electromagnetic interference (EMI), improving stability and ensuring long-term reliability. Its rugged design makes it suitable for installation in various environments.

Techninė specifikacija

Features	
Type	Transmitter & receiver
Connectivity technology	Wired
Maximum transfer distance	300 m
Maximum digital resolution	4096 x 2160 pixels
Maximum refresh rate	60 Hz
Supported resolutions	4096 x 2160 @ 60hz 3840 x 2160 @ 60hz 3440 x 1440 @ 60hz 3200 x 1800 @ 60hz 3072 x 1728 @ 60hz 2560 x 1440 @ 60hz 2048 x 1536 @ 60hz 1920 x 1200 @ 60hz 3840 x 1080 @ 60hz 1920 x 1080 @ 60hz 1760 x 990 @ 60hz 1680 x 1050 @ 60hz 1600 x 1200 @ 60hz 1600 x 900 @ 60hz 1440 x 900 @ 60hz 1366 x 768 @ 60hz 1280 x 1024 @ 60hz 1280 x 720 @ 60hz 1128 x 634 @ 60hz 1024 x 768 @ 60hz 800 x 600 @ 60hz
On Screen Display (OSD)	No

Product colour	Black
LED indicators	Yes
Transmitter	
Transmitter local video port	Yes
Transmitter local video port type	DisplayPort
Number of displays supported	1
Transmitter Micro-USB ports quantity	1
Receiver	
Receiver local video port type	DisplayPort
Receiver Micro-USB ports quantity	2
Ports & interfaces	
Installed SFP+ modules quantity	2
USB 1.1 ports quantity	3
Power	
AC input voltage	100 - 240 V
Input current	0.3 A
AC adapter output voltage	5 V
AC adapter output current	2 A
Power consumption (transmitter) (max)	10 W
Power consumption (receiver) (max)	10 W
Weight & dimensions	
Transmitter width	7.4 cm
Transmitter depth	10 cm
Transmitter height	2.8 cm
Transmitter weight	235 g
Receiver width	7.4 cm
Receiver depth	10 cm
Receiver height	2.8 cm
Receiver weight	235 g
Packaging data	
Package width	308 mm
Package depth	179 mm
Package height	72 mm
Packaging content	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Cables included	Mini-USB
Quick installation guide	Yes
Included power plug types	ANZ, EU, NA, UK
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Other features	
Extended display identification data (EDID)	Yes
Mean time between failures (MTBF)	156000 h
Compliance certificates	RoHS, Trade Agreements Act (TAA)
Logistics data	
Master (outer) case width	420 mm
Master (outer) case length	328 mm
Master (outer) case height	265 mm
Products per master (outer) case	6 pc(s)
Sustainability	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt