StarTech.com USB-C 10Gbps to M.2 NVMe SSD Enclosure - Portable External M.2 NGFF PCIe Aluminum Case - 1GB/s Read/Write - Supports 2230, 2242, 2260, 2280 - TB3 Compatible - Mac & PC - TAA

Gamintojas: **STARTECH.COM** · Modelis: **M2E1BMU31C** · EAN: **065030875691** · Prekės kodas: **1003051**



89,90 €

Kaina su PVM

Be PVM: **74,30 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HIGH PERFORMANCE: M.2 NVMe STORAGE: USB-C storage for your PCIe M.2 SSD. This enclosure features USB 3.1 Gen 2 (10Gbps) with UASP support & PCIe 3.0 for read/write data transfer speeds up to 1GB/s.
- ✓ DURABLE & PORTABLE: Aluminum housing protects the M.2 NGFF SSD and features ventilation holes for heat dissipation to ensure consistency at all performance levels. Ideal for data backup and recovery.
- ✓ BROAD DRIVE COMPATIBILITY: Compatible with M-Key PCI Express drives sized 2230/2242/2260/2280 including Samsung 950/960/970, Kingston, Seagate, Western Digital (WD), HP, and Intel SSD drives.
- ✓ BROAD HOST COMPATIBILITY: USB-C cable included for compatibility with any USB Type-C (USB 3.1 Gen 2 & USB 3.0) or Thunderbolt 3 (TB3) device. OS Support includes Windows, Mac, Chrome, Linux, & Ubuntu.
- ✓ EASY INSTALLATION: The external M.2 NVME SSD enclosure case supports driverless plug-and-play installation and hassle free drive installation with the small screwdriver you'll need included.






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.









Aprašymas

External NVMe Enclosure | Thunderbolt™ 3 Compatible | USB-C Cable Included

This compact M.2 NVMe SSD Enclosure for PCIe SSDs is a highly portable, high-performance data storage solution for your USB-C or Thunderbolt 3 enabled devices.

Unparalleled Performance

Leverage the high speeds of your M.2 NVMe drive, with this external SSD enclosure. It delivers USB 3.1 Gen 2 read/write speeds up to 10Gbps, which is nearly twice the capability of traditional M.2 SATA enclosures and USB 3.1 Gen 1. NVMe allows users to take full advantage of the throughput available to USB 3.1 Gen 2, which would not be possible with a SATA drive.

This fan-less aluminum enclosure features ventilation holes for maximum heat dissipation, ensuring your drive operates noiselessly at an optimal temperature to preserve performance.

Truly Portable

This slim, pocket-sized enclosure for PCIe based NVMe is specially designed for mobility, with a small form-factor design that fits easily into your laptop bag. Its lightweight, yet durable aluminum housing helps to ensure your drive won't be damaged while you're on the move.

Broad Compatibility

The M.2 NVMe enclosure works with tablets, laptops, desktop computers and hosts that are equipped with USB Type-C and Thunderbolt 3 ports. It's also backward compatible with USB 3.1 Gen 1, making it a convenient solution for the office or other workplace environments.

Additionally, the enclosure supports plug-and-play installation, making it the perfect accessory for professionals on the go.

M2E1BMU31C is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Techninė specifikacija

Storage	
Storage drive size	M.2
Supported storage drive interfaces	M.2
Number of storage drives supported	1

Supported storage drive lengths	30,42,60,80 mm
Number of storage drives installed	0
Ports & interfaces	
USB connectivity	Yes
USB version	3.2 Gen 2 (3.1 Gen 2)
USB connector type	USB Type-C
USB connector gender	Female
USB ports quantity	1
Integrated USB cable	No
Design	
Product type	SSD enclosure
Product colour	Black
Material	Aluminium, Plastic
LED indicators	Activity, Power
Certification	CE, FCC, REACH
Performance	
Data transfer rate	10 Gbit/s
Chipset	ASMedia - ASM2362
UASP support	Yes
Hardware encryption	Yes
Mean time between failures (MTBF)	233398 h
Plug and Play	Yes
Power	
Power source type	USB
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 65 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	40 mm
Depth	108 mm
Height	13 mm
Weight	65 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Package width	108 mm
Package depth	156 mm
Package height	38 mm
Package weight	155 g
Packaging content	
Cables included	USB Type-C to USB Type-C
Screwdriver included	Yes
Manual	Yes
Technical details	
Compliance certificates	RoHS
Logistics data	
Harmonized System (HS) code	84733080
Master (outer) case width	390 mm
Master (outer) case length	488 mm
Master (outer) case height	268 mm
Products per master (outer) case	60 pc(s)

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt