
Goodram CL100 gen.3 960 GB 2.5" Serial ATA III 3D NAND

Gamintojas: **GOODRAM** · Modelis: **SSDPR-CL100-960-G3** · EAN: **5908267923429** · Prekės kodas: **1003862**



170,90 €

Kaina su PVM

Be PVM: **141,24 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Up to 10x faster than hadr drive
- ✓ Perfect for daily use



Aprašymas

CL100 gen.3 SSD is built around selected 3D NAND memory chips. This will allow you to accelerate your PC that runs on a traditional hard drive up to 10 times, at the same time providing you with long-term reliability.

Breathe life back into your computer

GOODRAM presents the next generation of popular SSDs, dedicated to home and office solutions. CL100 gen. 3 is the name of the new SSD series targeted at users looking for a much faster and more reliable alternative to a traditional hard drive.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Wide range of use

If your computer is performing slower than you like, replacing the HDD with an SSD is one of the most cost-effective changes you can make. It will completely change your computing experience. SSDs are faster because they call up data more rapidly, so they accelerate boot-up times and apploading.

Reliable 3D NAND

GOODRAM CL100 gen. 3 SSD provides best-in-class performance and reliability. The refreshed disk is equipped with 3D NAND Flash memory. Detailed firmware guarantee full software data protection, consistency and security during use.

Techninė specifikacija

Features	
SSD capacity	960 GB
SSD form factor	2.5"
Interface	Serial ATA III
NVMe	No
Memory type	3D NAND
Component for	PC/Laptop
Hardware encryption	No
Data transfer rate	6 Gbit/s
Read speed	540 MB/s
Write speed	460 MB/s
TBW rating	720
Weight & dimensions	
Width	100 mm
Depth	7 mm
Height	69.8 mm
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-45 - 85 °C

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

GAMINTOJAS

Wilk Elektronik SA

Mikolowska 42, 34-173 Laziska Gorne, PL

goodram.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt