Conceptronic BIAN11B Dual Interface Smart ID Card Reader

Gamintojas: **CONCEPTRONIC** · Modelis: **BIAN11B** · EAN: **4015867243589** · Prekės kodas: **1005647**



44,90 €

Kaina su PVM

Be PVM: **37,11 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports both contact and contactless smart ID cards for flexible use
- ✓ Compatible with eID, DNIe and other national ID cards
- ✓ Use your IC/ID card for online tax filing, online banking and secure identification
- ✓ Supports ISO 7816 Class A, B, C (5V, 3V, 1.8V)
- ✓ Supports ISO 14443 Type A/B and ISO 15693
- ✓ Supports ISO/IEC 18092 NFC communication
- ✓ Simple Plug and Play installation






Aprašymas

The Dual Interface Smart ID Card Reader is designed to provide secure and versatile authentication for modern digital services. Supporting both contact and contactless smart ID cards, it offers broad compatibility for government, enterprise and personal use. It is fully compatible with eID, DNIe and other national ID cards, making it ideal for online tax filing, online banking and secure identity verification.

Use of national ID cards or banking cards may require installation of the corresponding middleware provided by the issuing authority. Ensuring that the middleware is up to date allows the reader to function properly with each supported card type.

With simple Plug and Play installation, the Dual Interface Smart ID Card Reader integrates effortlessly into your workflow, providing a dependable and secure solution for everyday digital authentication tasks.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Features	
Product type	Universal smart card reader
Application area	Access control, Banking & payments
Payment methods supported	Contactless, EMV (Chip & PIN)
Plug and Play	Yes
Design	
Placement supported	Indoor
Product colour	Black
Cable length	1 m
Country of origin	China
Ports & interfaces	
Interface	USB 2.0
Near Field Communication (NFC)	Yes
Compliance industry standards	ISO 7816 Class A, B, C (5V, 3V, 1.8V) ISO 14443 Type A and Type B ISO 15693 ISO/IEC 18092 (NFC) T0 and T1 protocol support PC/SC 2.0 smart card industry standard Microsoft USB-CCID Microsoft WHQL I2C memory card: SLE4418, SLE4428, SLE4432, SLE4442, SLE4436, SLE5518, SLE5528, SLE5532, SLE5536, SLE5542, SLE6636 AT-series memory card: AT88SC102, AT88SC153, AT88SC1608, AT45D021, AT45D041
Power	
Power source	USB
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Technical details	
Compliance certificates	CE, RoHS
System requirements	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Linux operating systems supported	Yes
Mac compatibility	Yes
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia
DNIe compatibility	Yes

Weight & dimensions

Width	100 mm
Height	14.8 mm
Depth	69 mm
Weight	100 g

Packaging data

Quick installation guide	Yes
Package width	180 mm
Package depth	90 mm
Package height	25 mm
Package weight	126 g
Package type	Box

Logistics data

Products per master (outer) case	60 pc(s)
Master (outer) case width	435 mm
Master (outer) case length	315 mm
Master (outer) case height	210 mm
Master (outer) case gross weight	8.5 kg
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	183.2 cm
Master (outer) cases per pallet	40 pc(s)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Customs product code (TARIC)	8471900000

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.