

APC E3SXR6 UPS battery cabinet Tower

Gamintojas: **APC** · Modelis: **E3SXR6** · EAN: **731304345503** · Prekės kodas: **100853**



3 788,90 €

Kaina su PVM

Be PVM: **3 131,32 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Tower
- ✓ Sealed Lead Acid (VRLA)
- ✓ Grey

Aprašymas

Modular battery cabinet for extended runtime for UPSs with internal batteries. The cabinet is supplied without batteries, so batteries must be purchased separately. Up to six battery strings (E3SBT4 or E3SBTH4) can be installed in the cabinet.

Protection

Parallel capability

Multiple units can be placed in parallel to meet power capacity and redundancy requirements

Replaceable dust filters

protect the UPS in harsh environments.

Optional SNMP Card

When you purchase the SNMP card, you can monitor and manage UPS status remotely through the UPS Web interface or through EcoStruxure IT's cloud-based and on-premise software suites. Click here for more information about EcoStruxure IT.

Wide Input Voltage Window

Saves your battery power for when you really need it - during power cuts!

Convenience

Intuitive user interface

The intuitive graphical user interface allows for easy system configuration.

Front-access servicing

Simplifies installation and UPS maintenance while minimizing space requirements.

Easy Loop Test

Verifies UPS performance before you connect your load, without the need for a load bank.

ECO Mode

Operating mode that by-passes unused electrical components in good power conditions to achieve high operating efficiency without sacrificing protection

Easy to install fast

Quickly roll the compact and lightweight UPS into position.

Straightforward installation

Including the input, output, and bypass breakers, as well as the Emergency Power Off (EPO) switch, simplifies installation planning and speeds up deployment.

Techninė specifikacija

Design	
Form factor	Tower
Product colour	Grey
Battery	
Battery technology	Sealed Lead Acid (VRLA)
Number of batteries supported	6
Certificates	
Certification	REACH
Compliance certificates	RoHS
Weight & dimensions	
Width	500 mm
Depth	940.9 mm
Height	1400 mm
Weight	125 kg
Packaging content	

Quantity	1
Manual	Yes
Packaging data	
Package width	650 mm
Package depth	1020 mm
Package height	1620 mm
Package weight	140 kg
Matmenys ir svoris	
Matmenys (l × p × A)	160,00cm × 103,00cm × 65,00cm
Svoris	152,50kg