ASUS ROG STRIX LC II 240 ARGB White Edition Processor All-in-one liquid cooler 12 cm 1 pc(s)

Gamintojas: **ASUS** · Modelis: **90RC00E2-M0UAY0** · EAN: **4711081544357** · Prekės kodas: **1011368**



345,90 €

Kaina su PVM

Be PVM: **285,87 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Seventh Gen Asetek pump delivers exceptional cooling and minimal noise with an operating range starting at 840 rpm
- ✓ Two ROG-designed radiator fans provide optimized airflow and static pressure
- ✓ ARGB lighting on the NCVM-coated pump cover and the radiator fans conveys a sleek, modern design
- ✓ Aesthetic perfectly complements ROG motherboards from center stage
- ✓ Reinforced, sleeved tubing offers increased durability









Aprašymas

ROG STRIX LC II 240 ARGB

ROG Strix LC II 240 ARGB AIO delivers high-performance CPU liquid cooling with sleek, modern aesthetics. Featuring a closed-loop design and ARGB radiator fans, the cooler unleashes the full potential of an Intel® or AMD CPU while further accentuating your build with brilliant multi-color lighting effects. With the cooling you expect from ROG, Strix LC II 240 ARGB is ready to become an essential part of your rig and light it up with your own unique style.

NEXT-LEVEL CUSTOMIZATION

Emanate Your Style

Intricate new designs on ROG Strix LC II 240 ARGB showcase the iconic ROG aesthetic, and every detail shines with the spirit of Strix. Aura Sync support on the pump cover’s new illuminated ROG logo and ARGB radiator fans allows you to coordinate lighting effects with ROG build components — and show off your personal style. Also, engraved ROG lettering on the radiator’s side complements the iridescent lettering on the hubs of each fan.

COMPREHENSIVE COMPATIBILITY

ROG Strix LC II series is compatible with a wide range of Intel® and AMD motherboard platforms, giving you the flexibility to pair it with your choice of processor. With 380mm of tubing at your disposal, radiator installation is equally as flexible in a variety of chassis.

Techninė specifikacija

Performance	
Suitable location	Processor
Type	All-in-one liquid cooler
Fan diameter	12 cm
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1200 (Socket H5), LGA 1700, LGA 2011 (Socket R), LGA 2011-v3 (Socket R), LGA 2066, Socket AM4, Socket TR4
Maximum airflow	80.95 cfm
Airflow	137.5 m³/h
Pulse-width modulation (PWM) support	Yes
Quantity per pack	1 pc(s)
Fan speed (min)	800 RPM
Fan speed (max)	2500 RPM
Fan static pressure	5 mmH2O
Design	
Product colour	White
Material	Aluminium, Copper
Radiator material	Aluminum
Base plate material	Copper

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Illumination LED	Yes
Illumination colour	Multi
Fan connector	4-pin
Water block material	Copper
Fan controller	Yes
Weight & dimensions	
Radiator width	12.1 cm
Radiator depth	27.2 cm
Radiator height	2.7 cm
Tube length	38 cm
Waterblock width	8 cm
Waterblock depth	8 cm
Waterblock height	4.5 cm
Weight	804 g
Fan dimensions (W x D x H)	120 x 120 x 25 mm
Fan thickness	2.5 cm
Package width	350 mm
Package depth	138 mm
Package height	232 mm
Package weight	2.3 kg
Other features	
Tube material	Rubber
Noise level	37.6 dB
Logistics data	
Harmonized System (HS) code	84733080

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.