TP-Link Omada PoE+ Extender Network repeater Black 10, 100, 1000 Mbit/s

Gamintojas: **TP-LINK** · Modelis: **POE20E-OUTDOOR** · EAN: **1210002606479** · Prekės kodas: **1013020**



60,90 €

Kaina su PVM

Be PVM: **50,33 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2× 10/100/1000 Mbps RJ45 ports
- ✓ Compliance with 802.3af/at devices
- ✓ Supplies up to 30 W, which meets the power consumption requirements of most IP cameras
- ✓ Extends a PoE/PoE+ network connection up to 500 m (250 m+250 m)* from the PoE power sourcing equipment under 10Mbps mode
- ✓ Outdoor Weatherproof: IP68 dust &water proof; Wide operation temperatures of -40 to 65 °C and 6KV lightning protection further ensure stable operation against harsh outdoor conditions.
- ✓ Plug-and-Play, requires no configure

Aprašymas

What This Product Does

The POE20E-Outdoor is a rugged Gigabit PoE+ Extender engineered to overcome network distance limitations in demanding outdoor environments. It seamlessly extends both data and power an additional 100 meters at full Gigabit speeds, delivering up to 30W of 802.3af/at compliant PoE+ to power devices like IP cameras and access points. Built for ultimate reliability, its IP68-rated weatherproof enclosure and an wide operating temperature range of -40°C to 65°C ensure flawless performance in any weather. Offering simple Plug-and-Play installation and an extended range of up to 250m* for lower-speed applications, the POE20E-Outdoor is the ideal solution for deploying surveillance and network hardware in remote locations where power and distance are a challenge.

Techninė specifikacija

Performance

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Type	Network repeater
Maximum transfer distance	250 m
Data transfer rate	1000 Mbit/s
Cable types supported	Cat3, Cat5, Cat5e
Ethernet LAN data rates	10,100,1000 Mbit/s
Auto-negotiation	Yes
International Protection (IP) code	IP68
Plug and Play	Yes
Network	
Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
DC-in jack	No
Design	
Product colour	Black
LED indicators	ACT, Link
Quantity per pack	1 pc(s)
Power	
Power over Ethernet (PoE)	Yes
Maximum output power	30 W
Operational conditions	
Operating temperature (T-T)	-40 - 65 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	15 - 90%
Storage relative humidity (H-H)	15 - 90%
Weight & dimensions	
Width	221.7 mm
Depth	31 mm
Height	31.5 mm
Packaging content	
Quick start guide	Yes
Certificates	
Compliance certificates	Federal Communications Commission (FCC), CE, BSMI, KC

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt