TP-Link Tapo Solar Panel SPEC: 5.2V 2.5W FEATURE: Type-C Charging Port, Non-Stop Power, Flexible Solar Installation, Works with Battery Camera, 4m Charging Cable(Total), Weatherproof (IP65)

Gamintojas: **TP-LINK** · Modelis: **TAPO A201** · EAN: **8885020620405** · Prekės kodas: **1013028**



47,90 €

Kaina su PVM

Be PVM: **39,59 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Works with Tapo Battery Cameras: Compatible with all Tapo Battery Cameras, enabling your Tapo battery camera to protect you all year round
- ✓ Flexible Installation Options: Install it separately with a 4m / 13 ft extra-long cable or alongside the camera, empowering you to discover optimal spots for seamless monitoring
- ✓ Non-Stop Power Supply: Enjoy a non-stop power supply with high-efficiency solar charging. You need only 45 minutes of standard sunlight a day to keep your cameras working
- ✓ High-Efficiency Solar Cells: Made of premium monocrystalline silicon cells, Tapo A201 captures abundant solar energy and converts into electric energy efficiently
- ✓ IP65 Weatherproof: Keep your solar panel durable from rain and dust with IP65 weatherproof
- ✓ Flexible Light Capture: Mount your solar panel on the wall or roof and adjust its angle flexibly to capture enough sunlight with an angle-adjustable bracket






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903








Aprašymas

Flexibly Installed Solar, Endless Power.
Solar Panel

Flexible Solar Installation Options

Designed for seamless integration, the Tapo A201 offers a sleek unified look or flexible positioning with a 4m charging cable for maximum sunlight exposure. Enjoy green, endless power.

Works with Tapo Battery Cameras

Compatible with all Tapo Battery Cameras, enabling your Tapo battery camera to protect you all year round.

High-Efficiency Solar Charging

Daily 45 minutes of direct sunlight charges Tapo Battery Cam for all-day use, thanks to its premium monocrystalline silicon cells and 2.5W maximum charging power.

Flexibly Adjustable Angle for Sufficient Sunlight

Mount your solar panel on the wall or roof and adjust its angle flexibly to capture enough sunlight with an angle-adjustable bracket.

IP65 Weatherproof

Offers reliable performance and keeps your battery cameras stay charged even in harsh environments with rain and dust.

Techninė specifikacija

Power	
Rated power	2.5 W
Maximum output voltage	5.2 V
Features	
Connector type	USB
Product colour	White

International Protection (IP) code	IP65
Compatible products	Tapo C400; Tapo C410; Tapo C420;Tapo C425; Tapo C420S2, Tapo C400S2
Certification	CE, FCC, RoHS, RCM
Packaging data	
Package width	162 mm
Package depth	211 mm
Package height	101.5 mm
Package weight	600 g
Operational conditions	
Operating temperature (T-T)	-20 - 45 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	173.4 mm
Depth	120.4 mm
Height	15.7 mm
Matmenys ir svoris	
Matmenys (I × P × A)	21,00cm × 10,00cm × 16,00cm

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Greitos pradžios vadovas
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.