Conceptronic OZUL09BE 65W USB PD Charger

Gamintojas: **CONCEPTRONIC** · Modelis: **OZUL09BE** · EAN: **4015867245088** · Prekės kodas: **1013429**



38,90 €

Kaina su PVM

Be PVM: **32,15 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Charging Technology: USB Power Delivery (PD) 3.0, and PPS.
- ✓ Total Power Output: Max. 65W.
- ✓ Output Specifications: DC 5.0V to 20.0V.
- ✓ Device Compatibility: Flagship smartphones, high-performance tablets, and laptops.
- ✓ Included Accessories: Built-in 1.2m USB-C cable and detachable 1.2m AC power cable.
- ✓ Safety Features: Built-in protection against overload, short-circuiting, and overheating.









Aprašymas

The Conceptronic OZUL09BE 65W USB PD Charger is designed to deliver fast, efficient, and reliable power for a wide range of USB-C devices. Featuring USB Power Delivery (PD) 3.0 technology, it enables high-speed charging to keep your devices powered throughout the day, whether at home, in the office, or on the go.

With up to 65W output, it is suitable for charging laptops such as MacBook Air, Dell XPS 13, and Lenovo ThinkPad series, as well as tablets like iPad Pro and smartphones including Samsung Galaxy and Google Pixel devices. Support for Programmable Power Supply (PPS) allows the charger to dynamically adjust power output for improved charging efficiency and reduced heat during operation.

Built with comprehensive safety protection, the charger safeguards connected devices against overload, short circuits, and overheating. Combining

performance, broad compatibility, and dependable protection, the 65W USB PD Charger is a practical and reliable choice for modern USB-C charging needs.

Techninė specifikacija

Features	
Purpose	Universal
Power supply type	Indoor
Input voltage	100 - 240 V
Input frequency	50 / 60 Hz
Output power	65 W
Output voltage	5 - 21 V
Power current type	AC-to-DC
Maximum input voltage	240 V
Input current	1.2 A
Output current	3.25 A
Adjustable output voltage	Yes
Power plug type	Type F
USB Power Delivery revision	3
USB Power Delivery up to	65 W
Power protection features	Overload, Short circuit, Overheating
Design	
Product colour	Black
Operational conditions	
Operating temperature (T-T)	-20 - 35 °C
Storage temperature (T-T)	-20 - 80 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	5 - 90%
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Cable length	1.2 m
Width	108.5 mm
Depth	46.6 mm
Height	29.1 mm
Weight	300 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Packaging data	
Package width	185 mm
Package depth	120 mm
Package height	55 mm
Package weight	368.055556 g
Packaging content	
Quantity per pack	1 pc(s)
Cables included	USB Type-C, AC
Quick installation guide	Yes
Power adapter included	Yes
Logistics data	
Harmonized System (HS) code	8504408390
Customs product code (TARIC)	8504408390
Country of origin	China
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	163.2 cm
Master (outer) cases per pallet	24 pc(s)
Master (outer) case width	385 mm
Master (outer) case length	385 mm
Master (outer) case height	370 mm
Master (outer) case gross weight	14 kg
Products per master (outer) case	36 pc(s)

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.