EnGenius Switch 8-port GbE PoE.af/at(+) 55W, 2xSFP Desktop wall-mountable

Gamintojas: **ENGENIUS** · Modelis: **ESW2910P-FIT** · EAN: **4713361936272** · Prekės kodas: **1014152**



173,90 €

Kaina su PVM

Be PVM: **143,72 €**

Sandėlyje


Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 8 10/100/1000 Base-T GbE ports
- ✓ Full-featured layer 2 plus switching
- ✓ 802.3af PoE ready on all ports with 55W PoE budget
- ✓ 20 Gbps switching capacity
- ✓ Setup in minutes with app-based step by step instructions
- ✓ Quick-scan device register, remote monitoring and troubleshooting
- ✓ Real-time system metrics, analytics and remote configurations
- ✓ Hybrid switch supports multiple management options
- ✓ From anywhere cloud visibility and control
- ✓ Monitor a site or multiple sites with no recurring cost or licensing fee









Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

The EnGenius Fit Managed Switch EWS2910P-FIT is an 8-port Gigabit PoE Layer 2 plus switch with a 55W PoE budget and 2 SFP uplink ports. It offers multiple management options for small business network environments, allowing you to select the cloud or on-premises management option that best suits your needs. With its business-class features, the EnGenius Fit Managed Switch provides secure, reliable, and high-performance switching while reducing capital and operating expenses for cost-conscious small businesses.

Techninė specifikacija

Management features	
Switch type	Managed
Switch layer	L2+
Quality of Service (QoS) support	Yes
Web-based management	Yes
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	8
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
SFP module slots quantity	2
Network	
Networking standards	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3u, IEEE 802.3x
10G support	No
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Port mirroring	Yes
Full duplex	Yes
Flow control support	Yes
Link aggregation	Yes
Spanning tree protocol	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
IPv4 routes	59
IPv6 routes	5
VLAN support	Yes
Virtual LAN features	Port-based VLAN, Tagged VLAN, Voice VLAN
Data transmission	
MAC address table	8000 entries

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Switching capacity	20 Gbit/s
Static route	Yes
Number of static routes	192
Jumbo frames support	Yes
Jumbo frames	9000
Security	
DHCP features	DHCP relay, DHCP snooping
Access Control List (ACL)	Yes
IGMP snooping	Yes
Security algorithms	SNMP, SNMPv2, SNMPv3
SSH/SSL support	Yes
Authentication type	RADIUS
Multicast features	
Multicast support	Yes
Multicast MAC address table	256 entries
Protocols	
GARP VLAN Registration Protocol (GVRP)	Yes
IPv4 & IPv6 features	IPv4/IPv6 access-control list (ACL), IPv6 ping
Design	
Rack mounting	Yes
Product colour	Black
LED indicators	Fault, LAN, PoE, Power
Performance	
Memory type	SDRAM
Internal memory	256 MB
Flash memory	32 MB
Firmware upgradeable	Yes
Power	
Power source	AC
Power supply included	Yes
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power over Ethernet (PoE) ports quantity	8
Total Power over Ethernet (PoE) budget	55 W
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	105 mm
Depth	240 mm
Height	27 mm
Weight	620 g
Packaging content	
Manual	Yes
Packaging data	
Package width	395 mm
Package depth	310 mm
Package height	102 mm
Package weight	2.75 kg
Certificates	
Certification	CE, FCC, IC
Logistics data	
Master (outer) case net weight	27.4 kg
Master (outer) case width	357 mm
Master (outer) case length	452 mm
Master (outer) case height	271 mm
Harmonized System (HS) code	85176990
Master (outer) case gross weight	8.93 kg
Products per master (outer) case	10 pc(s)

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

EnGenius Networks Europe B.V.
Fellenoord 180, 5611 ZB Eindhoven, NL
engeniustech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.