Zebra DS8288-HCBU210PPAW barcode reader Handheld bar code reader 1D/2D LED White

Gamintojas: **ZEBRA** · Modelis: **DS8288-HCBU210PPAW** · EAN: · Prekės kodas: **1015255**



709,89 €

Kaina su PVM

Be PVM: **586,69 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Handheld bar code reader White
- ✓ Scanner type: 1D/2D Sensor type: LED
- ✓ AIM-128, Codabar, Code 11, Code 128, Code 39, Code 93, GS1 Composite, GS1 DataBar, GS1 DataBar Expanded, GS1 DataBar Omnidirectional, GS1 Databar Limited, GS1 Databar RSS14, GS1-128 (UCC/EAN-128), IATA, Industrial 2 of 5, Interleaved 2 of 5, ISBN, ISBT 128, ISSN, ITF-14, ITF-6, MSI, MSI-Plessey, Pharmacode, Plessey, Telepen, Trioptic, U.P.C., UPC-A, UPC-E, UPC-E0, UPC-E1, EAN-8, EAN-13 Aztec Code, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, SecurPharm, TLC-39
- ✓ 1600 x 1200 pixels
- ✓ Wired & Wireless Standard interfaces: RS-232, USB
- ✓ Bluetooth Low Energy (BLE)
- ✓ Power source type: DC Lithium-Ion (Li-Ion) 3500 mAh







Aprašymas

Elevate clinical workflows and patient care with a premium corded scanner that’s purpose-built for modern clinical workflows. With industry-leading infection control, advanced scan performance, and a multi-function button for streamlined workflows, the DS8208-HC helps clinicians work faster

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

and with confidence.

Techninė specifikacija

Scanning	
Type	Handheld bar code reader
Scanner type	1D/2D
Sensor type	LED
Linear (1D) barcodes supported	AIM-128, Codabar, Code 11, Code 128, Code 39, Code 93, GS1 Composite, GS1 DataBar, GS1 DataBar Expanded, GS1 DataBar Omnidirectional, GS1 Databar Limited, GS1 Databar RSS14, GS1-128 (UCC/EAN-128), IATA, Industrial 2 of 5, Interleaved 2 of 5, ISBN, ISBT 128, ISSN, ITF-14, ITF-6, MSI, MSI-Plessey, Pharmacode, Plessey, Telepen, Trioptic, U.P.C., UPC-A, UPC-E, UPC-E0, UPC-E1, EAN-8, EAN-13
2D (matrix & stacked) barcodes supported	Aztec Code, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, SecurPharm, TLC-39
Optical sensor resolution (W x H)	1600 x 1200 pixels
Horizontal field of view	48°
Vertical field of view	36°
Light levels (direct sunlight)	0 - 107.6 lx
Pitch reading angle	0 - 60°
Ports & interfaces	
Connectivity technology	Wired & Wireless
Standard interfaces	RS-232, USB
Bluetooth version	5.2
Bluetooth Low Energy (BLE)	Yes
Performance	
Product colour	White
Ambient lighting	Yes
Print contrast	16%
Power	
Power source type	DC
Battery type	Built-in battery
Charging port type	USB Type-C
Battery life	108 h
Charging time	13 h
Weight & dimensions	
Weight	185.5 g

Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	0 - 95%
Drop resistance	3 m
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery capacity	3500 mAh
Matmenys ir svoris	
Matmenys (I × P × A)	27,00cm × 22,00cm × 18,00cm
Svoris	0,91kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zebra

ATSAKINGAS ASMUO ES

Zebra Technologies
Borupvang 3, Ballerup, DK
zebra.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.