D-Link C36 wireless router 2.5 Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) White

Gamintojas: **D-LINK** · Modelis: **C36/E** · EAN: **790069481963** · Prekės kodas: **1015358**



94,90 €

Kaina su PVM

Be PVM: **78,43 €**

Sandėlyje


Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Wi-Fi 7 Dual-Band: Delivers dual-band speeds up to 3.6 Gbps for 4K streaming, gaming, and video calls1
- ✓ Multi-Link Operation (MLO): Simultaneously transmits data across different bands to minimise congestion
- ✓ Maximised Coverage: Equipped with five external antennas with Beamforming technology, delivering enhanced signal reception and more reliable connections
- ✓ 2.5 Gbps WAN Port: Ensures fast and stable high-speed wired connections
- ✓ Mesh Expandable: Easily create a whole-home Mesh network by adding additional C series units
- ✓ Enhanced Security: Supports WPA3 encryption and cybersecurity certification for stronger data protection
- ✓ Simple Setup: Network setup and management are simplified through the FALCON app





Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

An essential Wi-Fi 7 upgrade for your broadband home

The C36 BE3600 Wi-Fi 7 Router delivers faster, more stable Wi-Fi for everyday homes, simply and affordably. With speeds up to 3.6 Gbps, it ensures smoother streaming, quicker downloads, and reliable coverage, without a complicated setup.

Faster, Smoother, and More Reliable with MLO

The C36 features Multi-Link Operation (MLO) technology, which boosts speed, improves reliability, and reduces latency by transmitting data across multiple bands simultaneously. MLO Mesh applies this technology to Mesh networks, strengthening the connection between the main router and its extenders for consistently reliable whole-home coverage.

Stronger Signal, Wider Coverage

Equipped with five external high-gain antennas, including a dedicated RX antenna, the C36 boosts signal strength, expands coverage, and reduces dead zones. Adjustable angles let you fine-tune reception for optimal performance.

2.5 Gbps High-Speed Wired Connectivity

With a 2.5 Gbps WAN port and 3 x Gbps LAN ports, the C36 delivers fast, stable, high-speed wired connections for PCs, smart TVs, and gaming consoles.

Mesh Expandable

Experience seamless, wall-to-wall connectivity by adding more C series units to create a whole-home Mesh Wi-Fi for expanded coverage, smooth roaming, elimination of dead zones, and keeping devices connected as you move around your home.

Enhanced Network Security

The C36 provides advanced security to protect your network and personal data, featuring WPA3 encryption, cybersecurity certification, parental controls, and a guest network, all designed to keep your network more secure.

Simple Setup and Management

Set up and manage your network in minutes with the D-Link FALCON app[2]. Configure Wi-Fi, Parental Control, and Health Mode, while automatic Firmware Over-The-Air (FOTA) updates keep your router secure and up to date.

Techninė specifikacija

WAN connection	
Ethernet WAN	Yes
DSL WAN	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 7 (802.11be)

WLAN data transfer rate (max)	3600 Mbit/s
Wi-Fi standards	Wi-Fi 7 (802.11be)
WLAN data transfer rate (first band)	688 Mbit/s
WLAN data transfer rate (second band)	2882 Mbit/s
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	2.5 Gigabit Ethernet
Ethernet LAN data rates	2500,1000 Mbit/s
Cabling technology	10/100/1000/2500Base-T
Networking standards	IEEE 802.11be, IEEE 802.11ax, IEEE 802.11ac, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3bz
Dynamic DNS (DDNS)	Yes
Mobile network	
Mobile network generation	Not supported
Ports & interfaces	
Ethernet LAN (RJ-45) ports	3
USB port	No
DC-in jack	Yes
Management features	
Web-based management	Yes
Quality of Service (QoS) support	Yes
Reset button	Yes
WPS push button	Yes
Intelligent Mesh technology	Yes
Security	
Security algorithms	WPA, WPA2, WPA3
Firewall	Yes
Guest access	Yes
Stateful Packet Inspection (SPI)	Yes
Filtering	Yes
IP address filtering	Yes
DMZ support	Yes
Protocols	
Supported network protocols	IPv4, IPv6

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Design	
Product type	Tabletop router
Product colour	White
LED indicators	Power, Status, LAN, WAN, WPS
On/off switch	Yes
Certificates	
Compliance certificates	CE, MIC
Antenna	
Antenna design	External
Antennas quantity	5
Power	
Power source type	DC
Output voltage	12 V
Output current	1.5 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 65 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	180 mm
Depth	120 mm
Height	42.2 mm
Weight	350 g
Matmenys ir svoris	
Svoris	0,64kg

Dokumentai ir vaizdo įrašai

- Greitos pradžios vadovas
- Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

D-Link

ATSAKINGAS ASMUO ES

D-Link Benelux
Postbus 48, 5480 AA Schijndel, NL
dlink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt