CAMERA HDCVI 1080P IR BULLET/HFW1249X-A-PRO-0280B-DIP DAHUA

Gamintojas: **DAHUA** · Modelis: **HAC-HFW1249X-A-PRO-0280B-DIP** · EAN: **6939554982996** · Prekės kodas: **1015771**



97,90 €

Kaina su PVM

Be PVM: **80,91 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt





Aprašymas

The Lite Series is a great choice for consumers looking for high quality monitoring products at a reasonable price. Its low cost and high performance make it ideal for residential areas and SMB solutions. This series is equipped with a wide range of technologies, such as fullcolor and starlight, providing various solutions for different scenarios.

WizColor Technology
Dahua WizColor Technology seamlessly combines with the powerful AI-ISP and large aperture in cameras. This unique integration enables cameras to effortlessly capture high-quality images with vibrant colors during nighttime scenarios, ensuring fine details are preserved and minimizing motion blur. Unlike traditional self illuminating cameras, Dahua WizColor Technology maximizes the utilization of weak light sources, such as moonlight and city lights reflected in the sky, delivering captivating full-color images of the entire scene. It also ensures that monitoring distances are not compromised at night due to limited illumination ranges, facilitating full-color image capture even over long distances.

AI-ISP
With AI ISP technology, the camera is able to easily adapt to scenes, producing high quality images that reveal the fine details of targets.

Full-color
With its advanced image processing algorithm and capability to absorb large quantities of light, the camera provides 24/7 color monitoring that collects clear and highly detailed information, significantly increasing the reliability of the human and vehicle images that are collected as evidence

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

for intelligent analysis.

Distortion Correction
With advanced distortion correction algorithm, Dahua Distortion Correction corrects the image distortion in both horizontal and vertical directions to be consistent with the actual situation.

Smart Light+
Equipped with advanced LEDs and beam processing technology, the camera effectively reduces interference of stray light, ensuring concentrated illumination within the lens's field of view. This allows the camera to easily produce clear images that reveal the fine details of targets even in low light conditions.

Built-in Dual Mic
Equipped with Dual Mic audio processing technology combined with intelligent noise reduction algorithms, HDCVI cameras effectively suppress environmental background noise and enhance audio clarity and pickup distance, ensuring the authenticity and reliability of the captured audio information. This technology protects the integrity of audio evidence in video surveillance, making it particularly suitable for scenes that require both audio and videos for verification.

Easy Installation
HDCVI eyeball comes with a quick-to-install pedestal, which makes it easier to install than conventional eyeballs and reduces cost on time and labor.

Protection
IP67: The camera passed a series of rigorous dust and immersion tests. Its enclosure is both dust-proof and waterproof, and can function normally while being immersed in 1 m deep water for up to 30 minutes. Wide voltage: The camera has ±30% input voltage tolerance (for some power supplies) and a wide voltage range, making it suitable for a variety of outdoor scenarios.

- High-Quality Imaging with 1080P Resolution
- Full-color: 24/7 color monitoring collects highly detailed information
- 50 m Illumination Distance for Superior Camera Image Quality
- WizColor Technology: Exceptional Image Quality in Low-Light Conditions
- Built-In Dual Mic : Enhances Video Assistance with Dual Mic Technology
- Smart Light+ : Clear Details with Advanced LED Processing Technology
- 3DNR & 130 dB WDR & Super Adapt Ensures Clear Details in Strong Backlight Conditions
- Effortless Signal Selection with DIP Switch
- Time-saving Installation with Quick-to-install Structure
- IP67 Ratings for Protection Against Harsh Environments

Summary: Dahua Technology Lite HAC-HFW1249X-A-PRO-0280B-DIP. Type: CCTV security camera, Placement supported: Outdoor, Connectivity technology: Wired. Mounting type: Ceiling/Wall/Pole, Product colour: White, Form factor: Bullet. Minimum illumination: 0.0001 lx, Angle of rotation: 360°, Lens viewing angle, horizontal: 101°. Sensor type: CMOS. Detect distance: 47.1 m, Observe distance: 18.9 m, Recognize distance: 9.4 m | Vendor Homepage: https://www.dahuasecurity.com/products/hdcvi-products/hdcvi-cameras/lite-series/1080p/wizcolor/hac-hfw1249x-a-pro | Tipas: CCTV stebėjimo kamera | Ryšio technologija: Vielinis | Talpinimas palaikomas: Lauke | Išplėstinis dinaminis diapazonas (WDR): Taip | Dienos / nakties režimas: Taip | Dinaminis diapazonas: 130 | Forma: Kulka (forma) | Montavimo tipas: Ant lubų / sienos / stulpo | Produkto spalva: Balta | Korpuso medžiaga: Metalas/Plastikas | Apsaugos ypatybės: Atsparus dulkėms/Atsparus vandeniui | Tarptautinės apsaugos (IP) kodas: IP67 | Kameros panoramavimo valdymas: Taip | Kameros pakėlimo valdymas: Taip | Minimalus apšviestumas: 0.0001 | Rotacija: Taip | Sukimosi kampas: 360 | Objektyvo vaizdo kampas, horizontalus: 101 | Objektyvo vaizdo kampas, vertikalus: 53.4 | Objektyvo vaizdo kampas, įstrižainė: 119.5 | Posvyrio kampo intervalas: 0 - 90 | Viso diapozonas: 0 - 360 | Baltos spalvos balansas: Automatinis | Kameros išlaikymo tipas: Elektroninis | Progresyvus nuskaitymas: Taip | Jutiklio tipas: CMOS | Lęšių skaičius: 1 | Aptikties atstumas: 47.1 | Stebėjimo atstumas: 18.9 | Atpažinimo atstumas: 9.4 | Identifikavimo atstumas: 4.7 | Maksimalus apertūros skaičius: 1 | Fiksuotas židinio nuotolis: 2.8 | Mažiausias fokusavimo atstumas: 1.1 | Naktinis matymas: Taip | Naktinio matymo atstumas: 50 | LED tipas: IR | Apšvietimo LED diodų skaičius: 4 | Maksimali rezoliucija: 1920 x 1080 | Iš viso megapikselių: 2 | Palaikomos grafikos rezoliucijos: 1920 x 1080 (HD 1080)/960 x 480/960 x 576 | Kadrų sparta: 30 | Analoginio signalo formato sistema: NTSC/PAL | Triukšmo mažinimas: Taip | Triukšmo sumažinimo technologija: 3D triukšmo mažinimas | Valdymo sustiprinimo tipas: Automatinis | „Smart IR“ įtaisas: Taip | Foninio apšvietimo kompensavimas: Taip | Šviesos efekto kompensavimas (HLC): Taip | Signalo ir triukšmo

santykis (SNR): 65 | Įmontuotas mikrofonas: Taip | Mikrofonų kiekis: 2 | Ethernet LAN jungtis: Ne | „Wi-Fi“: Ne | Bluetooth: Ne | Integruotas kietasis diskas: Ne | BNC išvesties prievadai: 1 | DC įėjimo lizdas: Taip | Vaizdo judesio detekcija: Taip | Veidrodis: Taip | Maitinimo šaltinio tipas: DC | Galios suvartojimas (maks.): 5.6 | DC išeigos įtampa: 12 | Darbo temperatūros diapazonas (TT): -40 - 60 | Sandėliavimo temperatūros norma (T-T): -40 - 60 | Plotis: 75 | Aukštis: 82.2 | Ilgis: 186.5 | Svoris: 350 | Atitikties sertifikatai: CE | Paketo svoris: 490 | Fotoaparatų skaičius: 1 | Instrukcija: Taip | Bruto svoris: 0.51 | Neto svoris: 0.35 | Vienetų skaičius vienoje siuntimo dėžėje: 1 | Vieneto plotis: 11 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 10 | Vieneto gylis: 22 | Vieneto aukštis: 10 | Name: CAMERA HDCVI 1080P IR BULLET/HFW1249X-A-PRO-0280B-DIP DAHUA

Techninė specifikacija

Matmenys ir svoris	
Matmenys (I × P × A)	22,00cm × 11,00cm × 10,00cm