Imou Cruiser Dual 2 Pro Sferinis IP apsaugos kamera Lauke 2560 x 1440 pikseliai Lubos

Gamintojas: **IMOU** · Modelis: **IPC-S7XFP-8U0WED** · EAN: **6976391034198** · Prekės kodas: **1016298**



93,90 €

Kaina su PVM

Be PVM: **77,60 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lauke IP apsaugos kamera
- ✓ CMOS 4 MP 2560 x 1440 pikseliai
- ✓ Vielinis ir Bevielis Ethernet LAN jungtis „Wi-Fi“
- ✓ Naktinis matymas 30 m
- ✓ Skaitmeninis priartinimas: 8x
- ✓ Sferinis Lubos Atsparus oro sąlygoms
- ✓ Balta
- ✓ 635 g

Aprašymas

Securing 2 zones at once

The Cruiser Dual 2 Pro comes with a fixed lens on top in addition to the normal PTZ lens, allowing you to monitor two areas at a time.

4+4MP brings clear surveillance images

Both lenses on the Cruiser Dual 2 Pro are 4MP sharp, giving you the picture clarity you need to easily see the details in your surveillance.

Make the night day-time - Aurora™ Low-light Imaging Technology

Cruiser Dual 2 Pro uses an super-large aperture and a large target surface sensor to multiply the amount of light intake, and with the AI-ISP picture algorithm, it makes the nighttime surveillance image look like daytime; you can also use infrared and full-color night vision modes, or turn off night vision.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Stronger deterrent for intruders

Cruiser Dual 2 Pro is equipped with warning lights that emit red and blue light, which will protect your home from intruders by being more of a deterrent when an intruder is detected than a regular white light warning.

The adjustable dual-lens give you 360° protection

The Cruiser Dual 2 Pro's pan-tilt lens supports 0°-355° horizontal rotation and 0°-90° vertical rotation, while the fixed lens supports 0°-260° horizontal rotation and 0°-25° vertical rotation to protect your home 360°.

Dual-channel detection powered by IMOU SENSE®

IMOU SENSE® is a self-developed Al algorithm under the IMOU brand. each of the two lenses of the Cruiser Dual 2 Pro uses its own algorithm, which doesn't degrade the accuracy due to an increase in the number of lenses, giving it a 50% increase in overall accuracy and delivering the detection results back to you within 0.02 seconds.

IMOU All-day Saving Recording Mode

In AOR mode, the camera records full-frame video only when an event is detected, and 1 second/frame at all other times. This meets the need for all-day video recording and saves storage space significantly, allowing more video to be stored on a smaller memory card.

Customize your algorithmic matrix with Algo Play

You can choose and download the algorithms you want through Algo Play to make the IMOU product exactly what you need, and the algorithms will be updated and continuously upgraded to improve your experience.

Professional protection to weather any storm

With IP65 water-resistance, Cruiser Dual 2 Pro is able to against dust penetration and can easily handle rain and wind, keeping you safe around the clock.

More stable connections with Wi-Fi 6

Cruiser Dual 2 Pro supports the latest Wi-Fi 6 standard, which dramatically increases transmission rates and significantly reduces the number of disconnections, making data transmission more stable and secure.

Protect according to your preferences
- Favorite point setting
- Customizable detection zone
- Customizable alarm sound
- Protection scheduling

Spotlight & 110dB Siren

Cruiser Dual 2 Pro keeps an eye on your house, when someone breaks in, the 110dB siren will turn on to deter the unwelcome visitor.

Protect Your Home Like You Are There

Built-in speaker and microphone with echo cancellation feature allow you to interact with pets and family from anywhere.

Imou Protect - Level up your security

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Imou Protect is a subscription service that is able to empower your IMOU products with advanced cloud computing technology and upgrade your security experiences.

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
Built-in light	Yes
Design	
Mounting type	Ceiling
Product colour	White
Form factor	Spherical
Housing material	Plastic
Protection features	Weatherproof
Camera	
Lens viewing angle, horizontal	85°
Lens viewing angle, vertical	45°
Lens viewing angle, diagonal	100°
Tilt angle range	0 - 90°
Pan range	0 - 355°
Image sensor	
Sensor type	CMOS
Lens system	
Number of lenses	2
Zoom capability	Yes
Digital zoom	8x
Fixed focal length	3.6 mm
Night vision	
Night vision	Yes
Night vision distance	30 m
Video	
Maximum resolution	2560 x 1440 pixels
Total megapixels	4 MP

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Video compression formats	H.264, H.265
Frame rate	20 fps
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Video motion detection	Yes
Intelligent Video Surveillance (IVS) system features	Human detection, Intrusion, Line crossing detection, Vehicle detection
Management features	
Reset button	Yes
Power	
Power source type	DC
Power consumption (typical)	12 W
DC output voltage	12
DC output current	1 A
Operational conditions	
Operating temperature (T-T)	-30 - 50 °C
Operating relative humidity (H-H)	0 - 95%
System requirements	
Mobile operating systems supported	Android, iOS
Weight & dimensions	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Width	125 mm
Depth	158.7 mm
Height	201.9 mm
Weight	635 g
Packaging content	
Number of cameras	1
Screws included	Yes
Manual	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	17,00cm × 19,00cm × 15,00cm
Svoris	1,50kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Hangzhou Huacheng Network Technology Co., Ltd.
Liye Road 582, Hangzhou, CN
imou.com

ATSAKINGAS ASMUO ES

Imou Network Technology B.V.
Lange Kleiweg 6, 2288 GK Rijswijk, NL
imou.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.