Imou Cruiser Dual 6MP Bokštelis IP apsaugos kamera Lauke 2304 x 1296 pikseliai Stalas

Gamintojas: **IMOU** · Modelis: **IPC-S7XP-6M0WED** · EAN: **6971927239559** · Prekės kodas: **1017685**



0,00 €

Kaina su PVM

Be PVM: **0,00 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lauke IP apsaugos kamera
- ✓ CMOS 25,4 / 2,8 mm (1 / 2.8") 3 MP 2304 x 1296 pikseliai
- ✓ Vielinis ir Bevielis Ethernet LAN jungtis „Wi-Fi“
- ✓ Naktinis matymas 30 m
- ✓ Bokštelis Stalas Atsparus vandeniui
- ✓ IP66 Neperpučiamas
- ✓ Balta
- ✓ 642 g



Aprašymas

Cruiser Dual

5+5MP Camera | Smart Full-color Night Vision | Wide View Dual Lens | IMOU SENSE® Dual-channel Human & Vehicle Detection

Securing 2 zones at once

The Cruiser Dual comes with a fixed lens on top in addition to the normal PTZ lens, allowing you to monitor two areas at a time.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Multiple lens combinations for all your needs

3+3MP

Cruiser Dual offers 3+3MP lens combination options, so you can choose the most suitable and cost-effective combination for your security needs.

Light the night up with smartness

Cruiser Dual can adjust different night vision modes according to your needs, whether you want the night vision to remain in full color all the time or want to turn on full color only when there is an event to save energy, it can always satisfy you.

The adjustable dual-lens gives you 360° protection

The Cruiser Dual's pan-tilt lens supports 0°-355° horizontal rotation and 0°-90° vertical rotation, while the fixed lens supports 0°-260° horizontal rotation and 0°-30° vertical rotation to protect your home 360°.

Dual-channel detection powered by IMOU SENSE®

IMOU SENSE® is a self-developed AI algorithm under the IMOU brand, each of the two lenses of the Cruiser Dual uses its own algorithm, which doesn't degrade the accuracy due to an increase in the number of lenses, giving it a 50% increase in overall accuracy and delivering the detection results back to you within 0.02 seconds.

Accurate human and vehicle detection

Powered by IMOU SENSE®, the newly upgraded AI human and vehicle detection can effectively reduce false alarms caused by mosquitoes and tree shaking. The effective detection range can reach 22 meters for persons and 44 meters[1] for cars, respectively ensuring that detection is truly "accurate".

Professional protection to weather any storm

With IP66 water-resistance, Cruiser Dual is able to against dust penetration and can easily handle rain and wind, keeping you safe around the clock.

Put your camera further with Wi-Fi 6

Cruiser Dual supports the latest Wi-Fi 6 standard with higher data transfer rates and better wall penetration, allowing your security range wider.

Protect according to your preferences

- Favorite Point Setting
- Customizable detection zone
- Customizable Alarm Sound
- Protection Scheduling

Deter unwelcome visitors

Cruiser Dual keeps an eye on your house, when someone breaks in, the 110dB siren will turn on to deter the unwelcome visitor.

Connect your home from anywhere

Built-in speaker and microphone with echo cancellation feature allow you to interact with pets and family from anywhere.

Imou Protect - Level up your security

Imou Protect is a subscription service that is able to empower your IMOU products with advanced cloud computing technology and upgrade your security experiences.

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
PTZ control	Yes
Auto-tracking	Yes
Day/night mode	Yes
Certification	CE, UKCA
Design	
Mounting type	Desk
Product colour	White
Form factor	Turret
Housing material	Plastic
Protection features	Water resistant
International Protection (IP) code	IP66
Weatherproof	Yes
Camera	
Lens viewing angle, horizontal	88°
Lens viewing angle, vertical	45°
Lens viewing angle, diagonal	107°
Tilt angle range	0 - 90°
Pan range	0 - 355°
Image sensor	
Sensor type	CMOS
Number of sensors	2
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Progressive scan	Yes
Lens system	
Number of lenses	2
Zoom capability	Yes
Fixed focal length	3.6 mm

Night vision	
Night vision	Yes
Night vision distance	30 m
Video	
Maximum resolution	2304 x 1296 pixels
Total megapixels	3 MP
Video compression formats	H.264, H.265
Frame rate	15 fps
Privacy masking	Yes
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Audio detection	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Built-in siren	Yes
Siren noise level	110 dB
Video motion detection	Yes
Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Management features	
Reset button	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Smartphone/tablet remote support	Yes
Power	
Power source type	DC
Power consumption (max)	12 W
DC output voltage	12
DC output current	1 A
Operational conditions	
Operating temperature (T-T)	-20 - 50 °C
Operating relative humidity (H-H)	0 - 95%
System requirements	
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	158.7 mm
Depth	125 mm
Height	201.9 mm
Weight	642 g
Packaging content	
Number of cameras	1
Cables included	USB
Mounting kit	Yes
Screws included	Yes

Dokumentai ir vaizdo įrašai

- Greitos pradžios vadovas
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Hangzhou Huacheng Network Technology Co., Ltd.
Liye Road 582, Hangzhou, CN
imou.com

ATSAKINGAS ASMUO ES

Imou Network Technology B.V.
Lange Kleiweg 6, 2288 GK Rijswijk, NL
imou.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt