BenQ LU930 Standartinio nuotolio projektorius 5000 ANSI lumens DLP WUXGA (1920x1200) Balta

Gamintojas: **BENQ** · Modelis: **9H.JM277.15E** · EAN: **4718755080647** · Prekės kodas: **1018664**



2 250,90 €

Kaina su PVM

Be PVM: **1 860,25 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Standartinio nuotolio projektorius Balta
- ✓ DLP 5000 ANSI lumens
- ✓ Lazeris 20000 h
- ✓ WUXGA (1920x1200) 16:10 3000000:1
- ✓ Ekrano dydžio suderinamumas: 762 - 7620 mm (30 - 300") Spalvų skaičius: 1,073 milijardo spalvų
- ✓ Fokusas: Rankinis Priartinimo galimybė
- ✓ Ethernet LAN jungtis
- ✓ Įmontuoti garsiakalbiai 20 W
- ✓ AC 415 W









Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Leveraging the industry-leading BlueCore laser technology.BenQ’s LU930 superior conference room projector is capable of projecting the best quality images during corporate meetings. LU930 features a 92% Rec.709 color coverage, high precision lens and certified IP5X dustproof mechanism to guarantee an ultra-high level of image quality while reducing maintenance costs. To meet the high demand for efficiency and convenience during corporate meetings, LU930 can be paired up with optional wireless devices. By equipping it with LAN control capability, LU930 also further enhances the convenience in device management for corporate IT managers.

BlueCore Laser Technology

Revolutionary BlueCore Laser Technology

The world’s No. 1 DLP brand BenQ introduces its full line of innovative corporate BlueCore laser projectors with LU930, unleashing the WUXGA resolution for professional presentation in corporate settings.

Superior Bright

Precision-Aligned High-Output Laser Source

Zero-deviation alignment of BlueCore laser diodes boosts luminous flux into the light tunnel, improving light efficacy to 5,000 lumens.

Superior Performance

Secondary Yellow-Infused Color Wheel

Dual synchronized BlueCore color wheels utilize an additive yellow segment, stimulating precise RGBY spectra for optimal chromatic performance.

Superior Durability

Hermetically Sealed DLP Chip

Comprising over two million micromirrors that reflect pure light through the color wheel, the DLP chip is hermetically sealed to resist heat for over 20,000 hours without degradation.

Superior Image Quality

Dual Color Wheels Produce 92% Rec.709 Color Coverage for Optimal Color Performance

LU930’s powerful BlueCore laser projection utilizes a dual color wheel system to produce unparalleled color performance that achieves a 92% Rec.709 color coverage. By increasing color ratios and the purity of RGBY color, LU930 dramatically enhances color saturation to ensure superior presentation quality.

Advanced Infographic Mode for Supreme Presentation Quality

BenQ Infographic Mode perfectly fits the current corporate trend of mastering infographic-heavy presentations that all modern enterprises are striving for. Infographic Mode is great for showcasing the text and graphics of infographic in detail due to LU930’s high brightness and better color gradation through the 92% Rec.709 color coverage, ensuring more saturated and lively color performance than presentation mode. Additionally, Video Mode, with BenQ enhancement technology, is designed for preseving dynamic color details when playing videos in meeting room with ambient light.

High Brightness and LumiExpertTM Ambient Light Detector for Maximum Eye Comfort

LU930's 5000lm high brightness allows presenters and participants to deliver presentation in comfortably lit medium-sized conference rooms (20-40 people). BenQ corporate projector’s new LumiExpertTM technology can automatically detect the ambient light conditions of a meeting room and adjust the projector’s brightness to maximize clarity and comfort. Whether presenting in the dark boardroom or a brightly-office, LumiExpertTM makes sure the BenQ Corporate projectors delivers peak performance.

Laser-Enabled Ultra-High Contrast

LU930 Laser Projector creates strikingly clear images with stratospherically high contrast ratio of 3,000,000 for true deep blacks, vividly rich colors, and fine subtle details. LU930 also features spontaneous response, requiring no wait to turn on or resume from blanking in true black for flexible performance capability.

20,000 Hour Long-Lasting Performance

BenQ BlueCore laser projectors deliver 20,000 hours of superior image quality and performance. The laser light source resists color decay over time, making BenQ laser projectors ideal for multiple blending projections without concern for adjacent projectors generating different levels of brightness after a period of operation.

DLP Technology for Lasting Vibrant Color

BenQ BlueCore laser projectors are based on the absolute reliability of the 1-chip DLP design. The highly durable DLP chip can last over 20,000 hours without degradation, ensuring true-to-life colors and pristinely legible text over countless uses.

Superior Dustproofing for Severe Conditions

BenQ LU930 laser projector is designed with sealed laser modules and enclosed light engines to protect the DMD chip, color wheel sensor, laser module, and other optical components. It effectively eliminates color wheel sensor failure, visible spots on the image and color decay to significantly reduce service costs and downtime. The design has passed the dust chamber test standard for the international dustproof rating of IP5X.

Versatile Wireless Presentation Solutions

BenQ offers a complete line of Full HD wireless presentation solutions to fulfill the diverse needs of meeting room applications, ranging from the premium level InstaShowTM wireless presentation system to the easy-to-use QCast Mirror Wifi dongle.

One Button to Start Full HD Wireless Presentations

BenQ InstaShowTM is a unique zero software solution that allows multiple presenters to lead from any device. The plug and play device requires no driver installation and is compatible with any OS or hardware platform, making it easy for presenters to wirelessly take turns delivering seamless presentations for improved meeting efficiency.

Wireless Multimedia Presentation from Smart Devices

To satisfy corporate employees’ growing BYOD needs, BenQ offers Qcast Mirror Wi-Fi dongle to let meeting participants wirelessly project Full HD multimedia content, including videos, documents, and live camera (video) sessions from any mobile device. BenQ wireless solutions encourage full participant engagement, collaborative teamwork, and inspirational discussions for highly effective meetings.

Excellent Installation Flexibility

360o Rotation Projection

BenQ’s LU930 can be tilted vertically at any angle, allowing projection onto ceiling, walls, floors, or angled signage to fulfill presentation in corporate venues of any sizes.

The 1.6x Zoom for Efficient Upgrades

With 1.6x Big Zoom, corporations can easily and economically replace outdated projectors by making use of existing ceiling mounts to project large-scale images in restricted spaces. The 1.6x zoom allows LU930 to be mounted anywhere from 3.5 to 5.6 meters from the screen and project images of 120", which is the typical image size for corporate meeting rooms, avoiding costly renovation or installation downtime.

Horizontal /Vertical Lens Shift

The convenience of the horizontal/ vertical lens shift systems deliver perfectly proportioned images despite installation or placement challenges in any venue.

Advanced Image Calibration for Ideal Projection Alignment

LU930 is equipped with a two-dimensional keystone correction range of ±30o on both horizontal and vertical axes to counteract the trapezoid effect, a common phenomenon when the projector must be installed off-center. Installers can use Corner Fit control to adjust each corner respectively, for perfectly aligned image geometry.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Highly Integrated Network Control and Management System Compatibility

Comprehensive Control System Compatibility

LU930 is widely compatible with leading projector control systems including Extron, Crestron and PJ-Link, which fulfills network control via LAN, making it simple to integrate into corporate network infrastructures. When there is no LAN infrastructure, LU930 also supports RS-232 for reliable long-distance Installations up to 15 meters.

Centralized Control with BenQ Software

BenQ centralized control software is a management tool for computers that enables remote and centralized management of multiple digital projectors by IT administrators/technicians via a local network. The management capabilities include the ability to remotely monitor, control, and configure projectors individually or as groups.

Centralized Upgrade Tool for Multiple Projector Maintenance

Administrators can centrally upgrade firmware on multiple BenQ projectors that are on the same local network via LAN (up to 253 projectors,) deploying the latest updates to all devices at once. This new application can upgrade firmware with a friendlier interface. *For more information about the tool, please contact BenQ service.

User Advantage

Laser Light Creates Value Over Time

The laser light source of BenQ BlueCore laser is guaranteed for 20,000 hours of maintenance-free operation, saving costs for lamp replacement and maintenance. Based on the average brightness cut off of typical long-life lamps, BlueCores’s value exceeds that of 10 lamp replacements over the life of the projector.

Multiple lighting modes to maximize energy use

LU930 comes with multiple lighting modes to optimize the projected image in a variety of ambient lighting situations. The feature guarantees the ideal brightness level to enhance the overall visual experience in any environment, while optimizing energy consumption and extending the projector’s lifespan.

Instant On/Off and Signal Power On

BlueCore laser projector powers up in half the time of a lamp-based projector, reducing wait time and power consumption. The signal power on feature turns your projector on automatically once input signal from VGA or HDMI is detected, further enhancing the convenience of using BenQ’s BlueCore laser projectors.

Techninė specifikacija

Prožektorius	
Projektoriaus ryškumas	5000 ANSI lumens
Projektavimo technologija	DLP
Projektoriaus natūrali rezoliucija	WUXGA (1920x1200)
Kontrasto santykis (tipinis)	3000000:1
Natūralus kraštinių santykis	16:10
Ekrano dydžio suderinamumas	762 - 7620 mm (30 - 300")
Palaikomi matmenų santykiai	16:10

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Spalvų skaičius	1,073 milijardo spalvų
Horizontali diapazono riba	15 - 102 kHz
Vertikali diapazono riba	23 - 120 Hz
Pagrindo koregavimas, horizontalus	-30 - 30°
Pagrindo koregavimas, vertikalus	-30 - 30°
Matricos dydis	1,22 cm (0.48")
Matricos tipas	DMD
Šviesos šaltinis	
Šviesos šaltinio tipas	Lazeris
Šviesos šaltinio naudingo tarnavimo trukmė	20000 h
Lęšių sistema	
Fokusas	Rankinis
Priartinimo galimybė	Taip
Priartinimo santykis	1.6:1
Rodymo santykis	1.36 ~ 2.18
Horizontalaus objektyvo poslinkio diapazonas	-23 - 23%
Vertikalaus lęšio poslinkio diapazonas	-60 - 60%
Video	
Analoginio signalo formato sistema	NTSC, PAL, SECAM
Pilnas HD	Taip
3D	Ne
Palaikomos grafikos rezoliucijos	640 x 480 (VGA), 1920 x 1200 (WUXGA)
Palaikomi vaizdo režimai	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Ryšys	
VGA (D-Sub) portų kiekis	1
HDMI portų kiekis	2
Kompozuoti video in	1
Komponento video (YPbPr/YCbCr) in	1
DVI prievadas	Ne
Garso (kairė, dešinė) įvestis	1
Nuosekliosios sąsajos tipas	RS-232
HDMI jungties tipas	Viso dydžio
HDMI versija	1.4a
„S-Video“ įvesčių kiekis	0

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

USB 2.0 portų kiekis	1
PC garso „in“ jungtis	Taip
PC garso „out jungtis“	Taip
PC „in“ („D-Sub“) jungtis	Taip
AC (įtampa) įėjimas	Taip
Tinklas	
Smart TV	Ne
Ethernet LAN jungtis	Taip
„Wi-Fi“	Ne
Ethernet LAN (RJ-45) portų kiekis	1
Laikmenos	
Integruotas kortelių skaitytuvas	Ne
Savybės	
Garso lygis	37 dB
Triukšmo lygis (ekonomiško veikimo režimas)	30 dB
Virtualusis ekranas (OSD)	Taip
On Screen Display (OSD) kalbos	Arabų, Bulgarų, Supaprastinta kinų, Tradicinė kinų, Kroatų, Čekų, Danų kalba, Vokiečių kalba, Olandų kalba, Anglų kalba, Ispanų kalba, Suomių kalba, Prancūzų kalba, Graikų, Hindi, Vengrų, Indoneziečių, Italų kalba, Japonų, Korėjiečių, Norvegų kalba, Lenkų kalba, Portugalų kalba, Romų kalba, Rusų kalba, Švedų kalba, Tajų, Turkų, Vietnamiečių
OSD kalbų skaičius	30
Multimedija	
Įmontuoti garsiakalbiai	Taip
RMS galingumas	20 W
Įmontuotų garsakalbių skaičius	2
Konstrukcija	
Gaminio tipas	Standartinio nuotolio projektorius
Pozicija rinkoje	Verslui
Produkto spalva	Balta
Talpinimo	Desktopas, Lubos
Kabelio spynos lizdas	Taip
Laido spynos lizdo tipas	Kensington
Ekranas	
Įmontuotas ekranas	Ne
Energijos valdymas	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Maitinimo šaltinis	AC
Energijos suvartojimas	415 W
Energijos suvartojimas (laukimo režimu)	0,5 W
Galios suvartojimas (maks.)	475 W
AC įėjimo įtampa	100 - 240 V
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Svoris ir matmenys	
Svoris	6,3 kg
Plotis	416 mm
Ilgis	351 mm
Aukštis	166 mm
Pakuotės turinys	
Pridedamas nuotolinio valdymo pultelis	Taip
Pridėtos baterijos	Taip
Pridėti kabeliai	AC, HDMI
Logistikos duomenys	
Kiekis pakuotėje	1 vnt
Darniosios sistemos (DS) kodas	85286200
Matmenys ir svoris	
Matmenys (I × P × A)	54,00cm × 47,00cm × 29,00cm

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

BenQ
Jihu Road Neihu 16, 114 Taipei, TW
benq.com

ATSAKINGAS ASMUO ES

BenQ Deutschland GmbH
Essener Straße 5, 46047 Oberhausen, DE
benq.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.