StarTech.com 10/100 Mbps Multi Mode Fiber Media Converter ST 2 km

Gamintojas: **STARTECH.COM** · Modelis: **ET90110ST2** · EAN: **065030846257** · Prekės kodas: **1018782**



167,90 €

Kaina su PVM

Be PVM: **138,76 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Wired
- ✓ 200 Mbit/s 2000 m 1310 nm
- ✓ Ethernet LAN (RJ-45) ports: 1 DC-in jack
- ✓ Multi-mode Fiber ports quantity: 1 ST
- ✓ Black





Aprašymas

Convert and extend a 10/100 Mbps Ethernet connection up to 1.2 miles/2km over Multi Mode ST fiber
The ET90110ST2 10/100 Mbps Multimode Fiber Media Converter (ST, 2 km) lets you extend a Fast Ethernet network (10/100 Mbps) over multimode fiber, at distances of up to 2 km (1.2 miles).
A cost-effective solution for connecting a 10/100 Mbps Ethernet (10/100Base-T) network to remote network segments over a 100Base-FX fiber backbone. Designed to offer a durable and convenient Ethernet to fiber solution, the Ethernet to ST Fiber converter features an all-steel chassis, and a simple plug-and-play installation with minimal configuration required.
For added versatility, this fiber media converter supports standalone operation, or installation into the 20 Slot, 2U Rackmount Chassis (ETCHS2U).
Backed by a StarTech.com 2-year warranty and free lifetime technical support.
The StarTech.com Advantage
- Link loss forwarding, remote status monitoring help ensure maximum up-time
- Provides Ethernet to Fiber conversion as a standalone device, or can be installed into the ETCHS2U 20 slot chassis for added versatility

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

- Rugged steel casing for durability in harsh environments

Techninė specifikacija

Network	
Maximum data transfer rate	200 Mbit/s
Converter input interface	10Base-T
Converter output interface	100Base-FX
Ethernet interface type	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Auto MDI/MDI-X	Yes
Duplex system	Full, Half
Performance	
Maximum transfer distance	2000 m
Wavelength	1310 nm
Fiber mode structure	Multi-mode
Features	
Internal	No
Plug and Play	Yes
Product colour	Black
Ports & interfaces	
Fiber optic connector	ST
Connectivity technology	Wired
Ethernet LAN (RJ-45) ports	1
Fiber ports quantity	1
DC-in jack	Yes
Power	
Output voltage	12 V
Output current	1 A
External power adapter	Yes
Weight & dimensions	
Weight	600 g
Operational conditions	
Operating temperature (T-T)	0 - 60 °C
Storage temperature (T-T)	-10 - 70 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Operating relative humidity (H-H)	10 - 90%
Packaging content	
Manual	Yes
Packaging data	
Package width	207 mm
Package depth	137 mm
Package height	90 mm
Package weight	757 g
Certificates	
Compliance certificates	RoHS
Certification	CE, FCC
Logistics data	
Harmonized System (HS) code	85176990
Other features	
Dimensions (WxDxH)	95 x 160 x 20 mm
Full duplex	Yes

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt