TP-Link VIGI NVR2016H-16P network video recorder Black

Gamintojas: **TP-LINK** · Modelis: **VIGI NVR2016H-16P** · EAN: **4895252504040** · Prekės kodas: **1020324**



713,90 €

Kaina su PVM

Be PVM: **590,00 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4K HDMI Video Output & 16MP Decoding Capacity: Sharp image definition up to 8MP, and 8-ch@2MP† decoding capacity allows you to enjoy more-channels live view and playback at the same time
- ✓ 90 W PoE Budget: 16× 802.3af/at-compliant PoE+ ports with a total power supply of 90 W.‡
- ✓ 16-Channel Simultaneous Playback*: Replay the feed from up to 16 cameras at the same time, increase replay speed, and find events in the video schedule to easily review footage
- ✓ H.265+: Compresses the video size without sacrificing video quality, easing the network load and saving disk space
- ✓ ONVIF Ensures Compatibility△: Easily add IPCs from VIGI and other brands to establish a powerful and varied network thanks to barrier-free compatibility
- ✓ Auto Initialize for Quick Configuration: Just click "Auto Initialize" to set up basic IPC and hard disk parameters, significantly reducing your configuration time
- ✓ 24/7 Continuous Recording: Stores up to 20 TB of footage (1048 storage days***) from connected cameras to secure your data for quick, convenient access
- ✓ Two-Way Audio: With voice intercom support, scare off any potential thieves or intruders from wherever you are
- ✓ Remote Monitoring: The dedicated VIGI app and client enable remote monitoring, providing ease and convenience





Aprašymas

Security Never Shuts Down

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Every Angle All on One Screen

4K HDMI Video Output & 16MP Decoding Capacity

Sharp image definition up to 8MP (4K) ensures you capture every detail. 8-ch@2MP decoding capacity allows you to enjoy more-channels live view and playback at the same time.†

Dedicated 16 PoE+ Ports for Simplified IP Camera Deployment.

Designed to use a single Ethernet cable for both data and power transmission, this NVR offers flexible installation to fit in various surveillance scenarios for small businesses, such as groceries, warehouses, restaurants, and financial institutions.

Reviewing Footage is Faster than Ever

16-Channel Simultaneous Playback*

Replay the feed from up to 16 cameras at the same time, increase replay speed,

and find events in the video schedule to easily review footage.

More Compression. More Savings. More Quality.

Without using any extra bandwidth, your cameras transmit compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality.

No Need to Check Long Compatibility Lists

ONVIF Ensures Compatibility

Easily add IPCs from VIGI and other brands to establish a powerful and varied network thanks to barrier-free compatibility. △

Auto Initialize for Quick Configuration

Just click "Auto Initialize" to set up basic IPC and hard disk parameters, including initialization and recording plans, significantly reducing your configuration time.

Security for Every Hour and Every Day

27/4 Continuous Recording

With the storage capacity of up to 20TB, the NVR supports 24/7 continuous local recording. Customize record schedule or record type to save storage space and quickly search out target footage.

Two-Way Audio

With voice intercom support, scare off any potential thieves or intruders from wherever you are.

Remote Management

Take full control over your security anytime and anywhere on the VIGI app or client.

Live Views and Real-Time Alerts

Easily check your business security via 24/7 live views. Get notifications as soon as the cameras detect something abnormal.

Easy & Smart Playback

Quickly review and locate certain video clips by event, vehicle, person, time, and more. This will greatly improve event backtracking efficiency and reduce labor costs.

Customized Monitoring Patterns

Based on your monitoring needs, you can freely preset motion zones, adjust the rotation angle, set zoom in & out, customize patrol routes, control patrol routes, and more.

Four-Way Management

Flexibly manage your cameras via the web UI, NVR UI, VIGI app, and VIGI Security Manager for ease and convenience.

One system. Full security.
Run your business with peace of mind.
The VIGI professional surveillance system by TP-Link is dedicated to protecting the business you've worked hard to build — whenever, wherever. Our outstanding functions, reliable quality guarantees, and simplified installation work together to ensure your business stays safe and sound.

Techninė specifikacija

Performance	
Video input channels	16 channels
Maximum resolution	3840 x 2160 pixels
Number of simultaneously playbacked channels	16 channels
Video recording modes	720p, 1080p
Supported resolutions	HDMI Output Resolution: 1 Channel, Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz, 1920x1080/60Hz, 3840x2160/30Hz VGA Output Resolution: 1 Channel, Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz, 1920x1080/60Hz
Video motion detection	Yes
Audio formats supported	G.711 A-law, G.711 μ-law, G.726
Video formats supported	H.264, H.264+, H.265, H.265+
Playback modes	Digital zoom, Fast play, Forward, Full screen, Pause, Play, Stop
Playback controls	Yes
Maximum frame rate	30 fps
Input bandwidth	80 Mbit/s
Output bandwidth	60 Mbit/s
Recording modes	Manual, Schedule
Wireless LAN features	
Wi-Fi	No
Hard drive	
Number of HDDs installed	0
HDD capacity	0 GB
Maximum storage capacity	10 TB
HDD interface	SATA
Number of HDDs supported	2
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1

Power over Ethernet (PoE)	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Power over Ethernet (PoE) ports quantity	16
HDMI ports quantity	1
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	2
eSATA ports quantity	1
Internal SATA ports quantity	2
eSATA	Yes
Line-in	Yes
Audio output	1
DC-in jack	Yes
Networking standards	IEEE 802.3af, IEEE 802.3at
Supported network protocols	UPnP (Plug and Play), NTP (Network Timing)
Features	
Reset button	Yes
Product colour	Black
Certification	CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC, HDMI
Power	
Power consumption (max)	40 W
Output current	2.43 A
Output voltage	53.5 V
Total Power over Ethernet (PoE) budget	90 W
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Weight & dimensions	
Width	330 mm
Depth	285 mm
Height	45 mm
Weight	1.9 kg
Package weight	3.2 kg
Packaging content	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Cables included	AC
AC adapter included	Yes
Quick installation guide	Yes

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt