

Philips 55BDL3452T/00 Signage Display Digital signage flat panel 139.7 cm (55") IPS Wi-Fi 400 cd/m² 4K Ultra HD Touchscreen Built-in processor Android 8.0

Gamintojas: **PHILIPS** · Modelis: **55BDL3452T/00** · EAN: **8712581773885** · Prekės kodas: **102474**



2 386,89 €

Kaina su PVM

Be PVM: **1 972,64 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Upload content for instant play
- ✓ Native and web apps
- ✓ Install and launch apps remotely

Aprašymas

Engage them

Inspire collaboration. Deliver information. This responsive Philips Multi-Touch Professional UHD Display is ideal for multi-finger, multi-user applications-from wayfinding to presentations. Up to 20 touch points can be active at once.

Operate, monitor and maintain with CMND & Control

Run your display network over a local (LAN) connection. CMND & Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

CMND & Create. Develop and launch your own content

Take control of your content with CMND & Create. A drag-and-drop interface makes it simple to publish your own content-whether it's a daily specials board or branded corporate information. Preloaded templates and integrated widgets ensure your stills, text, and video will be up and running in no time.

FailOver ensures content is always playing

From waiting room to meeting room, never show a blank screen. FailOver lets your Philips Professional Display switch automatically between primary and secondary inputs ensuring content keeps playing even if the primary source goes down. Simply set a list of alternate inputs to be sure your business is always on.

CMND & Deploy. Install and launch apps remotely

Quickly install and launch any app-even when you're off-site and working remotely. CMND & Deploy lets you add and update your own apps, as well as apps from the Philips Professional Display App Store. Simply scan the QR code, log in to the store, and click on the app you want to install. The app is automatically downloaded and launched.

Internal memory. Upload content for instant play

Save and play content without the need for a permanent external player. Your Philips professional display has an internal memory, which allows you to upload media into the display for instant playback. The internal memory also functions as a cache for online streaming.

Android SoC processor. Native and web apps

Control your display via an Internet connection. Android-powered Philips Professional Displays are optimized for native Android apps, and you can install web apps directly to the display too. A new Android 8 ensures the software is kept secure and remain to the latest specification for longer.

Techninė specifikacija

Specifications	
Sandėlio grupė	Displays > Led Large Format [+35][−95]
Display	
Display diagonal	139.7 cm (55")
Display technology	IPS
Display resolution	3840 x 2160 pixels
Display brightness	400 cd/m²
HD type	4K Ultra HD
Touchscreen	Yes
Touchscreen technology	Capacitive
Multi-touch	Yes
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1300:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.315 x 0.315 mm
Ports & interfaces	
HDMI ports quantity	2
DVI port	Yes
USB port	Yes
HDMI version	2
DVI-I ports quantity	1

USB ports quantity	3
USB version	2
Audio (L/R) in	1
Audio (L/R) out	1
RS-232 interface	Yes
Remote (IR) input	1
Remote (IR) output	1
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
OPS module slot	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	10 W
Design	
Product design	Digital signage flat panel
Placement supported	Indoor
Performance	
Purpose	Corporate
On Screen Display (OSD)	Yes
Number of OSD languages	18
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Danish, German, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Mean time between failures (MTBF)	50000 h
Power	
Power consumption (typical)	140 W
Power consumption (standby)	0.5 W
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	137 kWh
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
Computer system	
Computer system	Yes

Built-in processor	Yes
Processor model	A53
Internal memory	2 GB
Internal storage capacity	8 GB
Operating system installed	Android 8.0
Video formats supported	M2TS, M4V, MKV, MP4, MPEG, MPG, MTS, TS, VOB, WMV
Audio formats supported	AAC, AIFF, ASF, LPCM, M4A, MP3, MP4, WAV, WMA
Image formats supported	BMP, GIF, JPEG, JPG
Weight & dimensions	
Width	1272 mm
Depth	54.5 mm
Height	743 mm
Weight	27 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC, RS-232, USB
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	5 - 95%
Logistics data	
Harmonized System (HS) code	85285210
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Technical details	
Compliance certificates	CE
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	139,00cm × 95,00cm × 19,00cm
Svoris	33,50kg