LG 32TNF5P-B.AEU Signage Display Interactive flat panel 81.3 cm (32") LED 500 cd/m² Full HD Black Touchscreen WebOS

Gamintojas: **LG** · Modelis: **32TNF5P-B.AEU** · EAN: **8806096059029** · Prekės kodas: **1025469**



1 117,89 €

Kaina su PVM

Be PVM: **923,88 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Brightness : 500 nit
- ✓ Multi Touch Point : 10 Points (Max.)
- ✓ Interface : HDMI (2, HDCP 2.2/1.4), RS-232C In, RJ45(LAN), IR In, USB2.0 Type A, Audio Out, Touch USB (USB 2.0 Type B)









Aprašymas

New In-Cell Touch Open Frame for Optimal Customization

Slim & Light

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The In-Cell Touch Open Frame has a touch function built into the display, allowing for the implementation of a slim design and a narrow bezel compared to general touch products that require additional touch parts (Film).

Clear Picture Quality

Compared to general touch products, TNF5P implements clear picture quality without milk effects caused by additional touch sensor film parts.

Design Flexibility

By providing integrated parts such as touchscreen, display, and webOS, users can realize free design for their own needs.

24hrs / 7days

TNF5P’s excellent durability allows for use in kiosks that require a full day of operation.

Wide Viewing Angle

IPS panel technology provides better control of the liquid crystals, which in turn allows the screen to be viewed at virtually any angle.

45-degree Tilt (Face up) Installation Possible

When a display is installed at low places, it is usually tilted for the user’s viewing comfort. Considering this, the installation with a max tilt of 45 degrees is supported.

10 Points of Multi-Touch

The TNF5P provides a more realistic touch sensation since it can recognize up to 10 points of multi-touch at once, and various touchbased user services can be provided through the screen.

High-Performance with webOS 6.0

webOS 6.0, upgraded in SoC* and web engine, is available on TNF5P for a smooth execution of several tasks. LG webOS smart signage platform enhances user convenience with intuitive GUI** and provides to SI or/and developers simple app development tools such as SDK (Software Development Kit), SCAP, sample applications.

Techninė specifikacija

Display	
Display diagonal	81.3 cm (32")
Display technology	LED
Display resolution	1920 x 1080 pixels
Display brightness	500 cd/m²
HD type	Full HD
Touchscreen	Yes
Panel type	IPS
LED backlight	Yes
Number of simultaneous touchpoints	10

Response time	9 ms
Contrast ratio (typical)	1000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.7 million colours
Panel life	50000 h
Haze rate	25%
Ports & interfaces	
HDMI ports quantity	2
USB port	Yes
USB ports quantity	2
USB version	2
USB 2.0 Type-B ports quantity	1
Ethernet LAN (RJ-45) ports	1
Audio (L/R) out	1
RS-232C	Yes
Remote (IR) input	1
Design	
Product design	Interactive flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Screen shape	Flat
Panel mounting interface	200 x 200 mm
Bezel width (bottom)	1.13 cm
Bezel width (side)	1.13 cm
Bezel width (top)	1.13 cm
Performance	
HDCP	Yes
HDCP version	1.4
Power	
Power consumption (typical)	48 W
Power consumption (standby)	0.5 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power consumption (max)	65 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Heat dissipation	164 BTU/h
Computer system	
Internal memory	8 GB
Operating system installed	WebOS
Operating system version	6
Weight & dimensions	
Display width	723 mm
Display depth	39.1 mm
Display height	419.4 mm
Display weight	5.8 kg
Packaging data	
Package width	812 mm
Package depth	142 mm
Package height	510 mm
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Network	
Ethernet LAN	Yes
Security algorithms	SNMP
Other features	
Temperature indicator	Yes
Playback modes	Rotation

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Saugos informacija

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

LG Electronics Inc.

Magokjungang 10-ro 10, 07796 Gangseo-gu, Seoul, KR

lg.com

ATSAKINGAS ASMUO ES

LG Electronics Deutschland

Alfred-Herrhausen-Allee 45721, 65760 Eschborn, DE

lg.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Saugos dokumentai

› Saugos informacija