StarTech.com HDMI KVM Transmitter Over IP Network for the IH2006 Product Series, 4K 60Hz, Driverless, AVoIP, Includes Mounting Kit, Transmitter Only

Gamintojas: **STARTECH.COM** · Modelis: **IH2006-KVM-TX** · EAN: **065030912693** · Prekės kodas: **1025754**



337,90 €

Kaina su PVM

Be PVM: **279,26 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AVoIP KVM TRANSMITTER: When paired with an IH2006 receiver (sold separately), extend 4K 60Hz HDMI and USB over a TCP/IP network to a remote display; Ideal as a direct replacement for an existing transmitter, ensuring performance, compatibility, and uptime
- ✓ REPLACEMENT-READY SOLUTION: Designed to seamlessly integrate with existing IH2006 Series Receivers, this transmitter offers a hassle-free replacement option, keeping your AV infrastructure running smoothly
- ✓ NO DRIVERS OR SOFTWARE: Requires no configuration to get it working; Compatible with any operating system including Windows, macOS and Linux, as well as all hardware platforms such as Intel, AMD, Snapdragon/ARM and Apple Silicon
- ✓ LOCAL HDMI OUTPUT: IP KVM Transmitter features an HDMI output to connect a local display, allowing you to view the content without being at the receiver's location; Three-wire RS232 port and a 3.5mm audio passthrough port offer serial and audio extension
- ✓ SECURE & FLEXIBLE INSTALLATION: Durable metal housing with included mounting kit for wall or under-desk installation; Rubber feet prevent slipping for desktop use; Ideal for industrial and professional environments






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903














Aprašymas

Use this Transmitter unit for the IH2006-KVM-EXTENDER to extend an HDMI-enabled computer over IP, with support for RS-232 pass-through and 3.5mm audio

The AVoIP KVM Transmitter enables remote access to computers over a TCP/IP network using a keyboard, mouse, and 4K 60Hz HDMI monitor when paired with a compatible receiver. Designed as a replacement unit, it ensures continued performance, security, and uptime by protecting systems from unauthorized access and physical damage.

Driver-Free Installation

The plug-and-play design requires no drivers or software, making setup quick and hassle-free. It is compatible with all major operating systems, including Windows, macOS, and Linux, as well as hardware platforms like Intel, AMD, Snapdragon/ARM, and Apple Silicon.

Scalable, Flexible, and Future-Proof

Designed to seamlessly integrate with existing IH2006 Series Receivers, this transmitter offers a hassle-free replacement option, keeping your AV infrastructure running smoothly and maximizing uptime.

Professional-Grade Design

The transmitter features a durable metal housing with mounting kit for wall or under-desk installation, along with rubber feet for desktop stability. A local HDMI output allows direct connection to a nearby display, while RS232 and 3.5mm audio passthrough ports enable seamless serial and audio extension.

The StarTech.com Advantage

Techninė specifikacija

Features	
Type	Transmitter
Connectivity technology	Wired
Rack mounting	No
Maximum digital resolution	3840 x 2160 pixels
Maximum refresh rate	60 Hz

Product colour	Black
Material	Metal
LED indicators	Yes

Transmitter

Transmitter video port type	HDMI
Transmitter local video port	Yes
Transmitter local video port type	HDMI
RJ-45 ports quantity (transmitter)	1
Transmitter Micro-USB ports quantity	1

Ports & interfaces

USB port type	USB Type-C
USB 2.0 ports quantity	1
HDMI version	2
RS-232 ports	1
PC Audio in	Yes

Power

Power plug type	Type M
AC input voltage	100 - 240 V
Input current	0.3 A
AC adapter output voltage	5 V
AC adapter output current	2 A
Power consumption (receiver) (max)	10 W
DC-in jack	Yes

Packaging data

Package width	199 mm
Package depth	149 mm
Package height	80 mm
Package weight	500 g

Packaging content

AC adapter included	Yes
Cables included	No
Mounting bracket(s) included	Yes
Included power plug types	ANZ, EU, NA, UK

Operational conditions

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Operating temperature (T-T)	-20 - 60 °C
Storage temperature (T-T)	-30 - 70 °C
Operating relative humidity (H-H)	0 - 90%
Other features	
Compliance certificates	Federal Communications Commission (FCC), RoHS
Logistics data	
Master (outer) case width	425 mm
Master (outer) case length	315 mm
Master (outer) case height	420 mm
Products per master (outer) case	20 pc(s)

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas youtube.com/watch?v=w_q8ulj6UCE

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt