Bosch PSS 250 AE Orbital sander 24000 OPM Black, Green, Red 250 W

Gamintojas: **BOSCH** · Modelis: **0.603.340.200** · EAN: **3165140337526** · Prekės kodas: **1027118**



121,90 €

Kaina su PVM

Be PVM: **100,74 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Orbital sander
- ✓ 24000 OPM
- ✓ Sound power level: 93 dB Sound pressure level: 82 dB
- ✓ Power source: AC 250 W
- ✓ Black, Green, Red

Aprašymas

The PSS 250 AE orbital sander from Bosch is the ideal solution for quick, accurate sanding using a powerful 250 watt motor, a 92 x 182 millimetre sanding surface and an orbital stroke rate of 14,000 to 24,000 opm. The Bosch microfilter system helps to keep the surrounding area clean. The built-in dust extraction element draws the dust directly into the microfilter box provided. What’s more, the PSS 250 AE includes a setting wheel so that the orbital stroke rate can be adjusted to the material in question.

Thanks to its 250 watt motor and orbital stroke rate of 14,000 to 24,000 opm, the Bosch PSS 250 AE is a powerful orbital sander that is perfect for providing quick results. However, it doesn’t mean you have to sacrifice on comfort thanks to the PSS 250 AE’s low-vibration design. The benefits of this practical feature are particularly noticeable on larger surfaces. Meanwhile, the setting wheel allows the user to adjust the orbital stroke rate to the material in question. To keep dust levels as low as possible, the PSS 250 AE is equipped with a Bosch microfilter system that extracts sanding dust directly into an integrated microfilter box.

The sanding sheets for the PSS 250 AE can either be fixed directly to the sanding plate using the new micro Velcro-type fastening solution or can be secured using the special clamping system. Both options can be used. No matter which option you choose, the sanding sheet will always stay secure and provide good results, even in tough conditions. Surfaces on doors or cupboards can be sanded quickly and easily ready for further treatment. The orbital sander is particularly suited for use on wood, wood-based materials or painted surfaces. The softgrip coating helps to ensure that work with the sander is always comfortable, even for left-handed users. Any dust generated is collected by the microfilter system.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Thanks to its 250 watt motor and orbital stroke rate of 14,000 to 24,000 opm, the Bosch PSS 250 AE is a powerful orbital sander that is perfect for providing quick results. With a 92 x 182 millimetre sanding surface, the PSS 250 AE is a low-vibration orbital sander, making it the ideal tool to tackle larger surface areas. There is no need to worry about your hands getting tired, even over longer periods of use. The setting wheel enables users to pre-select the orbital stroke rate. This means that the tool can be adjusted to suit the material at hand. Meanwhile, the Bosch microfilter system uses a built-in dust extraction element to collect dust in the integrated microfilter box, helping to keep the area clean.

The Bosch PSS 250 AE orbital sander has large ergonomic handles covered in comfortable softgrip coating, making the tool easy to use with either one hand or two. Left-handed DIYers will also find the sanding tool easy and comfortable to use. The low level of vibration and the lightweight 1.6 kilogram design also help to increase the user’s level of comfort during use. As a result, even larger surfaces can be tackled with ease without any strain on the user. The integrated Bosch microfilter system is a further practical function. It collects dust in a semi-transparent plastic box so that the user can keep a constant eye on the remaining capacity. The box is easy to empty and can be reused any number of times.

Techninė specifikacija

Features	
Sander type	Orbital sander
Sanding media fixing	Clamp/Velcro
Product colour	Black, Green, Red
Soft grip	Yes
Performance	
Idle oscillation rate (min)	14000 OPM
Idle oscillation rate (max)	24000 OPM
Oscillating orbit diameter	2 mm
Eccentricity	1 mm
Sound power level	93 dB
Sound pressure level	82 dB
Sound level uncertainty	3 dB
Power	
Power source	AC
Input power	250 W
Output power	125 W
Weight & dimensions	
Weight	1.6 kg
Sanding plate size (WxD)	92 x 182 mm
Sanding sheet size (velcro)	93 x 185 mm
Sanding sheet size (clamp)	93 x 230 mm
Other features	
Sanding surface	0.0167 m²
Vibration emission	5.5 m/s²

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Uncertainty K	1.5 m/s²
Matmenys ir svoris	
Svoris	3,66kg

Gamintojo ir saugos informacija

GAMINTOJAS

Bosch

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt