Lenovo ThinkSystem SR250 V3 server Rack (1U) Intel® Xeon® 6353P 2.7 GHz 32 GB DDR5-SDRAM 800 W

Gamintojas: **LENOVO** · Modelis: **7DCLA04XEA** · Prekės kodas: **1028436**



5 670,89 €

Kaina su PVM

Be PVM: **4 686,69 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Intel Xeon 6353P (24MB Cache, 2.7GHz)
- ✓ 32GB (4800MHz) DDR5-SDRAM (1 x 32)

Aprašymas

The Lenovo ThinkSystem SR250 V3 is a high-value single-socket 1U rack server for growing businesses that need optimized performance and flexibility for future growth, along with enterprise-class reliability, management, and security. The server supports the new Intel Xeon E-2400 Series processors, formerly codenamed "Raptor Lake-E".

This product guide provides essential presales information to understand the ThinkSystem SR250 V3 server, its key features and specifications, components and options, and configuration guidelines. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about the SR250 V3 and consider its use in IT solutions.

Techninė specifikacija

Processor	
Processor family	Intel® Xeon®
Processor manufacturer	Intel
Processor model	6353P
Processor frequency	2.7 GHz
Processor boost frequency	5.4 GHz

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Performance cores	8
Processor cores	8
Processor cache	24 MB
Motherboard chipset	Intel C266
Number of processors installed	1
Memory	
Internal memory	32 GB
Internal memory type	DDR5-SDRAM
Maximum internal memory	128 GB
Memory slots	4x DIMM
ECC	Yes
Memory clock speed	4800 MHz
Memory layout (slots x size)	1 x 32 GB
Storage	
RAID support	Yes
Supported RAID controllers	545-8i
Internal drive bays	8
Supported storage drive interfaces	SAS, Serial ATA
Graphics	
On-board graphics card	Yes
Maximum graphics card memory	16 MB
Network	
LAN controller	Broadcom BCM5720
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Gigabit Ethernet
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
VGA (D-Sub) ports quantity	1
Serial ports quantity	1
Design	
Chassis type	Rack (1U)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Product colour	Black, Silver
Performance	
Performance management	XClarity Controller Platinum
Trusted Platform Module (TPM)	Yes
Trusted Platform Module (TPM) version	2
Software	
Compatible operating systems	Microsoft Windows Server Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Power	
Redundant power supply (RPS) support	Yes
Power supply	800 W
Number of redundant power supplies supported	1
Power supply input voltage	100 - 240 V
Power supply input frequency	50/60 Hz
Operational conditions	
Storage temperature (T-T)	-40 - 60 °C
Storage relative humidity (H-H)	8 - 90%
Operating altitude	0 - 3050 m
Weight & dimensions	
Width	434.4 mm
Depth	561 mm
Height	43 mm
Technical details	
Supported storage drives form factor (rear)	2.5"

Gamintojo ir saugos informacija

GAMINTOJAS

Lenovo Group Limited
Courtyard Xibeiwang East Road Building 2, No.10, 100094 Beijing, CN
lenovo.com

ATSAKINGAS ASMUO ES

Lenovo France SAS
Rue des Deux Gares 20, 92500 Rueil-Malmaison, FR
lenovo.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt