ASUS ProArt PA278QGV kompiuterio monitorius 68,6 cm (27") 2560 x 1440 pikseliai Quad HD LCD Juoda

Gamintojas: **ASUS** · Modelis: **90LM05L1-B01K71** · EAN: **4711636032674** · Prekės kodas: **1031410**



260,90 €

Kaina su PVM

Be PVM: **215,62 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68,6 cm (27") Juoda
- ✓ Aukščio reguliavimas 13 cm Įmontuoti garsiakalbiai
- ✓ HDMI HDMI versija: 2.1 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.4
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 120 Hz Reakcijos laikas: 5 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 2560 x 1440 pikseliai Quad HD Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): D










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.






Aprašymas

All the Essentials for Pros

ProArt Display PA278QGV is a 27-inch IPS QHD monitor tailored for creative professionals. As the second-generation model of the PA278QV, it offers enhanced performance with 95% DCI-P3 color gamut, factory calibration to Delta E < 2, and Calman Verified for superb color accuracy. It features a 120 Hz VRR for 2-times ultra-smooth visuals and introduces the new M Model color temperature for consistent P3 color on MacBooks. With DisplayPort, HDMI, and a built-in USB hub, it ensures seamless connectivity for all your creative needs.

Empowering Content Creators

The Perfect Monitor When Working on MacBook

ProArt Display combines professional-grade performance with sleek design and Mac-tested compatibility. Offering vibrant colors and versatile connectivity, ProArt Display is ideal for Mac users seeking exceptional color accuracy and unmatched productivity.

Consistent Color Across Multiple Devices

ProArt Preset modes offer multiple color gamut options. The new M Model color temperature is specifically designed to match the color performance between macOS devices and ProArt Displays. This ensures seamless color consistency across screens, making the mode ideal for color-critical tasks like photo editing, video production, and graphic design.

Seamless Monitor Management

ASUS DisplayWidget Center is software that provides an intuitive interface to adjust monitor settings, including brightness, contrast, and color temperature. Whether a monitor is used for everyday viewing or for professional creative work, users can effortlessly find the optimal display settings for enhanced viewing experiences.

Unleash Creativity with AI

Generative AI features open creative possibilities and also enable creators to realize their artistic visions more efficiently. The wide color gamut, high resolution, and professional color accuracy of the ProArt Display make it the perfect complementary tool — ideal for helping creators bring their ideas to life.

Turn Text into Reality — Fast (Photoshop)

Discover the power of Gen AI with tools for Text to Image and Generative Fill. Simplify the creative process, effortlessly create, adjust, and enhance visuals.

Edit in an Instant (Premiere Pro)

Gen AI tools streamline complex tasks and boost editing speed. Use features like Object Add/Remove and Generative Extend for quick, precise adjustments.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Turn 2D Images to 3D (Substance 3D Sampler & Stager)

Image-to-Texture leverages Gen AI to allow artists to quickly create 3D materials and textures from real-world imagery. It enhances creativity while integrating smoothly into workflows.

Enjoy True-to-Life Color

The PA278QGV boasts 95% DCI-P3 and 100% sRGB color coverage, bringing out the finest details in photos.

True Color—Right Out of the Box

Color professionals rely on color-accurate displays to ensure that their creations look exactly as intended. Each ProArt display is calibrated in the factory to meet Calman Verified standards and to achieve Delta E<2 color accuracy.

2D/3D Rendering Friendy

Up to a 120 Hz variable refresh rate (VRR), allowing creators to create fast-rendering games and conduct quality checks on one display. High frame rate brings smooth visuals delivers comfortable viewing experience.

Photorealistic Colors

The PA278QGV monitor is equipped with ASUS Light Sync technology, featuring an ambient light sensor automatically adjusts display brightness and color temperature based on changes in environmental lighting, ensuring true colors every time.

Exquisite Design

Compared to its predecessor, PA278QGV has a space-saving base that’s 33% smaller, as well as a 30% slimmer profile. With an understated elegance, it’s right at home in a studio or in any living space.

Expansive Connectivity

PA278QGV offers a myriad of connectivity options, including HDMI, DisplayPort, four USB Type-A downstream ports for compatibility with a wide range of devices. PA278QGV also includes a passthrough port for headphones.

Easily Connect Devices

A built-in USB3.2 hub along the bottom bezel of PA278QGV includes two USB Type-A port, allowing for easy connections to a variety of devices and peripherals, as well as charge-compatible devices*.
*Check the power requirements of the connected device to ensure it aligns with the monitor’s USB power output.

Ergonomic Stand

Each ProArt Display features an ergonomic stand with tilt, swivel, pivot, and height adjustments for comfortable viewing. The ability to pivot the screen clockwise or counterclockwise 90° for use in Portrait mode comes in handy when working with long documents, coding or web browsing. Furthermore, the quick-release feature makes it easy to attach the display via the integrated VESA wall mount—screw-free, so it's done in seconds!

ASUS Power Sync
Streamline and Declutter Your Desktop
ASUS Power Sync allows HDMI-connected devices to power on/off simultaneously with supported ASUS monitors, offering single-action control. Customizable via the MyASUS app with ASUS NUC*, this feature enhances device synergy for improved organization and productivity.

Trusted by World's Leading Creative Schools & Studios

Sustaining an Incredible Future

Environmental Certification*

PA278QGV has been stringently tested to meet the requirements of world-leading sustainability certifications. These tests include a comprehensive database of up-to-date criteria, independent verification, and a structured system for continuous improvement.

Eco-friendly Packaging

ProArt Displays are shipped in packaging made from FSC MIX 100% recycled cardboard. The packaging has been designed to minimize weight and volume, helping to conserve natural resources and allowing more devices to be transported in a single shipping container.

Reusable Packaging

The cardboard box can be cut into smaller box, phone holder and Laptop Stand. This is a great way to reduce waste, save money on packaging materials, and create added benefits. (Reusable Packaging items are vary by model.)

Energy-Efficient Features

ProArt Display PA278QGV has a power-saving Eco-mode and it achieves zero-watt power consumption when it is turned off.
*EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

Free 3 Months of
Adobe Creative Cloud
Every ASUS ProArt display includes a free three-month trial (up to US$488.91 value) of Adobe® Creative Cloud®, allowing users to experience the latest AI-powered applications.

Techninė specifikacija

Ekranas	
Ekrano įstrižainė	68,6 cm (27")
Ekrano rezoliucija	2560 x 1440 pikseliai
Natūralus kraštinių santykis	16:9
Ekrano technologija	LCD
Lietimui jautrus ekranas	Ne
HD tipas	Quad HD
Skydo tipas	IPS
Reakcijos laikas	5 ms
Ekrano forma	Plokščias
Kontrasto santykis (tipinis)	1500:1
Maksimalus atnaujinimo dažnis	120 Hz
Ekrano spalvų skaičius	1,073 milijardo spalvų
LED galinis apšvietimas	Taip
Ekrano ryškumas (pikinis)	350 cd/m²
Ekrano ryškumas (tipinis)	350 cd/m²

Atsako trukmės matavimo tipas	GTG (Gray to Gray)
Neblizgantis ekranas	Taip
Kontrasto santykis (dinaminis)	3000:1
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Pikselių žingsnis	0,233 x 0,233 mm
Matomas dydis, horizontalus	59,7 cm
Matomas dydis, vertikalus	33,6 cm
Horizontalus skaitmeninis dažnis	30 - 185 kHz
Vertikalus skaitmeninis dažnis	48 - 120 Hz
Palaikoma HDR	Taip
Didelio dinaminio diapazono (HDR) technologija	High Dynamic Range 10 (HDR10)
Spalvų gylis	10 bitai
Spalvų gamos standartas	DCI-P3, sRGB
Palaikomas sRGB (įprastas)	100%
DCI-P3 spalvų gama	95%
Veikimo charakteristikos	
NVIDIA G-SYNC	Ne
„AMD FreeSync“	Ne
„VESA Adaptive Sync“ palaikymas	Taip
Apsaugos nuo mirgėjimo technologija	Taip
Mažo kiekio mėlynos šviesos technologija	Taip
Multimedija	
Įmontuoti garsiakalbiai	Taip
Integruota kamera	Ne
Garsiakalbių skaičius	2
RMS galingumas	4 W
Konstrukcija	
Pozicija rinkoje	Grafinis dizainas
Produkto spalva	Juoda
Nuimamas stovas	Taip
Kojelių spalva	Sidabras
Ryšys	
Įmontuotas USB jungčių daugiklis	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

HDMI	Taip
Ausinių išvestis	Taip
USB koncentratoriaus versija	3.2 Gen 1 (3.1 Gen 1)
USB A tipo žemakrypčių prievadų skaičius	4
HDMI portų kiekis	1
HDMI versija	2.1
„DisplayPort“ kiekis	1
„DisplayPort“ versija	1.4
Ausinių išvestys	1
Ausinių jungtis	3,5 mm
HDCP	Taip
HDCP versija	1.4

Ergonomija

VESA tvirtinimo pagrindas	Taip
Kabelio spynos lizdas	Taip
Aukščio reguliavimas	Taip
Suderinama su VESA sienos tvirtinimo sistema	100 x 100 mm
Montuojamas ant sienos	Taip
Laido spynos lizdo tipas	Kensington
Reguliuojamas aukštis (maks.)	13 cm
Sukimasis	Taip
Pasukimo kampas	90 - -90°
Sukiojamas	Taip
Pasukamas	30 - -30°
Pokrypio reguliavimas	Taip
Posvyrio kampo intervalas	23 - -5°

Energijos valdymas

Energijos vartojimo efektyvumo klasė (SDR)	D
Energijos vartojimo efektyvumo klasė (HDR)	G
Energijos sąnaudos (SDR) per 1000 valandų	16 kWh
Energijos sąnaudos (HDR) per 1000 valandų	31 kWh
Energijos suvartojimas	16,94 W
Energijos suvartojimas (laukimo režimu)	0,5 W
Energijos suvartojimas (off)	0,3 W
Energijos suvartojimas (PowerSave)	0,5 W


Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50/60 Hz
Maitinimo tipas	Vidinis
Energijos efektyvumo skalė	Nuo A iki G
Svoris ir matmenys	
Plotis (su stovu)	612,2 mm
Gylis (su stovu)	190,4 mm
Aukštis (su stovu)	536,1 mm
Svoris (su stovu)	6,4 kg
Plotis (be stovo)	612,2 mm
Gylis (be stovo)	46,9 mm
Aukštis (be stovo)	362,9 mm
Svoris (be stovo)	4,7 kg
Pakuotės duomenys	
Pakuotės plotis	691 mm
Pakuotės gylis	140 mm
Pakuotės aukštis	427 mm
Paketo svoris	9,3 kg
Pakuotės tipas	„Box“
Pakuotės turinys	
Pridėtas stovas	Taip
Techninė informacija	
Būdingas atnaujinimo dažnis	60 Hz
Matmenys ir svoris	
Matmenys (I × P × A)	70,00cm × 14,00cm × 43,00cm
Svoris	9,28kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **D** A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc

Li-Te Road 15, 112 Taipei, TW

asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.

Allee bienvenue 10, 93160 Paris, FR

channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt