Dahua Technology NVR5216-16HP-XI/PRO network video recorder 1U Black

Gamintojas: **DAHUA** · Modelis: **NVR5216-16HP-XI/PRO** · EAN: **6937552418141** · Prekės kodas: **1031586**



2 209,90 €

Kaina su PVM

Be PVM: **1 826,36 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Video input channels: 16 channels
- ✓ 7680 x 4320 pixels
- ✓ Maximum storage capacity: 40 TB HDD interface: SATA
- ✓ Ethernet LAN (RJ-45) ports: 1 Power over Ethernet (PoE) 1U Rack mounting
- ✓ Built-in processor
- ✓ 15 W
- ✓ Black







Aprašymas

NVR5216-16HP-XI/Pro new-products

16CH 1U 16PoE 2HDDs WizMind Network Video Recorder

> Supports Smart H.265+, H.265, Smart H.264+, H.264 and MJPEG decoding formats.
> Max. decoding capability: 40 × 1080p@30 fps or 16 × 5 MP@30 fps.
> Max. 512/512/384 Mbps incoming/recording/outgoing bandwidth.
> Supports IP cameras with a resolution up to 32 MP.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

> Supports 8K HDMI output.
> Intelligent analytics based on Xinghan Large-Scale AI Models
> AI by Recorder supports 8-channel face detection and recognition, up to 20 face databases and 200,000 face images; 8-channel metadata; 8-channel AcuPick; 16-channel perimeter protection;
> AI by Camera supports face detection and recognition, perimeter protection, SMD Plus, metadata, ANPR, stereo analysis, heat map, people counting and AcuPick
> Supports N+M cluster, ISCSI.
> Supports EPTZ, and one-click arming and disarming.

Techninė specifikacija

Performance	
Video input channels	16 channels
Maximum resolution	7680 x 4320 pixels
Alarm input channels	4
Alarm output channels	2
Number of simultaneously playbacked channels	16 channels
Video recording modes	1080p
Supported resolutions	1920x1080, 1280x1024, 1280x720, 7680x4320, 3840x2160, 1920x1080
Video motion detection	Yes
Audio formats supported	G.711 A-law, G.711 μ-law, G.726
Video formats supported	H.264, H.264+, H.265, H.265+, M-JPEG
Operating system installed	Embedded LINUX
Throughput data rate	512 Mbit/s
Face detection	Yes
Hard drive	
Maximum storage capacity	40 TB
HDD interface	SATA
Number of HDDs supported	2
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Power over Ethernet (PoE)	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Power over Ethernet (PoE) ports quantity	16
HDMI output	Yes
HDMI ports quantity	1
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	1

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Audio RCA inputs	1
Audio RCA outputs	1
RS-485 ports	1
RS-232 interface	Yes
RS-232 ports	1
Networking standards	IEEE 802.3af, IEEE 802.3at
Supported network protocols	HTTP; HTTPS; TCP/IP; IPv4; IPv6; UDP; NTP; DHCP; DNS; SMTP; UPnP; IP Filter; FTP; DDNS; SNMP; Alarm Server; P2P; Auto Registration; IP Search (Supports IP camera, DVR, NVS, etc.); ISCSI
Features	
Rack mounting	Yes
Rack capacity	1U
Product colour	Black
Certification	Class A CE-EMC: EN 55032:2015+A1:2020; EN IEC 61000-3-2:2019+A1:2021; EN 61000-3-3:2013+A1:2019+A2:2021; EN 55035:2017+A11:2020; EN 50130-4:2011+A1:2014 CELVD: EN 62368-1:2014
Processor	
Built-in processor	Yes
Power	
Power consumption (max)	15 W
AC input voltage	100-240 V
AC input frequency	50/60 Hz
Power over Ethernet (PoE) power per port	25.5 W
Total Power over Ethernet (PoE) budget	200 W
System requirements	
Mobile operating systems supported	Android, iOS
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 93%
Storage temperature (T-T)	-20 - 60 °C
Weight & dimensions	
Width	375 mm
Depth	327.4 mm
Height	53 mm
Weight	2.72 kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Package width	449 mm
Package depth	421 mm
Package height	170 mm
Package weight	4.06 kg
Matmenys ir svoris	
Matmenys (I × P × A)	46,00cm × 17,00cm × 43,00cm

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd
Bin'an Road, Binjiang District No.1187 & 1199, 310053 Hangzhou, CN
dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH
Niederkasseler Lohweg 185, 40547 Düsseldorf, DE
dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt