HP Color LaserJet Enterprise LaserJet Enterprise 4701dn Color Printer

Gamintojas: **HP INC.** · Modelis: **67P98A#B19** · EAN: **199251503207** · Prekės kodas: **1031637**



671,90 €

Kaina su PVM

Be PVM: **555,29 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Two-sided printing; Optional high-capacity trays; TerraJet cartridge; Strong Security
- ✓ Print speed up to 35/33 ppm black & colour (Letter/A4)
- ✓ Print







Aprašymas

Enterprise performance in a compact design. Empower small work teams to get more done with enterprise printing performance, professional colour quality and speed. Simple fleet management and advanced security keeps users productive and simplifies IT operations.. TerraJet Cartridge

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex printing mode	Auto
Print speed (colour, normal quality, A4/US Letter)	33 ppm
Warm-up time	160 s
Time to first page (black, normal)	5.8 s
Time to first page (colour, normal)	6.4 s
Print margins (top, bottom, right, left)	4.23 mm
Print margin top (min)	4.23 mm
Print margin bottom (min)	4.23 mm
Print margin right (min)	4.23 mm
Print margin left (min)	4.23 mm
Watermark printing	Yes
Features	
Maximum duty cycle	100000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PDF 1.7, PCL 5, PCL 6
Recommended duty cycle	1600 - 4200 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Introduction year	2026
Country of origin	Vietnam

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Replacement cartridges	HP 240A Black Original LaserJet Toner Cartridge (~2,300 pages) W2400A; HP 240A Cyan Original LaserJet Toner Cartridge (~2,000 pages) W2401A; HP 240A Yellow Original LaserJet Toner Cartridge (~2,000 pages) W2402A; HP 240A Magenta Original LaserJet Toner Cartridge (~2,000 pages) W2403A; HP 240X High Yield Black Original LaserJet Toner Cartridge (~9,000 pages) W2400X; HP 240X High Yield Cyan Original LaserJet Toner Cartridge (~6,900 pages) W2401X; HP 240X High Yield Yellow Original LaserJet Toner Cartridge (~6,900 pages) W2402X; HP 240X High Yield Magenta Original LaserJet Toner Cartridge (~6,900 pages) W2403X
HP segment	Enterprise

Input & output capacity

Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Paper tray 2 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Maximum number of input trays	4
Maximum input capacity	1400 sheets
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Matte paper, Envelopes, Card stock, Heavy paper, Thick paper, Lightweight paper, Rough paper, Postcard, Letterhead
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 356 mm
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	16K, Letter, Legal, Executive, Statement, Oficio
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL, 9, 10, Monarch
Photo paper sizes	10x15,14.8x10 cm
Photo paper sizes (imperial)	8.5x13,4x6,5x7,5x8,3x5
Custom media width	76.2 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²

Ports & interfaces

Direct printing	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

USB port	Yes
USB 2.0 ports quantity	3
Network	
Wi-Fi	No
Ethernet LAN	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, TLS, FIPS 140, HTTPS, IPSec
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	2048 MB
Maximum internal memory	2048 MB
Internal storage capacity	8 GB
Storage media	eMMC
Card reader integrated	No
Built-in processor	Yes
Processor frequency	1400 MHz
Sound pressure level (printing)	49 dB
Sound power level (printing)	6.1 dB
Design	
Market positioning	Enterprise
Product colour	White, Blue
Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	6.86 cm (2.7")
Control type	Touch
Certification	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Power	
Power consumption (printing)	579 W
Power consumption (ready)	22 W
Power consumption (PowerSave)	0.07 W
Power consumption (off)	0.07 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Energy Star Typical Electricity Consumption (TEC)	0.339 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10 x64, Windows 10, Windows 11 x64, Windows 11
Mac operating systems supported	Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	ChromeOS, Android, iOS
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Sustainability	
Sustainability certificates	ENERGY STAR
Sustainable technologies and materials	Contains post-consumer recycled plastic; ENERGY STAR certified
Carbon footprint	
Total carbon footprint (kg of CO2e)	150
Carbon emissions, manufacturing (kg of CO2e)	91
Carbon emissions, logistics (kg of CO2e)	5
Carbon emissions, end-of-life (kg of CO2e)	16
Total carbon emissions, w/o use phase (kg of CO2e)	38
Weight & dimensions	
Width	421 mm
Depth	427 mm
Height	297 mm
Weight	16.3 kg
Packaging data	
Package width	497 mm
Package depth	397 mm
Package height	583 mm
Package weight	21.1 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	2300 pages
Included cartridge capacity (CMY)	2000 pages
Warranty card	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Role Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access, Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.; badge readers); Protected Access (embedded) end user passwordless MFA for Microsoft Entra ID; Proximity card reader, single sign-on, smart card. Network protection: IPsec/firewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin fleet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); Wi-Fi security; WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Common Criteria Certification.;/; NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, fleet firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce
HP GTIN (EAN/UPC) with options	(201) 199251503115; (AB0) 199251503139; (AB2) 199251503146; (ABJ) 199251503153; (ABT) 199251503160; (ACJ) 199251503177; (ACQ) 199251503184; (B13) 199251503191; (B19) 199251503207; (BAZ) 199251503214; (BBU) 199251503221; (BGJ) 199251503238; (BGM) 199251503245; (BH2) 199251503252
HP GTIN (EAN/UPC)	199251503115, 199251503139, 199251503146, 199251503153, 199251503160, 199251503177, 199251503184, 199251503191, 199251503207, 199251503214, 199251503221, 199251503238, 199251503245, 199251503252
Logistics data	
Pallet gross weight	538 kg
Technical details	
Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	GS mark, CCC, BIS, cUL, UL, CE, BSMI
Other features	
Power supply type	Internal (built-in) Power Supply

Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: Manjarolinux 20.2; Linux: Manjarolinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: Rhel 6; Linux: Rhel 7; Linux: Rhel 8; Linux: Zorin 15; Linux: Zorin 16; Chrome OS; Linux: Ubuntu 22.04; Linux: Ubuntu 22.10; Linux: Ubuntu 23.04; Linux: Ubuntu 23.10; Linux: Ubuntu 24.04
Processor frequency	1.4 GHz
Manufacturer warranty	One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; optional Tray 4: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Envelope feeder	No
Acoustic pressure emissions bystander (ready)	14 dB
Typical electricity consumption (TEC) number	0.339 kWh/Week (Blue Angel); 0.378 kWh/Week (Energy Star 3.0)
UNSPSC-code	43212105
Box contents	HP Color LaserJet Enterprise 4701dn printer; HP Black Original LaserJet Introductory Toner Cartridge (~2,300 pages); HP Cyan, Magenta, Yellow Original LaserJet Introductory Toner Cartridges (~2,000 pages each); Power Cord, Hardware Install Guide, Regulatory Flyer, Warranty Card(Japan, Brazil, Indonesia, Australia/New Zealand, Argentina, China)
Matmenys ir svoris	
Matmenys (I × P × A)	50,00cm × 40,00cm × 59,00cm
Svoris	21,14kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt