HP Color LaserJet Enterprise 5700dn Printer

Gamintojas: **HP** · Modelis: **6QN28A#B19** · EAN: **196068756222** · Prekės kodas: **1032108**



849,90 €

Kaina su PVM

Be PVM: **702,40 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Spalva
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 43 ppm
- ✓ Abipusis spauzdinimas Tiesioginis spausdinimas
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ CGD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 80000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 650 lapai Bendra išvesties talpa: 250 lapai
- ✓ Vidinė atmintis: 1536 MB Integruotas procesorius 1400 MHz










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.



Aprašymas

The most customisable HP A4 LaserJet, with advanced workflow solutions optimised for distributed office collaboration. Transform your workflows with advanced capabilities in a compact footprint. From print speeds to colour panels[9], get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	43 ppm
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	43 ppm
Warm-up time	135 s
Time to first page (black, normal)	6.9 s
Time to first page (colour, normal)	7.6 s
Print margins (top, bottom, right, left)	4.3 mm
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	80000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PostScript 3, PDF 1.7, PCL 5c

Recommended duty cycle	2000 - 10000 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Country of origin	Japan
Replacement cartridges	HP 213A Black Original LaserJet Toner Cartridge (~3,500 pages) W2130A; HP 213A Cyan Original LaserJet Toner Cartridge (~3,000 pages) W2131A; HP 213A Yellow Original LaserJet Toner Cartridge (~3,000 pages) W2132A; HP 213A Magenta Original LaserJet Toner Cartridge (~3,000 pages) W2133A; HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000 pages) W2130X; HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000 pages) W2131X; HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000 pages) W2132X; HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000 pages) W2133X; HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge, (~18,000 pages) W2130Y; HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000 pages) W2131Y; HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000 pages) W2132Y; HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000 pages) W2133Y
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	250 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	5
Maximum input capacity	2300 sheets
Maximum output capacity	250 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	207.4 x 1191.4 mm
ISO B-series sizes (B0...B9)	B5, B6
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Oficio, 16K
Envelopes sizes	B5, B6, C5, C6
Photo paper sizes	10x15 cm
Photo paper sizes (imperial)	4x6,5x7,5x8

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Custom media width	64 - 216 mm
Custom media length	127 - 1200 mm
Paper tray media weight	60 - 220 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Optional connectivity	Wireless LAN
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPSec
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	1536 MB
Maximum internal memory	3584 MB
Memory slots	1
Internal storage capacity	16 GB
Storage media	eMMC
Built-in processor	Yes
Processor frequency	1400 MHz
Sound pressure level (printing)	53 dB
Sound power level (printing)	6.5 dB
Design	
Market positioning	Business
Product colour	White
Built-in display	Yes
Display	CGD
Colour display	Yes
Display diagonal	10.9 cm (4.3")
Control type	Touch

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Certification	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class B / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Power	
Power consumption (printing)	605.3 W
Power consumption (ready)	40.1 W
Power consumption (off)	0.09 W
Energy Star Typical Electricity Consumption (TEC)	0.515 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS, Android, iOS
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Gold
Sustainable technologies and materials	5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	210
Carbon emissions, manufacturing (kg of CO2e)	164
Carbon emissions, logistics (kg of CO2e)	8
Carbon emissions, end-of-life (kg of CO2e)	17
Total carbon emissions, w/o use phase (kg of CO2e)	22
Weight & dimensions	
Width	500 mm
Depth	460 mm
Height	415 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Weight	31.1 kg
Pallet dimensions (W x D x H)	1000 x 1200 x 2106 mm
Packaging data	
Package width	498 mm
Package depth	598 mm
Package height	652 mm
Package weight	34.3 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	3500 pages
Included cartridge capacity (CMY)	3000 pages
Cables included	AC
Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
HP GTIN (EAN/UPC) with options	(AAZ) 196068756116; (ABT) 196068756154; (ABY) 196068756161; (ACQ) 196068756208; (B13) 196068756215; (B19) 196068756222; (BAZ) 196068756239
HP GTIN (EAN/UPC)	196068756116, 196068756154, 196068756161, 196068756208, 196068756215, 196068756222, 196068756239
Logistics data	
Pallet gross weight	425.9 kg
Layers per pallet	3 pc(s)
Products per pallet	12 pc(s)
Technical details	
Master (outer) cases per pallet layer	4 pc(s)
Compliance certificates	CECP, GS mark, CCC, BIS, cUL, UL, CE, BSMI

General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-5700dn-printer-series/model/2101004884?sku=6QN28A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4650612_en-US-1.pdf

Other features

Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard drive space; Internet connection; or USB port; Internet browser.
Power supply type	Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class B / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Chrome OS
Printing	Colour printing
Processor frequency	1.4 GHz
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm
Envelope feeder	No
Pallet dimensions (W x D x H) (imperial)	1000 x 1199.9 x 2105.9 mm (39.4 x 47.2 x 82.9")
Pallet weight (imperial)	425 kg (936.9 lbs)
Acoustic power emissions (ready)	36 dB
Acoustic pressure emissions bystander (ready)	23 dB
Typical electricity consumption (TEC) number	0.515 kWh/week (Energy Star 3.0); 0.491 kWh/week (Blue Angel)
UNSPSC-code	43212105
Box contents	HP Color LaserJet Enterprise 5700dn Printer; HP Black Original LaserJet Toner Cartridge (~3,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord

Matmenys ir svoris

Matmenys (I × P × A)	60,00cm × 63,00cm × 56,00cm
Svoris	33,00kg

Dokumentai ir vaizdo įrašai

- Vaizdo įrašas 1 objects.icecat.biz/objects/110498370_27562522.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/110498370_27562524.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Gamintojo saugos informacija