Lanberg FF01-6637-12B rack cabinet 37U Freestanding rack Black

Gamintojas: **LANBERG** · Modelis: **FF01-6637-12B** · EAN: **5901969414967** · Prekės kodas: **1034369**



432,90 €

Kaina su PVM

Be PVM: **357,77 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cabinet type: Free standing
- ✓ Body color: Black RAL9004
- ✓ Height: 37U
- ✓ Cabinet dimensions (W x D x H): 600x600x1826 mm
- ✓ Height (top panel - bottom panel): 1747 mm
- ✓ Height (top panel - ground): 1820 mm
- ✓ Height (top panel - ground including screws): 1826 mm
- ✓ Packaging dimensions (W x D x H): Top & Bottom - 63x169x10 cm, Doors - 62x63x13 cm, Frame - 61x174x25 cm
- ✓ Floor panel: 4 castors with brake + adjustable legs
- ✓ Internal width spacing between rack rails: 450 mm







Aprašymas

Free standing Lanberg cabinet FF01-6637-12B is a solution designed to expand networks, installation of cabling and equipment in size 19” with max. 800kg. loading capacity. It can be used in networks, server rooms, small, medium businesses and data centers which needs lot of space in cabinet

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

for network equipment's. It can also work in low voltage systems such as cable television networks, alarm systems, fire protection systems and access control systems, CCTV and IP surveillance. Construction is made of high grade cold rolled steel which characterized by excellent design and high quality of craftsmanship. The cabinet allows full adjustment of the depth of the vertical mounting rails. It is equipped with front tempered glass door with lock and possibility installing on right or left side. It has removable side panels (include locks) and rear solid steel door with lock. You can put the wiring through entry cable on top and bottom panels (with blank entry panels). The fan tray include 2 fans 230V. In addition, parcel includes additional accessories for rails mounts, M6 cage nuts and blank entry panels. Cabinet structure for self-assembly is in three flat packs which facilitates transport.

Techninė specifikacija

Features	
Rack capacity	37U
Type	Freestanding rack
Maximum weight capacity	800 kg
Product colour	Black
Frame type	Closed
Back door construction	Steel
Front door construction	Tempered glass
Side panel construction	Metal
Removable side panels	Yes
Side panels included	Yes
Key lock	Yes
Back door key lock	Yes
Front door key lock	Yes
Side panel key lock	Yes
Rack rails	Yes
Rack rail thickness	2 mm
Adjustable feet	Yes
Cooling type	Active
Number of fans	2 fan(s)
Castor wheels	Yes
International Protection (IP) code	IP20
Certification	ANSI/EIA RS-310-D, DIN 41491/PART 1, DIN 41494/PART 7, ETSI, IEC297-2:1982
Power	
AC input voltage	230 V
Weight & dimensions	
Size (imperial)	48.3 cm (19")
Width	600 mm

Depth	600 mm
Height	1826 mm
Weight	78 kg
Mounting depth (max)	52 cm
Packaging data	
Nuts included	Yes
Manual	Yes

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

Lanberg

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.