

Brother MFC-L5710DN multifunction printer Laser A4 1200 x 1200 DPI 48 ppm

Gamintojas: **BROTHER** · Modelis: **MFCL5710DNRE1** · EAN: **4977766815161** · Prekės kodas: **103992**



710,90 €

Kaina su PVM

Be PVM: **587,52 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Print up to 48 pages per minute
- ✓ 2-Sided scan, up to 56 images per minute3
- ✓ Gigabit ethernet
- ✓ 50 Sheet 2-Sided Automatic Document Feeder (ADF)11
- ✓ 250 sheet paper input tray expandable up to 1,29011



Aprašymas

Highly productive with fast, high-quality printing and scanning. Built for business, this intelligent multifunction printer is designed to deliver a user-friendly, professional experience that your business can depend on. Together with:8.9cm Colour touchscreen512MB internal memoryComes with 3,000 page yield toner,11,000 maximum yield available7Compatible with Brother and 3rd Party solutions include Kofax, YSoft and more19Available under a managed print service (MPS) contract

Techninė specifikacija

Specifications

Sandėlio grupė

Printer/Copier/Fax > Laser Monochrome [+26][-14]

Printing

Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	48 ppm
Duplex printing mode	Auto
Time to first page (black, normal)	6.7 s

Copying

Copying	Mono copying
Duplex copying	Yes
Maximum copy resolution	1200 x 600 DPI
Duplex copying mode	Auto
Time to first copy (black, normal)	8.7 s
Maximum number of copies	999 copies
Copier resize	25 - 400%

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	1200 x 1200 DPI
Scanner type	ADF scanner
Duplex scanning mode	Auto
Scan speed (colour)	20 ppm
Input colour depth	48 bit
Output colour depth	16 bit
Input greyscale depth	16 bit
Output greyscale depth	8 bit
Scan drivers	TWAIN, WIA

Fax

Faxing	Mono faxing
Duplex faxing	Yes
Modem speed	33.6 Kbit/s
Fax memory	500 pages
Auto-redialing	Yes

Features

Duplex functions	Copy, Fax, Print, Scan
Number of print cartridges	1
Printing colours	Black
Page description languages	PDF, BR-Script 3, PCL 6, XPS
Country of origin	Vietnam

Input & output capacity

Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	150 sheets
Auto document feeder (ADF)	Yes
Maximum input capacity	1390 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Postcard, Recycled paper, Thick paper, Thin paper
ISO A-series sizes (A0...A9)	A4, A5
Non-ISO print media sizes	Executive, Folio, Legal, Letter
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5, Com-10, DL, Monarch
Paper tray media weight	60 - 230 g/m ²

Ports & interfaces

USB port	Yes
USB connector	USB Type-A / USB Type-B

Network

Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4, Syslog

Supported network protocols (IPv6)

NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog

Performance

Internal memory 512 MB

Sound pressure level (printing) 54 dB

Design

Product colour Black, White

Market positioning Home & office

Built-in display Yes

Display TFT

Display diagonal 8.89 cm (3.5")

Control type Touch

Colour display Yes

Power

Power consumption (printing) 670 W

Power consumption (copying) 680 W

Power consumption (ready) 31 W

Power consumption (sleep) 5.9 W

Power consumption (off) 0.05 W

AC input voltage 220 - 240 V

AC input frequency 50/60 Hz

System requirements

Windows operating systems supported Windows 10, Windows 11

Operational conditions

Operating relative humidity (H-H) 20 - 80%

Storage temperature (T-T) 0 - 40 °C

Operating temperature (T-T) 10 - 32.5 °C

Storage relative humidity (H-H) 35 - 85%

Weight & dimensions

Width 497 mm

Depth 580 mm

Height 549 mm

Weight 16.7 kg

Packaging data

Package weight	20 kg
----------------	-------

Logistics data

Pallet gross height	18.9 cm
---------------------	---------

Pallet gross weight	258.3 kg
---------------------	----------

Master (outer) cases per pallet	12 pc(s)
---------------------------------	----------

Layers per pallet	3 pc(s)
-------------------	---------

Products per pallet	12 pc(s)
---------------------	----------

Technical details

Master (outer) cases per pallet layer	4 pc(s)
---------------------------------------	---------

Pallet type	1200 x 1000 mm
-------------	----------------

Other features

Spare part retention	5 year(s)
----------------------	-----------

Matmenys ir svoris

Matmenys (I x P x A)	57,00cm x 54,00cm x 49,00cm
----------------------	-----------------------------

Svoris	20,40kg
--------	---------