



Monitorius DELL P2225H 21.5" Verslo IPS 100Hz Full HD USB-C Šakotukas Ergonomiškas TÜV

Modelis: DELL-P2225H

Gamintojas: DELL EMC

EAN: 5397184821695

Prekės kodas: 104693

131.99€

DELL P2225H Verslo Monitorius: Komfortas ir Našumas

DELL P2225H monitorius sukurtas profesionaliai aplinkai, kur ypač svarbus vizualinis komfortas ir sklandus ryšys. Šis monitorius su ryškiu 21.5 colio IPS ekranu apjungia puikų spalvų tikslumą ir pažangius ergonominius reguliavimus, užtikrinančius produktyvų ir nevarginantį darbą. Ekranas turi

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

TÜV 4 žvaigždučių akių komforto sertifikata, integruojant „Flicker-free“ (nemirksėjimo) ir žemos mėlynos šviesos (Low Blue Light) technologijas, skirtas apsaugoti akis ilgų sesijų metu.

Aukščiausios Kokybės Vaizdas ir Komfortas

- **Ryškus Full HD vaizdas:** Mėgaukitės gyvais ir detaliais vaizdais 21.5 colio IPS skydelyje su 1920 x 1080 raiška. IPS technologija užtikrina plačius 178° apžvalgos kampus ir 99% sRGB spalvų aprėptį.
- **Sklandesnis Judesys:** Maksimalus 100 Hz atnaujinimo dažnis užtikrina pastebimai sklandesnį judesį ekrane, palyginti su standartiniais 60 Hz skydeliais, pagerinant bendrą vizualinį aiškumą, ypač naršant programose.
- **TÜV 4 Žvaigždučių Sertifikatas:** Sumažina akių nuovargį dėl optimizuotų ekrano nustatymų, įskaitant pažangias „Low Blue Light“ ir „Flicker-free“ funkcijas, prisidedančias prie geresnės akių sveikatos.
- **Puikus Kontrastas:** Didelis 1500:1 kontrasto santykis ir 250 cd/m² ryškumas užtikrina, kad vaizdai būtų ryškūs, o tekstas – itin aiškus.

Sklandus Ryšys ir Ergonomika

Prijunkite visus savo periferinius įrenginius be vargo, naudodami integruotą USB šakotuvą.

Monitorius turi išsamias ryšio parinktis, įskaitant HDMI 1.4, DisplayPort 1.2 ir VGA, todėl jį lengva integruoti į bet kokią esamą sąranką.

- **Integruotas USB šakotuvas:** Apima USB 3.2 Gen 1 prievadus (Type-A ir Type-C), skirtus greitai prieigai ir įkrovimo galimybėms (USB maitinimo tiekimas iki 15W).
- **Visiškas Ergonominis Reguliavimas:** Pritaikykite ekrano padėtį pagal savo poreikius naudodami Pilną Vartymą (Pivot 90°), Pasukimą (Swivel 45°), Palenkimą (Tilt) ir platų Aukščio reguliavimą (150 mm).
- **VESA Suderinamumas:** Palaiko 100x100 VESA tvirtinimą, skirtą montuoti ant sienos ar trečiųjų šalių stovų.

DELL yra visame pasaulyje pripažintas kompiuterinių technologijų lyderis, vertinamas už patikimą, aukštos kokybės profesionalių ekranų ir kompiuterinių sprendimų gamybą, atitinkantis aukštus tvarumo standartus (ENERGY STAR, TCO).

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Užsisakykite šiandien iš ++SHOP++, nes siūlome geriausias pasiūlymus ir profesionalią pagalbą jūsų verslo technologijų poreikiams.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 22-inch monitor, certified by TÜV for 4-star eye comfort.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 22-inch monitor, certified by TÜV for 4-star eye comfort.

- 54.6cm (21.5") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 250cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the calculations.
7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.
9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.
10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.
11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.
12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).
13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.
14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).
15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL P Series P2225H. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: Edge LED | Contrast ratio (typical): 1500:1 | Display brightness (peak): 250 | Display brightness (typical): 250 | Display diagonal: 21.5 | Display number of colours: 16.7 million colours | Display resolution: 1920 x 1080 | Display technology: LCD | HD type: Full HD | High Dynamic Range (HDR) supported: No | Horizontal scan range: 30 - 110 | LED backlight: Yes | Maximum refresh rate: 100 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 102.44 | Pixel pitch: 0.248 x 0.248 | Response time: 8 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics

resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1600 x 900/1920 x 1080 (HD 1080)/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 100 | Viewable size, horizontal: 476.06 | Viewable size, vertical: 267.79 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): No | Detachable stand: Yes | Feet colour: Silver | Front bezel colour: Black | Market positioning: office | Product colour: Black,Silver | AC (power) in: Yes | Built-in USB hub: Yes | DisplayPort version: 1.2 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4 | Headphone out: No | Number of upstream ports: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 15 | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | USB upstream port type: USB Type-B | VGA (D-Sub) ports quantity: 1 | Wi-Fi: No | Adjustable height (max): 150 | Cable lock slot: Yes | Cable lock slot type: Kensington | Cable management: Yes | Height adjustment: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 11 | Energy efficiency class (SDR): D | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1865618 | Input current: 1.5 | Power consumption (max): 60 | Power consumption (off): 0.3 | Power consumption (standby): 0.3 | Power consumption (typical): 10.9 | Power supply type: Internal | Non-operating altitude: 5000 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 12 | Bezel width (side): 6 | Bezel width (top): 6 | Depth (with stand): 181.75 | Depth (without stand): 50.03 | Height (with stand): 482.39 | Height (without stand): 285.79 | Weight (with stand): 4040 | Weight (without stand): 2580 | Width (with stand): 488.06 | Width (without stand): 488.06 | Package weight: 6150 | Cables included: AC/DisplayPort/HDMI/USB Type-A to USB Type-B | DisplayPort cable length: 1.8 | HDMI cable length: 1.8 | Power adapter included: Yes | Quick start guide: Yes | Remote control included: No | Stand included: Yes | Stylus included: No | Doesn't contain: PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 2.919 | Carbon emissions, energy usage (kg of CO2e): 54.071 | Carbon emissions, logistics (kg of CO2e): 11.537 | Carbon emissions, manufacturing (kg of CO2e): 70.473 | PAIA version: GaBi version 1, 2024 | Total carbon footprint (kg of CO2e): 139 | Compliance certificates: RoHS | Heavy

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

metals free: Hg (mercury) | Data Sheet (Link):

<https://eprel.ec.europa.eu/api/product/1865618/fiches?language=EN> | Energy efficiency class: D |
EPREL Registration Number: 1865618 | EPREL Version Number: 2 | Model: P2225H | Unit Calculated
Volume: 0.03621 | Product Net Weight: 2.58 | Unit Calculated Weight: 6.2

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903