# AG Neovo NSD-4303 Digital signage flat panel 108 cm (42.5") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black Built-in processor Android 9

Gamintojas: **AG NEOVO TECHNOLOGY** · Modelis: **ND433011M0000** · EAN: **4710739598087** · Prekės kodas: **105193**



**854.90€**

Kaina su PVM

Be PVM: **706.53€**

In Stock

**Prekė internetu**

Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ 4K UHD 3840 x 2160 resolution
- ✓ Slim profile and even bezel design
- ✓ 500 nits brightness, 25% Haze anti-glare
- ✓ Android OS with various content management applications
- ✓ Built-in Wi-Fi 5 and Bluetooth













Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.



www.shopro.lt · info@shopro.lt · +370 693 39903

## Aprašymas

The NSD-4303, a 43” all-in-one 4K UHD Digital Signage Display, simplifies dynamic information delivery for effective customer engagement. Running on the Android operating system, it offers versatile content management, advanced scheduling, and a premium slim profile design, making it an ideal choice for small and medium-sized businesses, such as retail outlets, restaurants, and hospitality venues, seeking to enhance the customer experience with visually appealing and timely information.

## Immersive Elegance with Premium Design

Enhance your environment with the 43” NSD-4303 4K UHD Digital Signage Display. Featuring a premium design, complete with an even bezel and slim profile, it exudes a sleek and unified appearance. Seamlessly integrating into any setting, this display delivers eye-catching messages amidst premium decor.

## Quick Arrange Layout and Scheduling from USB Drive

Quickly create and schedule engaging displays with our USB Media Player, offering various layouts, auto play options, and support for up to five playlists. Achieve flexibility with Scale or Full picture style, delivering messages effectively and attractively with minimal setup.

## Web Exploration on Your Display

Utilise the built-in web browser for seamless interaction with online content. Simplify content management by scheduling and importing up to five URLs via a TXT file. Access and play online content directly from your display, keeping it fresh and engaging with real-time updates such as news feeds, social media, weather forecasts, and promotions.

## Wireless Content Sharing Made Easy

No apps, no hassle—just instant, dynamic content sharing to keep your audience informed and captivated. Our hassle-free wireless screen sharing tool effortlessly broadcasts real-time updates, promotions, and announcements directly to digital signage using just a Wi-Fi connection.

## Customise Your Experience with Preferred Software Integration

Our platform, pre-installed with NoviSign digital signage software, provides one-stop solution to build up your dynamic content right away. You can also install your preferred or existing third-party software to meet your specific needs.

## Find More CMS Solutions from Our Partner App Zone

Access and install CMS software, offering more options, from our Partner App Zone. Transform your screens into dynamic platforms to captivate customers. Effortlessly manage content with robust, secure, and scalable digital signage solutions.

**Visual Brilliance for Exquisite Screen Presentations**

## Stunning 4K Content Resolution

The 4K Resolution ensures an unparalleled visual experience with stunning clarity and detail, providing an immersive viewing experience. This feature makes the NSD-4303 perfect for applications where exceptional visual quality is essential.

## Patented ANTI-BURN-IN™ Technology

To combat the effects of traditional LCD burn-in or ghosting, AG Neovo utilises its patented Anti-Burn-in™ Technology to prevent image burn-in and ensure an extended lifespan for displays.

## 500 nits Brightness

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

With its impressive 500 nit brightness, this display guarantees vivid and easily discernible images and messages, making it suitable for diverse settings, including shopping malls, lobbies, control rooms, and beyond.

## Anti-Glare

Featuring non-glare panels with a 25% haze, this display uniformly diffuses light across the screen, preserving the vibrancy and accuracy of the content for an optimal viewing experience.

## Flexible Display Orientations

Our displays seamlessly support both landscape and portrait orientations, providing flexibility for diverse applications.

## Efficient Connectivity and Management

NSD-4303, with an all-in-one Android 9.0 platform and 16GB storage capacity, offers versatile features for captivating content presentation.

## Built-in Wi-Fi 5 and Bluetooth

Enabling seamless connectivity, enhanced communication, and efficient data transfer.

## Reliable Continuity with FailOver Technology

Experience uninterrupted performance with FailOver, ensuring seamless content display by automatically switching to a backup source in case of primary input failure.

## Optimised Power Efficiency

Our NSD-series consume less power in power on, standby and sleep modes, ensuring energy efficiency and cost savings.

## Centralised Control

Integrate the display into your managed network for streamlined control using I/O commands, accompanied by 3 HDMI inputs for enhanced connectivity.

### Techninė specifikacija

| | |
|---|---|
| **Display** | |
| Display diagonal | 108 cm (42.5") |
| Display technology | LCD |
| Display resolution | 3840 x 2160 pixels |
| Display brightness | 500 cd/m² |
| HD type | 4K Ultra HD |
| Touchscreen | No |
| Panel type | VA |
| Response time | 5 ms |
| Contrast ratio (typical) | 4000:1 |
| Viewing angle, horizontal | 178° |

| | |
|---|---|
| Viewing angle, vertical | 178° |
| Display number of colours | 1.07 billion colours |
| Pixel pitch | 0.245 x 0.245 mm |
| Horizontal scan range | 18 - 135 kHz |
| Vertical scan range | 24 - 60 Hz |
| Haze rate | 25% |
| **Ports & interfaces** | |
| HDMI ports quantity | 3 |
| DVI port | No |
| DisplayPorts quantity | 0 |
| USB port | Yes |
| HDMI version | 2 |
| USB ports quantity | 2 |
| USB version | 2 |
| Ethernet LAN (RJ-45) ports | 1 |
| RS-232 interface | Yes |
| **Audio** | |
| Built-in speaker(s) | Yes |
| Number of built-in speakers | 2 |
| **Design** | |
| Product design | Digital signage flat panel |
| Product colour | Black |
| Placement supported | Indoor |
| VESA mounting | Yes |
| Screen shape | Flat |
| Panel mounting interface | 400 x 300 mm |
| Anti-glare screen | Yes |
| **Performance** | |
| Purpose | Commercial |
| **Power** | |
| Power consumption (typical) | 73 W |
| Power consumption (standby) | 0.5 W |
| Energy efficiency class (SDR) | G |
| Energy consumption (SDR) per 1000 hours | 73 kWh |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| AC input voltage | 100 - 240 V |
| AC input frequency | 50/60 Hz |
| Energy efficiency scale | A to G |
| **Computer system** | |
| Computer system | Yes |
| Built-in processor | Yes |
| Internal memory | 2 GB |
| Internal storage capacity | 16 GB |
| Operating system installed | Android 9 |
| **Weight & dimensions** | |
| Display width | 967.4 mm |
| Display depth | 40 mm |
| Display height | 555.9 mm |
| Display weight | 9.1 kg |
| **Packaging data** | |
| Package width | 1075 mm |
| Package depth | 144 mm |
| Package height | 652 mm |
| Package weight | 12 kg |
| **Packaging content** | |
| Remote control included | Yes |
| Batteries included | Yes |
| Cables included | AC, HDMI |
| **Operational conditions** | |
| Operating temperature (T-T) | 0 - 40 °C |
| Operating relative humidity (H-H) | 20 - 80% |
| Storage temperature (T-T) | -20 - 60 °C |
| Storage relative humidity (H-H) | 20 - 80% |
| **Network** | |
| Ethernet LAN | Yes |
| Wi-Fi | Yes |
| Wi-Fi standards | Wi-Fi 5 (802.11ac) |
| **Technical details** | |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Compliance certificates | BSMI, CE, Federal Communications Commission (FCC), ICES, Low Voltage Directive (LVD), REACH, RoHS, WEEE |
| **Other features** | |
| Bluetooth | Yes |
| **Matmenys ir svoris** | |
| Matmenys (I × P × A) | 108.00cm × 64.00cm × 14.00cm |
| Svoris | 12.04kg |

## Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė G A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

## Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet
- Declaration of conformity
- Vaizdo įrašas objects.icecat.biz/objects/123147321_69943981.mp4

## Gamintojo ir saugos informacija

MANUFACTURER

**AG Neovo Technology B.V.**
Molenbaan 9, 2908 Capelle aan den IJssel, NL
agneovo.com

DISTRIBUTOR

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

### Saugos dokumentai

- Declaration of conformity