



**Monitor DELL
P2725D 27-inch
QHD
(2560x1440)
Business Display
100Hz IPS Matte
Panel, USB Hub,
Ergonomic
Stand
Black/Silver**



Modelis: DELL-P2725D

Gamintojas: DELL EMC

EAN: 5397184962473

Prekės kodas: 106224

272.00€

DELL P2725D 27-inch QHD Professional Monitor

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The DELL P2725D monitor is expertly engineered to enhance business productivity and ensure exceptional visual comfort throughout your workday. Featuring a crisp 27-inch IPS panel and Quad HD (2560x1440) resolution, this display delivers sharp details and vibrant, consistent colors (99% sRGB coverage) perfect for multitasking and professional applications.

Rated 4-star for eye comfort by TÜV Rheinland®, the P2725D incorporates Flicker-free technology and Low Blue Light features, minimizing strain during long periods of use. The high 100Hz refresh rate ensures smoother motion compared to standard 60Hz displays, improving the visual experience whether you are scrolling documents or managing complex spreadsheets.

Key Features for Performance and Comfort:

- **Crystal Clear QHD Display:** 27-inch IPS panel with 2560 x 1440 resolution provides ample screen real estate and excellent clarity.
- **Smooth Visuals:** A 100Hz maximum refresh rate and fast 5 ms (GTG) response time reduce motion blur, supporting increased focus.
- **Superior Eye Comfort:** TÜV Rheinland 4-star certified, featuring built-in Low Blue Light and Flicker-free technology for reduced eye fatigue.
- **Advanced Ergonomics:** The versatile stand allows for full customization including Swivel ($\pm 45^\circ$), Pivot ($\pm 90^\circ$), Tilt (-5° to 21°), and Height Adjustment (up to 150 mm).
- **Integrated Connectivity:** Includes a built-in USB 3.2 Gen 1 hub with multiple ports (including USB Type-C downstream), HDMI 2.1, and DisplayPort 1.4 for seamless connection to all your peripherals.
- **Wide Viewing Angles:** IPS technology provides $178^\circ/178^\circ$ viewing angles, ensuring color integrity from almost any position.

Connectivity and Design

Designed for the modern workspace, the P2725D comes equipped with an internal power supply and robust connection options, ensuring a clean setup. The monitor features a sleek Black and Silver aesthetic and supports VESA mounting (100x100) for flexible installation.

DELL is globally recognized as a leader in high-performance computing and display solutions, committed to delivering reliable, innovative technology tailored for professional and business environments. DELL monitors prioritize user productivity and sustainability, holding certificates like

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

ENERGY STAR and TCO.

Order today from ++SHOP++ as we offer the best prices and guaranteed genuine DELL products.

Certified by TÜV Rheinland® for 4-star eye comfort, this 27-inch QHD monitor offers enhanced productivity with visual comfort.

Certified by TÜV Rheinland® for 4-star eye comfort, this 27-inch QHD monitor offers enhanced productivity with visual comfort.

- 68.6cm (27") Quad HD 2560 x 1440 Edge LED IPS
- 8ms, 16:9, 350cd/m², 1500:1
- USB, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the calculations.
7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent->

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

database/)whenever primary data is not made available for calculations.

8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.

9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.

10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.

11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.

12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).

13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.

14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).

15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL Pro Plus P2725D. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: Edge LED | Contrast ratio (typical): 1500:1 | Digital horizontal frequency: 30 - 151 | Digital vertical frequency: 48 - 100 | Display brightness (typical): 350 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display technology: LCD | HD type: Quad HD | High Dynamic Range (HDR) supported: No | LED backlight: Yes | Maximum refresh rate: 100 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 109 | Pixel pitch: 0.2331 x 0.2331 | Response time:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

8 | Response time (fast): 5 | Response time measurement type: GTG (Gray to Gray) | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1600 x 900/1920 x 1080 (HD 1080)/2560 x 1440/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Viewable size, horizontal: 596.74 | Viewable size, vertical: 335.66 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): No | Detachable stand: Yes | Feet colour: Silver | Front bezel colour: Black | Market positioning: office | Product colour: Black,Silver | Built-in USB hub: Yes | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone out: No | Number of USB Type-B upstream ports quantity: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | USB upstream port type: USB Type-B | Wi-Fi: No | Adjustable height (max): 150 | Cable lock slot: Yes | Cable lock slot type: Kensington | Cable management: Yes | Height adjustment: Yes | LED indicators: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Plug and Play: Yes | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | Wall mountable: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 19 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | Power consumption (max): 75 | Power consumption (off): 0.3 | Power consumption (standby): 0.3 | Power consumption (typical): 18.8 | Power supply type: Internal | Non-operating altitude: 5000 - 12191 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 13.02 | Bezel width (side): 7.88 | Bezel width (top): 7.88 | Depth (with stand): 192.16 | Depth (without stand): 49.99 | Height (with stand): 535.7 | Height (without stand): 356.55 | Weight (with stand): 5880 | Weight (without stand): 4280 | Width (with stand): 612.5 | Width (without stand): 612.5 | Package weight: 8670 | Cables included: AC/DisplayPort/USB Type-A to USB Type-B | DisplayPort cable length: 1.8 | Power adapter included: No | Remote control included: No | Stand included: Yes | Stylus included: No | Doesn't contain: Arsenic/Mercury/PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Carbon emissions, end-of-life (kg of CO2e): 8.61 | Carbon emissions, energy usage (kg of CO2e): 92.19 | Carbon emissions, logistics (kg of CO2e): 16.17 | Carbon emissions, manufacturing (kg of CO2e): 93.03 | PAIA version: GaBi version 1, 2024 | Total carbon footprint (kg of CO2e): 210 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Compliance certificates: RoHS | Data Sheet (Link):

<https://eprel.ec.europa.eu/api/product/2173550/fiches?language=EN> | Energy efficiency class: E |
EPREL Registration Number: 2173550 | EPREL Version Number: 1 | Model: P2725D | Unit Calculated
Volume: 0.0538313 | Product Net Weight: 6.27 | Unit Calculated Weight: 8.65

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903