

# Plustek SmartOffice PT2160 ADF scanner 600 x 600 DPI A3 Black

Gamintojas: **PLUSTEK** · Modelis: **0308** · EAN: **4042485718878** · Prekės kodas: **107467**



## 658,91 €

Kaina su PVM

Be PVM: **544,55 €**

**Neturime**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Scanner type: ADF scanner 600 x 600 DPI
- ✓ Colour scanning Duplex scanning
- ✓ Built-in display
- ✓ A3 Scanning media types supported: Business Card, Plain paper, Plastic Card
- ✓ Maximum scan size: 216 x 5080 mm Sensor type: Dual CIS
- ✓ USB port



## Aprašymas

The SmartOffice PT2160 has been designed to help office workgroups optimize their workflow. Organize working progress faster with the PT2160's robust feeding functionalities. Scan passport, stapled document and any folded paper easily with a dedicated switch, simply switch from automatic document feeding mode to sheetfed.

## Reversible friction roller

The innovative reversible friction rollers increase the stability of document feeding and the ability of paper separation. It avoids the risk of multi-feed and incorrect result when you scan batch of document/card in different thickness and size.

## Ideal for passport, ID card, batch document and folded A3 paper scanning

Dedicated paper feeding button switch from sheet-fed to automatic document feeding, one scanner multiple uses. You will be able to scan the passport and regular size document without getting any damage.

## Switch designed for different paper thickness

Due to the different types of papers for every industry, PT2160 provides a thickness switch for more reliable scanning, including preventing the thin paper damaged from friction roller and the risk of the paper jam.

## Auto Threshold

Automatically thresholds the current image into a binary black and white image.

## Auto Rotate

Automatically rotates document based on the contents of the document.

## Auto Crop & Deskew

Automatically straightens and crops image to the documents actual size.

## Auto Mode

Automatically detects document color and scans document in color, grayscale or black & white mode.

## Multi-Image Output

Scans and saves documents in 2 or 3 modes at same time.

## Color Dropout

Removes red, green or blue color when scanning forms.

## Blank Page Removal

Automatically removes blank pages without manual editing.

## Techninė specifikacija

| Scanning                    |               |
|-----------------------------|---------------|
| Maximum scan size           | 216 x 5080 mm |
| Optical scanning resolution | 600 x 600 DPI |
| Duplex scanning             | Yes           |
| Colour scanning             | Yes           |
| Input colour depth          | 48 bit        |
| Output colour depth         | 24 bit        |
| Input greyscale depth       | 16 bit        |
| Output greyscale depth      | 8 bit         |

|                                    |                       |
|------------------------------------|-----------------------|
| Output monochrome depth            | 1 bit                 |
| Film scanning                      | No                    |
| ADF scan speed (b/w, A4)           | 60 ppm                |
| ADF scan speed (greyscale, A4)     | 60 ppm                |
| ADF scan speed (colour, A4)        | 60 ppm                |
| Duplex ADF scan speed (b/w, A4)    | 120 ipm               |
| Duplex ADF scan speed (colour, A4) | 120 ipm               |
| Black/white scanning colour modes  | Grayscale, Monochrome |
| Roller lifetime                    | 300000 pages          |
| Pad lifetime                       | 100000 pages          |

### Design

|                  |             |
|------------------|-------------|
| Scanner type     | ADF scanner |
| Built-in display | Yes         |
| Product colour   | Black       |

### Performance

|                                   |                         |
|-----------------------------------|-------------------------|
| Sensor type                       | Dual CIS                |
| Daily duty cycle (max)            | 8000 pages              |
| Light source                      | LED                     |
| Scan file formats                 | PDF                     |
| Button functions                  | Down, Scan, Standby, Up |
| Scan drivers                      | TWAIN                   |
| Ultrasonic double sheet detection | Yes                     |
| Ultrasonic sensor                 | Yes                     |

### Input capacity

|                                           |            |
|-------------------------------------------|------------|
| Auto document feeder (ADF) input capacity | 100 sheets |
|-------------------------------------------|------------|

### Paper handling

|                                         |                                          |
|-----------------------------------------|------------------------------------------|
| Maximum ISO A-series paper size         | A3                                       |
| Scanning media types supported          | Business Card, Plain paper, Plastic Card |
| Multi feed detection                    | Yes                                      |
| ISO A-series sizes (A0...A9)            | A3, A4                                   |
| Letter                                  | Yes                                      |
| Card thickness (max)                    | 1.2 mm                                   |
| Auto Document Feeder (ADF) media weight | 27 - 413 g/m <sup>2</sup>                |
| Maximum scan area (ADF)                 | 216 x 5080 mm                            |

|                                     |                                                |
|-------------------------------------|------------------------------------------------|
| Minimum scan area (ADF)             | 13.2 x 13.2 mm                                 |
| <b>Ports &amp; interfaces</b>       |                                                |
| USB port                            | Yes                                            |
| USB version                         | 3.2 Gen 1 (3.1 Gen 1)                          |
| Standard interfaces                 | USB 3.2 Gen 1 (3.1 Gen 1)                      |
| <b>Power</b>                        |                                                |
| Input voltage                       | 24 V                                           |
| Current                             | 1.25 A                                         |
| <b>Weight &amp; dimensions</b>      |                                                |
| Width                               | 319.9 mm                                       |
| Depth                               | 298.2 mm                                       |
| Height                              | 236.6 mm                                       |
| Weight                              | 4.1 kg                                         |
| <b>Packaging data</b>               |                                                |
| Quantity per pack                   | 1 pc(s)                                        |
| <b>Packaging content</b>            |                                                |
| Bundled software                    | Plustek OCR Plustek DocAction Plustek DocTWAIN |
| <b>Sustainability</b>               |                                                |
| Sustainability certificates         | ENERGY STAR                                    |
| <b>System requirements</b>          |                                                |
| Minimum RAM                         | 4096 MB                                        |
| Minimum processor                   | Intel Core i5 2.5 GHz                          |
| Windows operating systems supported | Windows 10, Windows 7, Windows 8               |
| <b>Other features</b>               |                                                |
| Maximum media width                 | 244                                            |
| Maximum media length                | 5.08 m                                         |
| <b>Matmenys ir svoris</b>           |                                                |
| Matmenys (I x P x A)                | 40,00cm x 30,00cm x 29,00cm                    |
| Svoris                              | 5,53kg                                         |