

CPU COOLER S_MULTI/G89.GA2T36INB. LIAN LI



Modelis: G89.GA2T36INB.00

Gamintojas: LIAN LI

EAN: 4718466013545

Prekės kodas: 110273

180.99€

With UNI FAN SL-INF

Easily match the AIO fans to your case fans with this visually stunning option

IMPROVED DESIGNS, IMPROVED PERFORMANCE

Compared to the Galahad AIO, the Galahad II Trinity series shows significant improvement in cooling performance thanks to the many design changes that were introduced.

CHOOSE PREFERABLE LOOK

The Galahad II Trinity series' pump cap has three interchangeable designs, each with a unique look and two rings of colors that can be individually controlled with different lighting effects.

HIGH DENSITY ALUMINUM RADIATOR

This 27mm thick radiator features single-wave radiator fins with 20 FPI (fins per inch), which is less airflow restrictive and can result in greater thermal performance.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

DAISY-CHAINABLE ARGB FAN

The ARGB PWM fans can be daisy-chained by a single short cable which can be hidden inside the frame of the fan. The 120mm fan is 25mm thick and is equipped with fluid dynamic bearings for stable and quiet operations while effectively providing airflow to the radiator.

MOUNT IN ANY WAY

This innovative 45° tubing connector gives the tubes the freedom of 360° rotation, allowing the Galahad II Trinity series to be installed in many different ways.

INSTALATION MADE EASY, FOR YOU

The Galahad II Trinity series introduces redesigned mounting backplates to provide a hassle-free installation to users while maintaining compatibility with most mainstream CPU sockets. The backplates have a one-piece design with fixed struts to make installation easier.

It also comes with a thermal paste control film and spreader to help ensure the right amount of thermal paste is applied for effective heat dissipation.

SEAMLESS SOFTWARE

Control and preview with precision the lighting effect and real-time motor speed of the Galahad II Trinity Pump and fans with the L-Connect 3.

SIMPLE CONNECTION

The controller is built into the pump and the fan can be connected to the pump to control via L-Connect 3.

- 3 interchangeable pump looks that can be customized with L-Connect 3
- Factory installed with ARGB daisy-chainable radiator fans or UNI FAN SL-INF
- Pump motor speed goes up to 3200RPM
- Includes a newly designed copper plate and creates straightened Liquid coolant pathway
- 45-degree tubing connector with tubes' inner diameter increased to 7mm

Summary: Lian Li GA II TRINITY. Type: All-in-one liquid cooler, Fan diameter: 12 cm, Maximum air pressure: 2.66 mmH2O, Bearing type: Fluid Dynamic Bearing (FDB). Product colour: Black | Vendor Homepage: <https://lian-li.com/product/galahad-ii-trinity/> | Bearing type: Fluid Dynamic Bearing (FDB) | Fan diameter: 120 | Fan noise level (max): 29 | Fan speed (min): 2100 | Maximum air pressure: 2.66

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

| Maximum airflow: 61.3 | Pump motor speed: 3200 | Pump noise level: 16.59 | Quantity per pack: 1 | Suitable location: Computer case | Supported processor sockets: Socket AM4/Socket AM5 | Type: All-in-one liquid cooler | Number of fans: 3 | Number of fins: 1 | Product colour: Black | Radiator material: Aluminum | Fan dimensions (W x D x H): 120 x 120 x 25 | Pump depth: 74 | Pump height: 69 | Pump width: 74 | Radiator depth: 119.2 | Radiator height: 27 | Radiator width: 397.5 | Tube length: 385 | Cables included: 4-pin,SATA | CPU bracket(s): Yes | Mounting kit: Yes | RGB controller included: Yes | Screws included: Yes | Model: G89.GA2T36INB.00 | Model name: GA II Trinity SL-INF 360, GA2T36INB BLACK | Units per Pallet: 0 | Units per Shipping Box: 4 | Unit Calculated Volume: 0.01604 | Unit Calculated Weight: 3.08

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903