

BenQ PD2706UA computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

Gamintojas: **BENQ** · Modelis: **9H.LLKLB.QBE** · EAN: **4718755090370** · Prekės kodas: **111058**



595,90 €

Kaina su PVM

Be PVM: **492,48 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Create with the comfort of ergo arm and enjoy the productivity
- ✓ Equipped with 95% P3 color space to guarantee consistent color applications
- ✓ 27" 4K UHD 16:9 IPS LED monitor with 90W USB Type-C connectivity



Aprašymas

BenQ DesignVue Monitors

PD2706UA 27-inch Ergo Arm 4K UHD P3 DisplayHDR 400 USB-C Designer Monitor

Unleash Creativity with Maximum Comfort

Create with the comfort of customizable ergonomic design and enjoy the best creativity and productivity with screen and workspace flexibility.

Industry Leading Color Performance

Incredible Color Space Coverage

PD2706UA covers 95% P3, 99% sRGB, and 99% Rec.709 color spaces and has amazing Delta E ≤ 3 color reproduction to ensure superb accuracy and absolute color confidence.

Industry Leading Color Performance

Attentive Color Modes for Creators

One Click Syncs Mac Device Colors

BenQ exclusive M-book mode provides active color syncing, creating an additional layer of color precision assurance.

Mac® and MacBook® are trademarks of Apple Inc.

Animation Mode

Enhance the clarity of dark areas without overexposing bright regions.

ePaper Mode

Simulates e-book display to read and edit digital publications in comfort.

Displaying Details

Factory Calibrated for Color Accuracy

BenQ DesignVue monitors feature meticulous factory calibration, so designers make full use of total display color accuracy from the get go.

Accuracy Guarantee

Out-of-the-Box GUARANTEE

PD2706UA also features Pantone and Pantone SkinTone validation, appealing to professionals who need a display that achieves utmost authenticity when showing real-world colors.

BenQ Uniformity Technology

Delivering corner-to-corner authentic colors and consistent luminescence. The display is divided into hundreds of sub-regions and rigorously fine-tuned for precision. This innovative tech assures ultra-dependable image fidelity.

Expand Your Workstation with All-in-One Cable

90W USB-C carries images, videos, and other data seamlessly plus charges your mobile devices at the same time all with one cable.

KVM

With built-in KVM (keyboard, video, mouse) switch functionality, PD2706UA allows users to control two systems from one keyboard and mouse set. Click to switch between systems via Hotkey Puck G2 to boost efficiency.

HDR Technology

DisplayHDR 400 offers better results more when you work on designs with better brightness, color uniformity and black level

Create with Fresh Eyes

BenQ's industry-leading Eye-Care Technology reduces eye fatigue while ensuring greater user comfort during long periods of use.

TÜV Rheinland Certification

TÜV Rheinland certifies Flicker-Free and Low Blue Light, resulting in a truly human eye-friendly monitor.

Low Blue Light

Low blue light technology filters harmful blue light to protect your eyes and increase comfort.

Flicker-Free™

Flicker-Free™ eliminates screen flicker found in traditional monitors for vastly improved comfort during extended usage.

Techninė specifikacija

Specifications	
Sandėlio grupė	Displays > Lcd Monitor [+331][-416]
Display	
Display diagonal	68.6 cm (27")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1200:1
Maximum refresh rate	60 Hz
Display number of colours	1.07 billion colours
Backlight type	LED
Display brightness (peak)	400 cd/m²
Display brightness (typical)	350 cd/m²
Anti-glare screen	Yes
Aspect ratio	4:3, 16:9
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel density	163 ppi
Horizontal scan range	27 - 135 kHz
Vertical scan range	24 - 76 Hz
Display diagonal (metric)	68.5 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400, High Dynamic Range 10 (HDR10)
Colour gamut standard	sRGB
Colour gamut	99%
sRGB coverage (typical)	99%

Performance

Flicker-free technology	Yes
Low Blue Light technology	Yes
Smart modes	Animation, Black & White, M-Book, ePaper

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	5 W

Design

Market positioning	Graphics design
Product colour	Black

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-B upstream ports quantity	0
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm

Cable management	Yes
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	275 - 275°
Tilt adjustment	Yes
Tilt angle range	-5 - 30°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, German, Dutch, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Swedish

Power

Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	42 kWh
Energy consumption (HDR) per 1000 hours	44 kWh
Power consumption (typical)	27.5 W
Power consumption (standby)	0.5 W
Power consumption (max)	152 W
AC input voltage	100 - 240 V
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	614 mm
Depth (with stand)	459.4 mm
Height (with stand)	553 mm
Weight (with stand)	10 kg
Width (without stand)	614 mm
Depth (without stand)	81.3 mm
Height (without stand)	553.7 mm
Weight (without stand)	6.2 kg

Packaging content

Stand included	Yes
Cables included	DisplayPort, HDMI, USB
DisplayPort cable length	1.8 m

HDMI cable length	1.8 m
-------------------	-------

Other features

Contrast enhancer	Yes
-------------------	-----

Certification	TUV, Solidworks, calman, Pantone Validated, Pantone SkinTone
---------------	--

Matmenys ir svoris

Matmenys (I × P × A)	73,00cm × 51,00cm × 24,00cm
----------------------	-----------------------------

Svoris	13,96kg
--------	---------