



**SSD KINGSTON
KC600 2TB SATA
3.0 TLC Write
speed 520
MBytes/sec
Read speed 550
MBytes/sec 2,5
TBW 1200 TB
MTBF 1000000
hours
SKC600/2048G**

Modelis: SKC600/2048G

Gamintojas: KINGSTON

EAN: 740617304350

Prekės kodas: 13827

497.00€

Kingston's KC600 is a full-capacity SSD designed to provide remarkable performance and optimised to provide functional system responsiveness with

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

incredible boot, loading and transfer times. It comes in both 2.5" and mSATA form factors using SATA Rev 3.0 interface with backwards compatibility.

The KC600 utilises the latest 3D TLC NAND technology while supporting a full security suite that includes AES 256-bit hardware encryption, TCG Opal

2.0 and eDrive. It features read/write speeds of up to 550/520MB/s

to efficiently store your data up to 2TB

- Remarkable performance
- Features the latest 3D TLC NAND technology
- Supports a full security suite (TCG Opal, AES 256-bit, eDrive)
- Available in range of full capacities

* Some of the listed capacity on a Flash storage device is used for formatting and other functions and is thus not available for data storage. As such, the actual available capacity for data storage is less than what is listed on the products. For more information, go to Kingston's Flash memory guide at kingston.com/flashguide.

** Based on "out-of-box performance" using a SATA Rev 3.0 motherboard. Speed may vary due to host hardware, software and usage. IOMETER random 4K read/write is based on 8GB partition.

*** Limited warranty based on 5 years or "SSD Life Remaining" which can be found using the Kingston SSD Manager (Kingston.com/SSDManager). A new, unused product will show a wear indicator value of one hundred (100), whereas a product that has reached its endurance limit of program erase cycles will show a wear indicator value of one (1). See Kingston.com/wa for details.

**** Total Bytes Written (TBW) is derived from the JEDEC Client Workload (JESD219A). *****

Operating system software support: Windows® 10, 8.1, 8, 7 (SP1).

Summary: Kingston Technology 2048G SSD KC600 SATA3 2.5". SSD capacity: 2 TB, SSD form factor: 2.5", Read speed: 550 MB/s, Write speed: 520 MB/s, Data transfer rate: 6 Gbit/s, Component for: PC/Laptop | Vendor Homepage: <https://www.kingston.com/> | Component for: PC/Laptop | Controller type: SMI SM2259 | Data transfer rate: 6 | Hardware encryption: Yes | Interface: Serial ATA III | Mean time between failures (MTBF): 2000000 | Memory type: 3D TLC NAND | Random read (4KB): 90000 | Random write (4KB): 80000 | Read speed: 550 | Security algorithms: 256-bit AES-XTS/TCG Opal 2.0 | SSD capacity: 2000 | SSD form factor: 2.5" | TBW rating: 1200 | Write speed: 520 | Power consumption (average): 0.2 | Power consumption (idle): 0.06 | Power consumption (read): 1.3 | Power consumption (write): 3.2 | Depth: 100.1 | Height: 7 | Weight: 40 | Width: 69.8 | Non-operating

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

vibration: 20 | Operating temperature (T-T): 0 - 70 | Operating vibration: 2.17 | Storage temperature (T-T): -40 - 85 | Country of origin: China | Export Control Classification Number (ECCN): EAR99 | Harmonized System (HS) code: 84717070 | Master (outer) case gross weight: 709.98 | Master (outer) case height: 69.85 | Master (outer) case length: 203.2 | Master (outer) case width: 135.89 | Products per master (outer) case: 10 | SSD series: KC600 | Units per Pallet: 0 | Units per Shipping Box: 50 | Unit Calculated Volume: 0.0002477 | Unit Calculated Weight: 0.071

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903