CPU COOLER MULTI SOCKET/KRAKEN 280 RGB RL-KR280W1 NZXT

Modelis: RL-KR280-W1

Gamintojas: NZXT

EAN: 5056547202679

Prekės kodas: 13897

179.00€

Kraken 280 RGB

280mm AIO Liquid Cooler with LCD Display and RGB Fans

Get high-performance cooling and display a favorite image or GIF, monitor real-time PC performance metrics, and more with NZXT CAM software.

LCD Display

1.54" square LCD display with 240x240 resolution, 30 Hz refresh rate, and high brightness.

High-Performance Pump

The powerful Asetek pump circulates coolant efficiently and quietly.

Colorful Cooling

RGB Core Fans with fluid dynamic bearings provide powerful cooling and vivid RGB lighting.

Installation Made Easy

- A single breakout cable from pump to motherboard streamlines installation.

- Includes compatible mounting brackets for Intel (LGA 1700/1200/115X) and AMD processors (AM4, AM5).

- Pre-applied NZXT High-Performance Thermal Paste.

- Extended rubber tubing with durable nylon-braided sleeves for worry-free handling.

- Pump features an embedded 1.54" square LCD screen to display real-time system info or custom images * Adjustable screen orientation accommodates pump head position
- Powerful Asetek pump provides optimal cooling and up to 2,800 RPM whisper-quiet operation
- Includes high-performance PWM fans with fluid dynamic bearings for optimal cooling
- Includes F140/F120 RGB Core fans
- Single breakout cable simplifies installation
- Rubber tubing is reinforced with nylon-braided sleeves to prevent leaks
- Control custom screen content, pump speed, and zero-noise fan curves with NZXT CAM
- Control custom screen content, RGB, pump speed, and zero-noise fan curves with NZXT CAM software

Summary: NZXT Kraken 280 RGB. Type: All-in-one liquid cooler, Fan diameter: 14 cm, Maximum air pressure: 3.22 mmH2O. Width: 63.2 mm, Depth: 53.2 mm, Height: 12.8 mm. Product colour: White | Vendor Homepage: https://nzxt.com/en-ES/product/kraken-280-rgb# | Compatible processor series: AMD Ryzen™ 3/AMD Ryzen™ 5/AMD Ryzen™ 7/AMD Ryzen™ Threadripper™/Intel® Celeron®/Intel® Core™ i3/Intel® Core™ i5/Intel® Core™ i9/Intel® Pentium® | Fan bearing technology: Fluid Dynamic Bearing (FDB) | Fan diameter: 140 | Fan noise level (max): 34.48 | Fan speed (max): 1500 | Fan speed (min): 500 | Fan's mean time to failure (MTTF): 60000 | Maximum air pressure: 3.22 | Maximum airflow: 90.79 | Pulse-width modulation (PWM) support: Yes | Pump motor speed (max): 2800 | Pump motor speed (min): 800 | Quantity per pack: 1 | Suitable location: Processor | Supported processor sockets: LGA 1150 (Socket H3)/LGA 1151 (Socket H4)/LGA 1155 (Socket H2)/LGA 1156 (Socket H)/LGA 1200 (Socket H5)/LGA 1700/Socket AM4/Socket AM5/Socket sTRX4/Socket TR4 | Type: All-in-one liquid cooler | Display size (HxV): 39.1 x 39.1 | Display type: TFT-LCD | Fan connector: 4-pin | Illumination colour: Multi | Illumination LED: Yes | Material: Aluminium/Plastic |

Number of fans: 2 | Product colour: White | Radiator material: Aluminum | Water block material: Copper/Plastic | Fan current: 0.24 | Fan power consumption: 2.88 | Fan voltage: 12 | Pump current: 300 | Pump voltage: 12 | Depth: 53.2 | Fan dimensions (W x D x H): 140 x 140 x 26 | Height: 12.8 | Radiator depth: 315 | Radiator height: 30 | Radiator width: 143 | Tube length: 400 | Waterblock depth: 74.7 | Waterblock height: 55.97 | Waterblock width: 74.7 | Weight: 52.8 | Width: 63.2 | Cables included: SATA | RGB controller included: Yes | Model: RL-KR280-W1 | Model name: Kraken 280 RGB | Units per Shipping Box: 6 | Unit Calculated Volume: 0.01682 | Unit Calculated Weight: 2.53