



**Mainboard ASUS  
AMD B550 SAM4  
MicroATX  
Memory DDR4  
Memory slots 4  
2xPCI-Express  
3.0 1x 1xPCI-  
Express 4.0 16x  
2xM.2 1x15pin  
D-sub 1xDVI-D  
1xHDMI  
2xAudio-In  
1xAudio-Out  
6xUSB 3.2  
1xPS/2 1xRJ45  
PRIMEB550M-  
AWIFIII**

Modelis: PRIMEB550M-AWIFIII

Gamintojas: ASUS

EAN: 4711081309741

Prekės kodas: 14217

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

---

# 107.99€

---

ASUS Prime series is expertly engineered to unleash the full potential of 5000 Series/ 5000 G-Series/ 4000 G-Series/ 3000 Series AMD Ryzen platform. Boasting a robust power design, comprehensive cooling solutions and intelligent tuning options, Prime B550 series motherboards provide daily users and DIY PC builders a range of performance tuning options via intuitive software and firmware features.

## **Tune It Your Way**

Comprehensive controls form the foundation of the ASUS Prime series. The Prime B550 motherboard packs flexible tools to tune every aspect of your system, enabling you to tweak performance settings to perfectly match the way you work - maximizing your productivity.

## **UEFI BIOS**

The renowned ASUS UEFI BIOS provides everything you need to configure, tweak and tune your system. It offers intelligently simplified options for PC DIY beginners, as well as comprehensive features for seasoned veterans.

## **Advanced Tuning for Serious Tweakers**

An intuitive Advanced mode offered via the UEFI lets you take complete control. A built-in search feature makes it easy to find options, and various Advanced functions let you intelligently make nuanced adjustments so you can dial in performance just the way you want.

## **Quick and Simple Setup**

EZ mode displays vital settings and stats and also offers guided wizards, drag-and-drop functionality, and one-click application of important settings — all to help you get your rig up and running in no time.

## **Intuitive Graphical Fan Control**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Fine-tune individual fan settings simply by dragging a curve with the mouse.

### **EZ XMP**

Improve DRAM performance with one click.

### **Aura On/Off mode (Stealth)**

Easily enable or disable Aura RGB lighting or every onboard LED, for a subdued aesthetic touch.

### **Cool to the Core**

Prime B550 series is engineered with multiple onboard heatsinks and an array of hybrid fan headers to ensure your rig stays cool and stable under intense workloads.

### **VRM Heatsink and Thermal Pads**

A VRM heatsink with underneath thermal pad improves heat transfer from the MOSFETs and chokes for better cooling performance.

### **Cooler by Design**

Prime B550 series features comprehensive cooling controls that are configurable via Fan Xpert 2+ software or via the UEFI BIOS.

Each header can dynamically reference three thermal sensors. Fan Xpert 2+ allows you to map the temperature of supported ASUS graphics cards to optimize cooling for GPU- and CPU-intensive tasks.

A dedicated integrated circuit protects each fan header from overheating and overcurrent.

Each onboard chassis fan header supports PWM and DC mode.

### **Build on a Solid Foundation**

Prime B550 motherboard provides all the fundamentals to boost daily productivity, so your system will be ready for action with stable power, intuitive cooling and flexible transfer options.

### **PCIe 4.0 M.2**

**(up to 64 Gbps)**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Achieve speed with onboard M.2

PCIe 4.0 M.2 Slot supports up to 22110 and provide NVMe SSD RAID support for an incredible performance boost. Create a RAID configuration with up to PCIe 4.0 storage device to enjoy the fastest data-transfer speeds on AMD Ryzen™ 5000 Series/ 3000 Series Processors.

### **Wi-Fi 6**

Wi-Fi 6 module is compatible with the 802.11ax standard and pushes theoretical peak bandwidth up to an incredible 2.4 Gbps. Perhaps more importantly for power users, it's optimized for more efficient operation on crowded networks with a lot of competing traffic. Pair your motherboard with ASUS WiFi 6 routers to fully experience the networking potential of WiFi 6.

### **USB 3.2 Gen 2**

Type-A

Numerous USB ports support high-end rigs loaded with peripherals, including two rear-panel USB Type-A connectors with fast USB 3.2 Gen 2 connectivity for compatible cases.

### **Little Things Make a Big Difference**

Prime B550 series adds the nuanced details that improve every experience, from exclusive codecs that provide pristine audio quality to intuitive RGB lighting controls that let you customize your system to create a uniquely personal look.

### **Outstanding Audio**

Combined onboard features deliver elevated audio

Intelligent design and premium hardware create audio quality unlike anything you've ever experienced.

### **Aura Sync**

Outshine the Competition

A well-tuned enthusiast system deserves a matching aesthetic. ASUS Aura offers full RGB lighting control with a variety of functional presets for RGB LED strips connected to the onboard RGB headers. And it can all be synced with an ever-growing portfolio of Aura-capable hardware.

### **Addressable Gen 2 Header**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

The addressable Gen 2 header is now capable of detecting the number of LEDs on second-gen addressable RGB devices, allowing the software to automatically tailor lighting effects to specific devices. The new header also offers backward-compatibility with existing Aura RGB gear.

### **Armoury Crate**

Armoury Crate is a new software utility designed to give you centralized control of supported products. From a single intuitive interface, Armoury Crate allows you to easily customize RGB lighting and effects for every compatible device in your arsenal. The software also provides control of settings for ASUS products, including keyboard and mouse preferences. Armoury Crate even features dedicated product registration and highlight to help you stay in touch with the ASUS community.

### **SafeSlot Core**

Fortified PCIe slot prevents damage

SafeSlot Core is the ASUS-exclusive PCIe slot. Featuring a fortified design that's anchored to the motherboard by a special hook, SafeSlot Core provides 1.6x stronger retention and 1.3x greater shearing resistance than standard expansion slots.

### **Overvoltage Protection**

World-class circuit-protecting power design

An exclusive circuit design with built-in voltage regulators to protect your motherboard from damage caused by unexpected high-level voltages from unstable or inferior power supplies.

### **DRAM Overcurrent Protection**

Short-circuit damage prevention

Onboard resettable fuses prevent overcurrent and short-circuit damage. This extends beyond I/O ports to DRAM to safeguard the lifespan of your system and connected devices.

### **Stainless-Steel Back I/O**

3X corrosion-resistance for greater durability

Corrosion-resistant stainless-steel back I/O panels bonded with chromium oxide have a lifespan that's three times longer than ordinary panels.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## LANGuard

Pumped-up throughput 2.5X higher surge tolerance

ASUS LANGuard is a hardware-level network protection feature that integrates advanced signal-coupling technology and premium anti-EMI surface-mounted capacitors to improve throughput and ensure a more reliable connection.

- AMD AM4 Socket: Ready for Ryzen™ 5000 Series/ 5000 G-Series/ 4000 G-Series/ 3000 Series Desktop Processors
- Comprehensive Cooling: VRM heatsink, PCH heatsink, hybrid fan headers, and Fan Xpert 2+ utility
- Ultrafast Connectivity: Dual M.2, PCIe 4.0, Wi-Fi 6, 1 Gb Ethernet, USB 3.2 Gen 2 Type-A support
- Aura Sync RGB Lighting: Onboard addressable Gen 2 header and RGB headers for RGB LED strips, easily synced with Aura Sync-capable hardware

Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.

Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.

PCB color and bundled software versions are subject to change without notice.

Brand and product names mentioned are trademarks of their respective companies.

The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

Specifications and features vary by model, and all images are illustrative. Please refer specification pages for full details.

\*Precise specifications and features vary by model . Please refer to the specification page

The product (electrical , electronic equipment, Mercury-containing button cell battery) should not be placed in municipal waste. Check local regulations for disposal of electronic products.

The use of trademark symbol (TM, ®) appears on this website means that the word text, trademarks, logos or slogans, is being used as trademark under common laws protection and/or

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

registered as Trademark in U.S. and/or other country/region.

Summary: ASUS PRIME B550M-A WIFI II. Processor manufacturer: AMD, Processor socket: Socket AM4, Compatible processor series: AMD Ryzen 3000 Series, AMD Ryzen 5000 Series. Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, PCI Express 3.0, PCI Express 4.0, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10. USB connector type: USB Type-A. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111H, Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | Vendor Homepage: [https://www.asus.com/Motherboards-](https://www.asus.com/Motherboards-Components/Motherboards/PRIME/PRIME-B550M-A-WIFI-II/)

[Components/Motherboards/PRIME/PRIME-B550M-A-WIFI-II/](https://www.asus.com/Motherboards-Components/Motherboards/PRIME/PRIME-B550M-A-WIFI-II/) | Audio output channels: 7.1 | Component for: PC | Motherboard chipset: AMD B550 | Motherboard chipset family: AMD | Motherboard form factor: micro ATX | Product colour: Multicolour | Windows operating systems supported: Windows 10 x64/Windows 11 x64 | Compatible processor series: AMD Ryzen 3000 Series/AMD Ryzen 5000 Series | Processor manufacturer: AMD | Processor socket: Socket AM4 | Supported processor sockets: Socket AM4 | ECC compatibility: ECC | Maximum internal memory: 128 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 4 | Supported memory clock speeds: 2133/2400/2666/2800/3000/3200/3333/3466/3600/3733/3866/4000/4133/4266/4400/4466/4600/4800/4860 | Supported memory types: DDR4-SDRAM | Unbuffered memory: Yes | Number of storage drives supported: 6 | RAID levels: 0/1/10 | RAID support: Yes | Supported storage drive interfaces: M.2, PCI Express 3.0, PCI Express 4.0, SATA III | Supported storage drive types: HDD & SSD | On-board graphics card: No | Parallel processing technology support: Not supported | 12V power connector: Yes | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Front panel audio connector: Yes | Number of chassis fan connectors: 2 | Number of COM connectors: 1 | Number of EATX power connectors: 1 | Number of SATA III connectors: 4 | RGB LED pin header: Yes | S/PDIF out connector: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | DVI-D ports quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone outputs: 1 | Microphone in: Yes | PS/2 ports quantity: 1 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 2 | USB connector type: USB Type-A | VGA (D-Sub) ports quantity: 1 | WiFi-AP antenna jack: 1 | Bluetooth: Yes | Bluetooth version: 5.2 | Ethernet interface type: Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Realtek RTL8111H | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | Wake-on-LAN ready: Yes | Wi-Fi: Yes | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax) | Number of M.2 (M) slots: 2 | PCI Express x1 (Gen 3.x) slots: 2 | PCI Express x16 (Gen 3.x) slots: 1 | PCI Express x16 (Gen 4.x) slots: 1 | BIOS memory size: 256 | BIOS type: UEFI AMI |

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

Clear CMOS jumper: Yes | Harmonized System (HS) code: 84733020 | Depth: 244 | Height: 67 | Width: 244 | Cables included: SATA | Drivers included: Yes | Packaging content: 2 x SATA 6Gb/s cables 1 x ASUS Wi-Fi moving antennas 1 x I/O Shield 1 x M.2 SSD screw package 1 x Support DVD 1 x User manual | Weight: 845 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.005292 | Unit Calculated Weight: 1.18

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903