



**Mainboard ASUS
Intel B760
Express
LGA1700 Micro-
ATX Memory
DDR4 Memory
slots 2 2xPCI-
Express 4.0 1x
1xPCI-Express
4.0 16x 2xM.2
1x15pin D-sub
1xHDMI 2xUSB
2.0 4xUSB 3.2
1xPS/2 1xRJ45
3xAudio port
PRIMEB760M-
KD4**

Modelis: PRIMEB760M-KD4

Gamintojas: ASUS

EAN: 4711387006917

Prekės kodas: 14220

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

89.99€ ~~106.99€~~

Intel B760 | micro ATX | Audio 7.1 channels | CPU Intel | Socket LGA 1700 | Series Intel® Celeron®/Intel® Core™ i3/Intel® Core™ i5/Intel® Core™ i7/Intel® Core™ i9/Intel® Pentium® Gold | Supported memory types DDR4-SDRAM | 2xNumber of memory slots | Memory slots type DIMM | Supported storage drive interfaces M.2,SATA III | 2xUSB 2.0 ports quantity | 4xUSB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1xEthernet LAN (RJ-45) ports | 1xVGA (D-Sub) ports quantity | 1xHDMI ports quantity | Weight 528 g Summary: ASUS PRIME B760M-K D4. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Supported memory types: DDR4-SDRAM, Maximum internal memory: 64 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. USB connector type: USB Type-A. Ethernet interface type: 2.5 Gigabit Ethernet | Vendor Homepage: www.asus.com/motherboards-components/motherboards/prime/prime-b760m-k-d4/ | Audio output channels: 7.1 | Component for: PC | Motherboard chipset: Intel B760 | Motherboard chipset family: Intel | Motherboard form factor: micro ATX | Windows operating systems supported: Windows 10 x64/Windows 11 | Compatible processor series: Intel® Celeron®/Intel® Core™ i3/Intel® Core™ i5/Intel® Core™ i7/Intel® Core™ i9/Intel® Pentium® Gold | Processor manufacturer: Intel | Processor socket: LGA 1700 | Supported processor sockets: LGA 1700 | ECC compatibility: Non-ECC | Maximum internal memory: 64 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 2 | Supported memory clock speed (max): 5333 | Supported memory clock speeds: 2133/2400/2666/2800/2933/3000/3200/3333/3400/3466/3600/3733/4000/4266/4400/4600/4800/5000/5060 | Supported memory types: DDR4-SDRAM | Unbuffered memory: Yes | Number of HDDs supported: 4 | Number of storage drives supported: 6 | RAID levels: 0/1/10/5 | RAID support: Yes | Supported storage drive interfaces: M.2,SATA III | Supported storage drive types: HDD & SSD | Parallel processing technology support: Not supported | 12V power connector: Yes | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Front panel audio connector: Yes | Number of chassis fan connectors: 1 | Number of COM connectors: 1 | Number of SATA III connectors: 4 | RGB LED pin header: Yes | S/PDIF out connector: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | Ethernet LAN (RJ-45) ports: 1 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

HDMI ports quantity: 1 | Microphone in: Yes | PS/2 ports quantity: 1 | USB 2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | USB connector type: USB Type-A | VGA (D-Sub) ports quantity: 1 | Ethernet interface type: 2.5 Gigabit Ethernet | Ethernet LAN: Yes | Wake-on-LAN ready: Yes | Wi-Fi: No | Number of M.2 (M) slots: 2 | PCI Express x1 (Gen 4.x) slots: 2 | PCI Express x16 (Gen 4.x) slots: 1 | BIOS memory size: 128 | BIOS type: UEFI AMI | Package depth: 51.5 | Package height: 263 | Package weight: 926.3 | Package width: 270 | Depth: 211 | Height: 36 | Width: 244 | Cables included: SATA | Weight: 528 | Model: PRIME B760M-K D4 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.004834 | Unit Calculated Weight: 0.998

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903