



Mainboard
GIGABYTE AMD
B550 SAM4 ATX
Memory DDR4
Memory slots 4
3xPCI-Express
3.0 1x 1xPCI-
Express 3.0 2x
1xPCI-Express
4.0 16x 2xM.2
1xDVI-D 1xHDMI
2xAudio-In
1xAudio-Out
2xUSB 2.0
4xUSB 3.2
1xPS/2 1xRJ45
B550GAMINGXV21.3

Modelis: B550GAMINGXV21.3

Gamintojas: GIGABYTE

EAN: 4719331810702

Prekės kodas: 14243

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

101.99€

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

- Supports AMD Ryzen 5000 Series/ Ryzen 5000 G-Series/ Ryzen 4000 G-Series/ Ryzen™ 3000 and Ryzen™ 3000 G-Series Processors
- Dual Channel ECC/ Non-ECC Unbuffered DDR4, 4 DIMMs
- 10+3 Phases Digital Twin Power Design with Low RDS(on) MOSFETs
- Ultra Durable™ PCIe 4.0 Ready x16 Slot
- Dual Ultra-Fast NVMe PCIe 4.0/3.0 x4 M.2 Connectors
- Realtek GbE LAN with Bandwidth Management
- Front USB 3.2 Gen1 Type-C and HDMI & DVI-D for Multiple Display
- High Quality Audio Capacitors and Audio Noise Guard for Ultimate Audio Quality
- RGB FUSION 2.0 support Addressable LED & RGB LED Strips
- Smart Fan 5 Features Multiple Temperature Sensors , Hybrid Fan Headers with FAN STOP
- Q-Flash Plus Update BIOS without Installing the CPU, Memory and Graphics Card
- Anti-Sulfur Resistors Design

Summary: GIGABYTE B550 Gaming X V2 Motherboard - AMD Ryzen 5000 CPUs, 10+3 Phases VRM, up to 4733MHz DDR4, 1xPCIe 4.0 + 1xPCIe 3.0 M.2, 1GbE LAN, USB 3.2 Gen 2. Processor manufacturer: AMD, Processor socket: Socket AM4, Compatible processor series: AMD Ryzen 3000 Series, AMD Ryzen 4000 Series, AMD Ryzen 5000 Series. Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111H. Component for: PC, Motherboard form factor: ATX, Motherboard chipset family: AMD | Vendor Homepage: <https://www.gigabyte.com/> | Audio chip: Realtek ALC897 | Audio output channels: 7.1 | Component for: PC | Cooling type: Passive

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

| Motherboard chipset: AMD B550 | Motherboard chipset family: AMD | Motherboard form factor: ATX
| PC health monitoring: Fan/Temperature/Voltage/Water cooling | Power source type: ATX | Product
colour: Brown | Windows operating systems supported: Windows 10 x64/Windows 11 x64 |
Compatible processor series: AMD Ryzen 3000 Series/AMD Ryzen 4000 Series/AMD Ryzen 5000
Series | Maximum number of SMP processors: 1 | Processor manufacturer: AMD | Processor socket:
Socket AM4 | Supported processor sockets: Socket AM4 | ECC compatibility: ECC & Non-ECC |
Maximum internal memory: 128 | Maximum internal memory per slot: 32 | Memory channels: Dual-
channel | Memory slots type: DIMM | Number of memory slots: 4 | Supported memory clock speed
(max): 4733 | Supported memory clock speeds:
2133/2400/2667/2933/3200/3400/3466/3600/3733/3866/4000/4133/4266/4400/4600/4733 |
Supported memory types: DDR4-SDRAM | Unbuffered memory: Yes | Number of HDDs supported: 4 |
Number of storage drives supported: 6 | RAID levels: 0/1/10 | RAID support: Yes | Supported storage
drive interfaces: M.2,SATA III | Supported storage drive types: HDD & SSD | DirectX version: 12.0 |
HDCP: Yes | Parallel processing technology support: Not supported | 12V power connector: Yes | ATX
Power connector (24-pin): Yes | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Front
panel audio connector: Yes | Front panel connector: Yes | Number of chassis fan connectors: 3 |
Number of CPU fan connectors: 1 | Number of EPS power connectors (8-pin): 1 | Number of RGB LED
pin headers: 5 | Number of SATA III connectors: 4 | Number of water pump connectors: 4 | RGB LED
pin header: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1)
connectors: 2 | DVI-D ports quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | HDMI
version: 2.1 | Headphone outputs: 1 | Line-in: Yes | Microphone in: Yes | PS/2 ports quantity: 1 | USB
2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 3 | USB 3.2 Gen 2 (3.1 Gen
2) Type-A ports quantity: 1 | Ethernet interface type: Gigabit Ethernet | Ethernet LAN: Yes | LAN
controller: Realtek RTL8111H | Wi-Fi: No | 1st M.2 highest PCI Express generation: 4.0 | 1st M.2
largest key size: 22110 | 2nd M.2 highest PCI Express generation: 3.0 | 2nd M.2 largest key size:
22110 | Number of M.2 (M) slots: 2 | PCI Express x1 (Gen 3.x) slots: 3 | PCI Express x16 (Gen 3.x)
slots: 2 | PCI Express x16 (Gen 4.x) slots: 1 | ACPI version: 5.0 | BIOS memory size: 128 | BIOS type:
UEFI AMI | Clear CMOS jumper: Yes | Desktop Management Interface (DMI) version: 2.7 | System
Management BIOS (SMBIOS) version: 2.7 | Battery technology: Lithium-Manganese Dioxide (LiMnO₂)
| Battery type: CR2032 | Battery weight: 3 | Country of origin: China | Harmonized System (HS) code:
84733020 | Lithium weight per battery: 0.07 | Number of battery cells: 1 | Package depth: 270 |
Package height: 80 | Package weight: 1710 | Package width: 335 | Products per shipping (inner)
case: 1 | Depth: 244 | Height: 35 | Width: 305 | Batteries included: Yes | Bundled software: Norton®

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Internet Security (OEM version) LAN bandwidth management software | Screws included: Yes | DVI port: Yes | Warranty period: 3 | Weight: 1120 | Model: B550 GAMING X V2 (rev. 1.3) | Units per Pallet: 0 | Units per Shipping Box: 8 | Unit Calculated Volume: 0.01006 | Unit Calculated Weight: 1.7

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903