



**Case LIAN LI
LANCOOL 207
MidiTower Case
product features
Transparent
panel Not
included ATX
MicroATX
MiniITX Colour
White
G99.LAN207RW.00**

Modelis: G99.LAN207RW.00

Gamintojas: LIAN LI

EAN: 4718466015846

Prekės kodas: 14294

94.99€

The LANCOOL 207 reimagines the traditional ATX layout, packing powerful compatibility and superior cooling into a sleek, compact M-ATX chassis.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

AVAILABLE IN 2 COLORS

The LANCOOL 207 is available in classic black and refreshing white, ensuring a perfect match for your style.

COMPACT POWERHOUSE

Though compact in size, the LANCOOL 207 offers remarkable compatibility, supporting ATX motherboard, a 360mm radiator, ATX PSU, and GPU up to 375mm, all within the sleek 45.5L chassis.

SPACE-SAVING INNOVATIVE LAYOUT

The LANCOOL 207's unique offset motherboard tray provides a space-efficient solution while improving compatibility and airflow.

The LANCOOL 207 supports standard ATX (max width 244mm) / M-ATX/ ITX motherboards.

EASY ACCESS FRONT-MOUNTED PSU

The PSU is strategically placed at the front, with connector ports facing outward for convenient cable connection. Additionally, a PSU power adaptor extension cable is provided for rear power access.

The LANCOOL 207 offers PSU mounting with the fan oriented either upward or downward.

SUPERIOR COOLING PERFORMANCE

Besides being designed with comprehensive mesh panels on the top, front, and side bottom, the LANCOOL 207 comes pre-installed with four high-performance fans for superior out-of-box cooling.

The PPLP Lab testing shows the Lancool 207 is in the top-tier of their ranking, which deliver outstanding thermal performance. This earned it the Level-S Chassis Performance award for exceptional thermal management.

360mm Radiator Compatibility

The top of the case supports a 360mm push-pull radiator configuration thanks to the offset motherboard tray design.

SEAMLESS CONNECTIVITY

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The LANCOOL 207's top-mounted I/O panel offers easy access to essential ports.

EFFICIENT CABLE MANAGEMENT

With the innovative layout, the well-organized cable management system is mostly at the front of the 2nd chamber.

1. Routing for EPS cable
2. 3 × Triple Velcro Straps for cable management
3. Grommet for 24-PIN motherboard cable
4. Space for 2 × Hard Drives

OPTIONAL ACCESSORIES

Vertical GPU Kit - VG4-4-V2X / VG4-4-V2W

The LIAN LI universal vertical GPU bracket can be installed with no need to remove the bottom fans, ensuring enhanced airflow. The included rubber pad can be used to prevent the GPU from sagging.

Front Dust Filter - LAN207-1X / LAN207-1W

For next level dust prevention, a front panel dust filter is available as an optional accessory. It fits seamlessly behind the front fan, providing an extra layer of protection.

- M-ATX sized case with ATX compatibility
- Includes 2 x 140mm ARGB fans at the front and 2 x 120mm PWM fans above the PSU shroud for maximum out-of-box cooling
- Fully ventilated mesh panels on the front, top, and bottom, ensuring excellent airflow
- Front-mounted PSU with side-facing connector ports for easy cable management
- Motherboard tray position redesigned to improve top radiator clearance and locate bottom fans directly under the GPU for better cooling
- GPU anti-sag bracket with vertical and horizontal adjustment to support different GPUs

Summary: Lian Li Lancool 207. Form factor: Midi Tower, Type: PC, Product colour: White. Power supply location: Bottom. Front fans installed: 2x 140 mm, Front fans diameters supported: 140 mm, Side fans diameters supported: 120 mm. Supported HDD sizes: 3.5", SSD form factor: 2.5". Width:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

219 mm, Depth: 455.6 mm, Height: 456 mm | Vendor Homepage: <https://lian-li.com/product/lancool-207/> | Anti-dust filter: Yes | Cable management: Yes | Form factor: Midi Tower | Material: Steel/Tempered glass | Maximum CPU cooler height: 180 | Maximum graphics card length: 375 | Maximum PSU length: 160 | Number of 3.5" bays: 2 | Number of expansion slots: 7 | On/off button: Yes | Product colour: White | Side window: Yes | Suitable for: Gaming | Supported motherboard form factors: ATX/micro ATX/Mini-ITX | Tempered glass panel(s): Yes | Type: PC | Power supply included: No | Power supply location: Bottom | Combo headphone/mic port: Yes | USB 3.0: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity: 1 | Fan speed: 450 - 1900 | Front fans diameters supported: 140 | Front fans installed: 2x 140 mm | Maximum air pressure: 3.3 | Maximum airflow: 109.3 | Number of front fans supported (max): 2 | Number of rear fans supported (max): 1 | Number of side fans supported (max): 2 | Number of top fans supported (max): 3 | Rear fans diameters supported: 120 | Rear fans installed: 2x 120 mm | Side fans diameters supported: 120 | Top fans diameters supported: 120/140 | Top radiator sizes supported: 240/280/360 | SSD form factor: 2.5" | Supported HDD sizes: 3.5 | Warranty period: 1 | Depth: 455.6 | Height: 456 | Width: 219 | Model name: LANCOOL 207 | Case product features: Transparent panel | Cooling & Ventilation System: Front: 2 x 140mm ARGB fan (450~1900 RPM / DC 12V, 0.4A / LED 5V, 0.7A / 109.3 CMF / 3.3 mm-H2O / 34.86 dB-A); Above PSU Shroud : 2 x 120mm PWM fan (500~1950 RPM / DC 12V, 0.28A / 71.1 CMF / 1.99 mm-H2O / 30.81 dB-A) | Model: G99.LAN207RW.00 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.07765 | Unit Calculated Weight: 10.5

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903