MSI MAG A850GL PCIE5 II maitinimo blokas 850 W 20+4 pin ATX ATX Juoda

Gamintojas: **MSI** · Modelis: **MAG A850GL PCIE5 II** · EAN: **4711377246682** · Prekės kodas: **20654**



122,90 €

Kaina su PVM

Be PVM: **101,57 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 850 W 100 - 240 V 47 - 63 Hz
- ✓ Motininės plokštės maitinimo jungtis: 20+4 pin ATX
- ✓ PC ATX 80 PLUS Gold
- ✓ Aktyvus 12 cm
- ✓ Juoda









Aprašymas

ATX 3.1 Ready

It has an output port that is compliant with PCIe 5.1 and Intel PSDG(Power Supply Design Guide) ATX 3.1, also the power supply can hold up to 2x total power excursion and 3x GPU power excursion.

ENERGY EFFICIENCY CERTIFICATION

The efficiency of your power supply directly influences your system’s performance and your power consumption. The 80 PLUS Gold and Cybenetics Gold certification promises lower energy consumption and higher efficiency.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

COMPACT SIZING

Smaller than typical PSUs on the market, this power supply unit that can save space and make it easier to organize cables in the computer case by freeing up more room inside.

ONLY WHAT YOU NEED

The connectors that required by the build need to be used, significantly reducing cable clutter and simplifying the system’s overall build. Additionally, the included cable pack provides a storage solution for any unused cables.

ALL THE MORE ORGANIZED

Organizing cables is often the most bothersome part of building a PC. The flat cables make cable management easier and less of headache! Thanks to the flat cables, the entire system can be more organized and has more room for unobstructed airflow.

FLUID DYNAMIC BEARING

The power supply’s fan sports a fluid dynamic bearing that perfectly balances cooling performance and noise level.

DC to DC & Full bridge

DC to DC and Full bridge be combined to achieve higher conversion efficiency, stable output voltage, and quick voltage adjustment for different usage scenarios, thus providing a stable power supply design.

THE POWER YOU HAVE

The single rail supply of power can properly deliver the power you need. For high-performance graphics cards and CPUs, this power supply's CPU & PCIe connectors are more than plenty.

PROTECTION MECHANISMS

To make sure the entire system can operate safely and stably at all times, the power supply comes with a number of protection mechanisms to give you the best peace of mind.

Techninė specifikacija

Power	
Total power	850 W
AC input voltage	100 - 240 V
AC input frequency	47 - 63 Hz
Power Factor Correction (PFC) type	Active
Number of +12V rail(s)	1
Combined power (+3.3V)	110 W
Combined power (+12V)	846 W
Combined power (+5V)	110 W
Combined power (-12V)	3.6 W

Combined power (+5Vsb)	12.5 W
Max output current (+3.3V)	20 A
Max output current (+12V)	70.5 A
Max output current (+5V)	20 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	2.5 A
Efficiency	90%
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	4
Motherboard power cable length	60 cm
Number of SATA power connectors	8
SATA power cable length	150,500 mm
Peripheral (Molex) power cable length	500 mm
EPS power connector (8-pin)	No
EPS power connector (4+4 pin)	Yes
PCI Express power connectors (6+2 pin)	4
PCI Express power connectors (16-pin)	1
CPU power connector (4+4 pin)	Yes
Cabling type	Fully-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Gold
ATX version	3.1
Bearing technology	FDB
Design	
Product colour	Black
Cooling type	Active
Fan diameter	12 cm
Number of fans	1 fan(s)
On/off switch	Yes
Weight & dimensions	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Width	150 mm
Depth	140 mm
Height	86 mm
Packaging data	
Package type	Box
Matmenys ir svoris	
Matmenys (I × P × A)	30,00cm × 23,00cm × 13,00cm
Svoris	2,79kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Micro-Star Int'l Co.
Lide St., Zhonghe Dist. No. 69, 235 New Taipei City, TW
msi.com

ATSAKINGAS ASMUO ES

Mystar Computer B.V.
Science Park Eindhoven 5706, 5692 ER Son, NL
msi.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.