

Epson TM-U220IIB (101): Serial, PS, NE sensor, ECW

Gamintojas: **EPSON** · Modelis: **C31CL27101** · EAN: **8715946731599** · Prekės kodas: **242685**



314,90 €

Kaina su PVM

Be PVM: **260,25 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Paprasta naudoti: Paprasta paruošti darbui ir naudoti, lengva pakeisti juostą
- ✓ Didesnė buferio atmintis: Dėl padidinto buferio galima tuo pačiu metu gauti daugiau užsakymų.
- ✓ Didelis greitis: Didelio efektyvumo našumas, greičiau spausdinami kvitai ir užsakymai
- ✓ Universalus: Galingas, tačiau kompaktiškas, todėl puikiai tinka taikyti įvairiose srityse
- ✓ Suderinamas: Sukurtas taip, kad būtų suderinamas su sistemomis, pritaikytoms ankstesniems modeliams.
- ✓ Išskirtinis garsas: Išskirtinis garsas, tinkantis triukšmingose vietose, kur spaudinimas negalima skirti daug laiko

Aprašymas

Easy to use

The TM-U220II is a robust, high performance impact receipt printer which is exceptionally easy to use. Featuring drop-in paper load, selectable auto-cutter and clamshell covers for easy access and maintenance, the TM-U220II is very reliable and prints on plain paper in three widths.

Increased memory

An increased buffer allows more orders to be received at the same time, making it ideal for those busy environments where order success is critical. It supports more orders being received from multiple devices, which means that more tickets can be processed in a shorter time, keeping the operation flowing.

High printing speed

The TM-U220II provides high-efficiency throughput. Retailers can hand receipts to customers faster. Restaurant kitchens can receive orders quickly.

Superior versatility

The TM-U220II suits a wide range of needs and applications. Each model in the series is powerful, yet compact enough to fit in confined spaces. In addition, the wall-mounting option frees up valuable counter space in kitchens and other tight locations.

Outstanding compatibility

The TM-U220II printers are designed to be compatible with systems built around predecessor models. These systems can be upgraded simply by dropping in a TM-U220II. Moreover, since the external dimensions are nearly identical, there is no need to change the installation environment.

Distinctive sound

The distinctive printing sound of the TM-U220II makes it stand out among the soundscape of a noisy kitchen environment. This draws attention to incoming orders and reduces the customers' waiting times.

Techninė specifikacija

Printing	
Maximum printing width (columns)	40
Character density	16 cpi
Features	
Product colour	White
Buffer size	20 KB
Sound pressure level (printing)	64 dB
Page description languages	ESC/POS
Ports & interfaces	
Standard interfaces	RS-232
Endurance	
Print head	9-pin
Print head life	150 million characters
Mean time between failures (MTBF)	180000 h
Power	
Power consumption (typical)	31 W
Power consumption (standby)	2 W
Operational conditions	
Storage temperature (T-T)	-10 - 50 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	

Width	160 mm
Depth	248 mm
Height	139 mm
Weight	2.5 kg
Matmenys ir svoris	
Matmenys (I × P × A)	34,00cm × 30,00cm × 22,00cm
Svoris	3,85kg