Epson TM-H6000VI 180 x 180 DPI Wired & Wireless Thermal POS printer

Gamintojas: **EPSON** · Modelis: **C31CL25102** · EAN: **8715946733807** · Prekės kodas: **242781**

700,90 €

Kaina su PVM

Be PVM: **579,26 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Fastest multifunction hybrid printer in the industry — up to 500 mm/sec for faster transaction times
- ✓ Accurate check processing — robust slip and endorsement printing; MICR accuracy of 99.9 percent
- ✓ Engineered for reliability — long-life printhead and auto cutter; easy-to-clean, water-resistant enclosure; backed by 2-year limited warranty
- ✓ Advanced paper-saving functions — help reduce costs with up to 49 percent reduction in paper usage
- ✓ Real-time remote monitoring and management — get remote access to the printer’s status, maintenance counters, part life expectancy and settings
- ✓ Multiplatform support — compatible with traditional POS terminals and mobile devices
- ✓ Online ordering capability — Server Direct Print function allows the printer to retrieve orders from a Web server and print a receipt without requiring integration with POS software
- ✓ Flexible setup and configuration — Epson TM Utility app streamlines the setup process; additional memory enables multilingual support on each printer
- ✓ POS peripheral support — supports POS peripherals such as payment terminals and customer displays

Aprašymas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The OmniLink® TM-H6000VI Multifunction POS Printer with Check Processing is an ideal choice for demanding, high-volume businesses. This powerful multifunction hybrid POS receipt printer features the fastest print speeds in the industry1, at up to 500 mm/sec2. It is engineered for reliability, with long-life printhead and auto cutter3 as well as a water-resistant enclosure that’s easy to clean. The printer also has an MICR accuracy of 99.9 percent, enabling incredibly quick and efficient check processing. What’s more, advanced paper-saving options help lower costs by reducing paper usage by up to 49 percent4. The robust TM-H6000VI offers dynamic multiplatform support for traditional POS terminals and mobile devices, enabling system flexibility based on your needs. Remote status monitoring5 and management of this high performer from virtually anywhere helps keep your workflow moving and cut down on downtime. The TM-H6000VI is backed by a 2-year limited warranty, giving you Epson’s world-class service and support for your peace of mind.

Techninė specifikacija

Specifications	
Sandėlio grupė	POS > Receipt Printer [+0][-0]
Printing	
Print technology	Thermal
Type	POS printer
Maximum resolution	180 x 180 DPI
Print speed	500 mm/sec
Paper handling	
Printing media thickness	48 – 80
Maximum roll diameter	8.3 cm
Supported paper width	79.5 mm
Ports & interfaces	
Connectivity technology	Wired & Wireless
USB port	Yes
Serial interface	Yes
USB connector	USB Type-A / USB Type-B
Serial interface type	RS-232
Near Field Communication (NFC)	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	No
Ethernet LAN data rates	10,100 Mbit/s
Features	
Built-in barcodes	AZTECCODE, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, Data Matrix, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, MaxiCode, PDF417, UPC-A, UPC-E
Page description languages	ESC/POS
Design	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Product colour	Black
Power	
Power source type	DC
Power consumption (printing)	26.6 W
System requirements	
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Weight & dimensions	
Width	186 mm
Depth	278 mm
Height	181 mm
Weight	4.4 kg
Matmenys ir svoris	
Matmenys (I × P × A)	39,00cm × 31,00cm × 30,00cm
Svoris	6,06kg