TP-Link TL-PA7017P PowerLine network adapter 1000 Mbit/s Ethernet LAN White 1 pc(s)

Gamintojas: **TP-LINK** · Modelis: **TL-PA7017P** · EAN: **1210002614252** · Prekės kodas: **343488**



40.90€

Kaina su PVM

Be PVM: **33.80€**

In Stock

Prekė internetu


Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės


- ✓ 1000 Mbit/s 300 m
- ✓ Gigabit Ethernet
- ✓ Built-in power socket
- ✓ White

















Aprašymas

Gross depth (mm): 58.00 | Gross height (mm): 95.00 | Gross weight: 0.58 | Gross width (mm): 42.00 | Net weight: 0.50 | Packing quantity: 1.00 | Paper/Pasteboard: 70.00 | Plastic (No PET): 10.00 | Tare weight (kg): 0.08 | Volume (m3): 0.00 | Embeeded battery: No | WEEE tax: Yes | WEE classification: CL109:5:2017-04-01 | Producer product name: TL-PA7017P | Producer product family: AV1000 Gigabit Passthrough Powerline Adapter | Ethernet LAN (RJ-45) ports: 1 | Ethernet LAN data rates: 1000 | Wi-Fi band: No Wi-Fi | Extra socket: Yes | Other features: Gigabit Port - provides secure wired networks for desktops, smart TVs or games consoles. Integrated Power Socket - ensures no power outlet goes to waste. Patented

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power-Saving Mode - automatically reduces power consumption by up to 85% | Plug and Play: Yes | Palette Qty: 1724 | Producer: TP-LINK | Warranty: 36

Techninė specifikacija

Performance	
Maximum data transfer rate	1000 Mbit/s
Ethernet LAN	Yes
Networking standards	IEEE 1901, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Built-in power socket	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Ethernet LAN (RJ-45) ports	1
PowerLine standard	HomePlug AV2
Modulation	OFDM
Security algorithms	128-bit AES
Maximum operating distance	300 m
Plug and Play	Yes
Power	
Power consumption (typical)	2.3 W
Power consumption (standby)	0.5 W
AC input voltage	220 V
AC input frequency	50 Hz
Design	
Product colour	White
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	95 mm
Depth	58 mm
Height	72 mm
Certificates	
Compliance certificates	RoHS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Packaging data	
Package width	190 mm
Package depth	136 mm
Package height	100 mm
Package weight	370 g
Packaging content	
Quantity per pack	1 pc(s)
Quick installation guide	Yes
Cables included	LAN (RJ-45)
Logistics data	
Harmonized System (HS) code	85171800
Matmenys ir svoris	
Matmenys (I × P × A)	6.00cm × 4.00cm × 10.00cm
Svoris	0.58kg

Dokumentai ir vaizdo įrašai

- User manual
- Quick start guide

Gamintojo ir saugos informacija

MANUFACTURER

TP-Link

EU RESPONSIBLE PERSON

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt